A Reproduced Copy

OF

(ASC 41/6 COPY!

Reproduced for NASA by the

NASA Scientific and Technical Information Facility

OUTGASSING DATA FOR SPACECRAFT MATERIALS

Goddard Space Flight Center Greenbelt, MD

1980

H1/24

NASA Reference Publication 1061 N80-30441

(NASA-RP-1061) OUTGASSING DATA FOR SPACECRAPT MATERIALS (NASA) 259 PHC A12/MF A01

180-30441

CSCL 11D

Unclas 29987.

Outgassing Data for Spacecraft Materials

William A. Campbell, Jr., Richard S. Marriott, and John J. Park Goddard Space Flight Center Greenbelt, Maryland



Scientific and Technical Information Branch

1980

REPRODUCED BY
NATIONAL TECHNICAL
INFORMATION SERVICE
U.S. DEPARTMENT OF COMMERCE
SPRINGFIELD, VA. 22161

This document makes use of international metric units according to the Systeme International d'Unites (SI). In certain cases, utility requires the retention of other systems of units in addition to the SI units. The conventional units stated in parentheses following the computed SI equivalents are the basis of the measurements and calculations reported.

. Report No. NASA-RP-1061	2.	Government Acces	ssion No.	3. Recipient's Catalog No.
I. Title and Subtitle Outgassing Data for	L			5. Report Date August 1980
Spacecraft Materials				6. Performing Organization Code 313
7. Author(s)				8. Performing Organization Report N
William A. Campbell,	Jr.,Rich	ard S. Marriott, .	John J. Park	80 F 7000 10. Work Unit No.
9. Performing Organization N	lame and A	Address		010-07-01
Goddard Space Fligh		•		11. Contract or Grant No.
Greenbelt, Maryland	20771	. •		11. Contract of Grant No.
				13. Type of Report and Period Cover
12. Sponsoring Agency Name				D. C. D. Historian
National Aeronautics		ce Administration	n	Reference Publication
Washington, D. C. 20	U3 4 0			14. Sponsoring Agency Code
15. Supplementary Notes				
			•	
<i>:</i>	ved from	n tests at 398 K (125° C) for 2	24 hours in vacuum as per ASTM
Outgassing data, deri	compile (TML)	d for numerous r and the collecte	naterials for : d volatile cor	24 hours in vacuum as per ASTM spacecraft use. The data presente densable materials (CVCM). The tically.
Outgassing data, deri E 595-77, have been are the total mass los	compile (TML)	d for numerous r and the collecte	naterials for : d volatile cor	spacecraft use. The data presente idensable materials (CVCM). The
Outgassing data, deri E 595-77, have been are the total mass los	compile (TML)	d for numerous r and the collecte	naterials for : d volatile cor	spacecraft use. The data presente idensable materials (CVCM). The
Outgassing data, deri E 595-77, have been are the total mass los	compile (TML)	d for numerous r and the collecte	naterials for : d volatile cor	spacecraft use. The data presente idensable materials (CVCM). The
Outgassing data, deri E 595-77, have been are the total mass los	compile (TML)	d for numerous r and the collecte	naterials for : d volatile cor	spacecraft use. The data presente idensable materials (CVCM). The
Outgassing data, deri E 595-77, have been are the total mass los	compile (TML)	d for numerous r and the collecte	naterials for : d volatile cor	spacecraft use. The data presente idensable materials (CVCM). The
Outgassing data, deri E 595-77, have been are the total mass los	compile (TML)	d for numerous r and the collecte	naterials for : d volatile cor	spacecraft use. The data presente idensable materials (CVCM). The
Outgassing data, deri E 595-77, have been are the total mass los various materials are	compile compile	d for numerous rand the collected by likely usage	naterials for a volatile cor	spacecraft use. The data presente densable materials (CVCM). The tically.
Outgassing data, deri E 595-77, have been are the total mass los various materials are	compile compile	d for numerous rand the collected by likely usage	naterials for a d volatile cor and alphabe	spacecraft use. The data presente densable materials (CVCM). The tically.
E 595-77, have been are the total mass los various materials are 17. Key Words (Selected by Outgassing data, Spa Total mass loss, Coll	Author(s)	d for numerous rand the collected by likely usage likely usage	naterials for a d volatile cor and alphabe	spacecraft use. The data presente densable materials (CVCM). The tically.
Outgassing data, deri E 595-77, have been are the total mass los various materials are 17. Key Words (Selected by Outgassing data, Spa	Author(s)	d for numerous rand the collected by likely usage likely usage	naterials for a d volatile cor and alphabe	spacecraft use. The data presente densable materials (CVCM). The tically.
Outgassing data, deri E 595-77, have been are the total mass los various materials are 17. Key Words (Selected by Outgassing data, Spa Total mass loss, Coll	Author(s) acecraft rected vo	d for numerous rand the collected by likely usage likely usage	naterials for s d volatile cor and alphabe 18. Distribution Unclass	on Statement Sified - Unlimited Subject Category 24

• •	• •		•						
									•
						. • .			
						* >			
							·		
								•	
							•		
								•	
	:								
	•								
					•				
							•		
•	e.								
			٠	•					
						•			
		•				. •			
							,		
		. •							
				•					
		•							
	•							•	

NOTICE

THIS DOCUMENT HAS BEEN REPRODUCED FROM THE BEST COPY FURNISHED US BY THE SPONSORING AGENCY. ALTHOUGH IT IS RECOGNIZED THAT CERTAIN PORTIONS ARE ILLEGIBLE, IT IS BEING RELEASED IN THE INTEREST OF MAKING AVAILABLE AS MUCH INFORMATION AS POSSIBLE.

•	·				. •	· **		
					,			
		•		•			•	
					-			
·•								
								•
		•						
•						•		
				•				
		·		•				
								•
		·	**					
			•					
							-	

CONTENTS

	Page
INTRODUCTION	1
EQUIPMENT	1
DATA PRESENTATION	2
USE OF THE DATA	3
REFERENCES	5
SECTION A: MATERIALS	7
1. Adhesives	9
2. Cable Insulation and Shrink Tubing	26
3. Conformal Coating	31
4. Electrical Components	37
5. Electrical Shields	40
6. Films and Sheet Materials	42
7. Foams	45
8. Greases and Lubricants	49
9. Lacing Tape and Cord Cable Ties	51
10. Laminates and Circuit Boards	54
11. Marking Materials and Inks	58
12. Molding Compounds	60
13. Paints, Lacquers, and Varnishes	64
. 14. Potting Compounds	72
15. Rubbers and Elastomers	81



CONTENTS (continued)

	Page
16. Tapes	87
17. Thermal Greases	91
18. Miscellaneous	92
SECTION B: MATERIALS-ALPHABETICAL LISTING	95
SECTION C: MATERIALS HAVING A TML OF 1.0 PERCENT OR LESS AND A CVCM OF 0.10 PERCENT OR LESS	171
1. Adhesives	173
2. Cable Insulation and Shrink Tubing	180
3. Conformal Coating	183
4. Electrical Components	184
5. Electrical Shields	186
6. Films and Sheet Materials	187
7. Foams	189
8. Greases and Lubricants	191
9. Lacing Tape and Cord Cable Ties	192
10. Laminates and Circuit Boards	193
11. Marking Materials and Inks	196
12. Molding Compounds	197
13. Paints, Lacquers, and Varnishes	200
14. Potting Compounds	202
15. Rubbers and Elastomers	206

• . •

CONTENTS (continued)

	Page
16. Tapes	209
17. Thermal Greases	211
18. Miscellaneous	212
ADDENITY CODE LIST OF MANUFACTURERS	215

•

OUTGASSING DATA FOR SPACECRAFT MATERIALS

William A. Campbell, Jr., Richard S. Marriott, and John J. Park

Goddard Space Flight Center

Greenbelt, Maryland

INTRODUCTION

This fourth compilation of outgassing data of materials, intended for spacecraft use, supplements the data in the previous Reference Publication 1014 which it replaces. The data were obtained at the Stanford Research Institute (SRI) and at the Goddard Space Flight Center (GSFC), utilizing equipment developed at SRI under contract to the Jet Propulsion Laboratory (JPL). This publication contains data generated until April 15, 1980 in addition to data from the previous reports.

SRI personnel developed a system for determining the mass loss in vacuum and for collecting the outgassed compounds. Their report (Reference 1), which contained data from June 1964 to August 1967, served admirably as a foundation for selecting spacecraft materials with low outgassing properties. The equipment was also constructed at GSFC and, based on the SRI data and GSFC data, a GSFC report (Reference 2) was published that included data for those materials meeting two criteria: a maximum total mass loss of 1.0 percent and a maximum of 0.10 percent condensable materials.

After a series of tests and verification of procedures, an American Society for Testing and Materials (ASTM) Standard Test Method was developed, based upon this apparatus. The method, "Total Mass Loss (TML) and Collected Volatile Condensable Materials (CVCM) from Outgassing in a Vacuum Environment," is identified as E 595-77. The data developed have been reported (References 3, 4, and 5) as a means of assisting engineers in selecting materials for spacecraft use.

EQUIPMENT

The equipment used at GSFC is the Micro-VCM apparatus, as described by SRI. The title is derived from the testing of micro-quantities as opposed to larger amounts (macro-quantities) and from the technique of condensing the volatile products to determine the amount of volatile condensable materials.

The testing is done in vacuum at stated temperatures for specific times. The apparatus presented in ASTM E 595-77 has a number of critical dimensions to ensure that similar systems should produce similar results.

A number of samples can be tested at one time in the vacuum system. Each sample, of about 100 to 300 milligrams mass, is placed into a preweighed aluminum foil boat which has been thoroughly

cleaned and dried. Following a 24-hour preconditioning in 50-percent relative humidity atmosphere to ensure that the samples receive a common preliminary treatment, the individual samples are weighed. The samples are then loaded into individual compartments in a solid copper bar that can be heated. Each compartment is closed by a solid copper cover, requiring that all volatile materials escape through a 6.3-mm (0.25-in.) diameter exit port only.

The copper heater bar, having 12 sample compartments, is heated to 398 K (125°C) for 24 hours. The sample, being heated by conduction and radiation, also is heated to 398 K (125°C). This heating causes the volatile materials to be driven off with their only escape being through the exit port. At a distance of 12.7 mm (0.5 in.), a chromium-plated collector is in direct line of sight of the exit port and is maintained at 298 K (25°C). The escaping volatile compounds collect on the chromium-plated disk if their condensation temperature is 298 K (25°C) or above. Barriers are near the collector plate to prevent cross-contamination between adjacent samples.

The mass loss of the sample is determined from the weights before and after the 398 K (125°C) exposure, and the percentage loss is calculated to provide the TML. In a similar manner, the difference between the weight of a clean collector and of the collector having condensed materials will provide the mass of condensables. This mass of condensables is calculated as a percentage of the starting mass of the sample and is stated as CVCM.

DATA PRESENTATION

The data presented in the various sections include both GSFC data and data from the SRI 1967 Final Report (Reference 1). Some of the materials included in the previous reports have been deleted to reduce duplication and to remove materials that are unavailable or could not be duplicated. The various heat treatments or post-cure bakings intended to reduce TML or CVCM have been limited to those treatments that produce acceptably low outgassing or to show the extreme treatment to produce the stated result which may or may not meet the outgassing criteria.

The outgassing data have been presented in three different ways in order to be more usable in selecting a material. In Section A, the materials are divided by category into the 18 probable uses, such as adhesives, greases, paints, potting compounds, and so forth. In Section B, all the materials contained in Section A are listed in alphabetical order by manufacturer or by the manufacturer's identification. In Section C, the only materials listed are those having TML and CVCM equal to or lower than a maximum 1.0 percent TML and a maximum 0.10 percent CVCM, grouped by use, as in Section A.

These data are stored on computer tape for filing and reading, utilizing the Mark IV File Management System. The Mark IV system is very convenient for such data compilations and for generating current output reports. In this system, the computer has been instructed to follow a strict alphabetic and numerical order. This may at first seem confusing, particularly since the numbers are read from left to right, irrespective of the number of digits. For example, the order appears as DC 3145, DC 325, DC 340, and DC 5370. Similarly Scotchcast 282 is followed by Scotchcast 3, 8, and 9. Also, letters have precedence over numbers; for example, MMM Tape Y-966 appears before MMM Tape 136.

Section A

This section contains outgassing materials grouped in 18 categories according to their primary use, such as adhesives, conformal coatings, and marking materials. There are various types within the adhesive group, including film, conductive adhesives, and foam; the types are indicated wherever possible. Similarly, tapes include those which are mylar, vapor depositions on mylar, and aluminum sheet plus adhesive. This information is often stated in the description. However, certain materials can be used as adhesives and as potting compounds. In these instances, the material is listed in one category only, reflecting its most prevalent use.

In the printed data, the first column contains each material, listed by its manufacturer's identification followed by the mixture of components, if more than one component. The second column, "Code," contains a three-letter code for the manufacturers. (The Appendix contains the manufacturers code list.) The outgassing data of TML and CVCM are in the next two columns, followed by three columns giving the particular curing time, temperature, and atmosphere for that particular sample. If the cure conditions are unknown, the columns are left blank. Some materials are cured or post-cured in two or more steps, which are carried out in the order listed. Some materials have been tested more than once and usually with different cures. The last column gives the application, as known.

Section B

In this section all the materials are listed in alphabetical order in the first column. The second column, "Data Reference," contains a reference number that indicates a GSFC test or an SRI test. The GSFC numbers are the sequentially designated test numbers, the higher numbers being more recent tests; the SRI numbers give page numbers (first 3 digits) and the material's order (last 2 digits) on that page, as reported in Reference 3. The following columns contain the outgassing data in the identical manner of Section A.

Section C

The computer was programmed to list only those materials having a TML of 1.0 percent or less and having a CVCM of 0.10 percent or less. These materials are categorized as in Section A, thus providing low outgassing materials for a specific use. The particular category was selected for the materials' most likely use, though some silicons may appear as adhesives, conformal coatings, or potting compounds.

USING THE DATA

Two component materials, often as A and B, are listed as A/B, and their relative amounts are also listed as a ratio, for example, 1/1, 100/73, and 50/50. These are mixed as parts by weight (BW) and sometimes by volume (BV). These may be cured at a specific temperature for a specific time; the

temperatures are in degrees Celsius and the times can be minutes (M), hours (H), or days (D). If no cure is listed, the cure data are not known, and one may presume that the manufacturer's directions for curing were followed. Also, the cures performed in vacuum are indicated by E-1 to E-7, referring to 13 N/m^2 or 0.000013 N/m^2 (10^{-3} or 10^{-6} torr), respectively.

Certain samples, particularly tapes and film adhesives, require specific treatment in testing. Some of the early tape samples were applied to a tubular screen (S), permitting the adhesive to be exposed to the vacuum or were adhered to an aluminum ring (R), with the adhesive lying against the aluminum to permit outgassing at the edges, techniques no longer being used. The preferred technique is to apply the tape to preweighed aluminum foil (F). Similarly, double-sided tapes and transfer film adhesives are applied to preweighed aluminum foil (F) and covered with another piece of foil; this composite must be folded or cut into smaller pieces for loading into the boat, a procedure that permits outgassing at the edges.

Caution: The materials in this listing have been tested over a period of 10 years and more. There can be no assurance that variations in component materials have not occurred, with a resultant change in outgassing properties. The data should be used as a guide in selecting, with a fair degree of confidence (provided one uses the correct mixture, prepares the mixture properly, and cures the mixture as required), low outgassing materials for use aboard spacecraft.

Additionally, manufacturing difficulties have been encountered in the production of DC 6-1104, listed as a sealant, and DC 93-500, listed as a potting compound. The problem resulted in producing cured materials having a CVCM in excess of 0.10 percent, when prior batches had been well below this maximum limit. The information was reported in the Alert E9-A-79-01 of April 1979 and the Alert E9-A-79-03 of October 1979. The manufacturer was made aware of the problem and has taken steps to ensure the production of low outgassing silicones.

Additionally, a number of chemicals, often used as catalysts, have been restricted under U.S. Department of Labor standards for occupational exposure. Materials in this publication which contain or are made with the listed chemicals include Uralane 5712 B, Proseal 796, MOCA (4, 4'-methylene (bis)-2-chloroanilene) used in Adiprene L-100, PC 22, PR 1527, PR 1535, PR 1538, Eccocoat IC 2, and Catalyst 7139 used in Crest 7343. Certain precautions and cleanliness requirements specified by the Department of Labor must be followed when preparing or using the chemicals.

REFERENCES

- 1. Muraca, R. F., and J. S. Whittick, "Polymers for Spacecraft Applications," Final Report, NASA 7-100, 1967.
- 2. Fisher, Aaron, Benjamin Mermelstein, "A Compilation of Low Outgassing Polymeric Materials Normally Recommended for GSFC Cognizant Spacecraft," NASA TM X-65705, July 1971.
- 3. Campbell, William A., Jr., Richard S. Marriott, and John J. Park, "A Compilation of Outgassing Data for Spacecraft Materials," NASA TN D-7362, September 1973.
- 4. Campbell, William A., Jr., Richard S. Marriott, and John J. Park, "Outgassing Data for Space-craft Materials," NASA TN D-8008, July 1975.
- 5. Campbell, William A., Jr., Richard S. Marriott, and John J. Park, "An Outgassing Data Compilation of Spacecraft Materials," NASA Reference Publication 1014, January 1978.

			. •		
		·		s esta e	•
			•		
				•	,
			•		
•					
	•				
		-			

SECTION A

MATERIALS

Contraction of the Contraction o

RCTION 1 -- ADMESTARS

S APPLICATION	A DE 25 3V R	ABRESIVE	ACHESIAN	# PC \$425 4			A DESIGNATION OF THE PROPERTY		COMP ADMESIVE		COMD ADDRESIVE	ADDRS 14H	ADRES IVE	ADERS IVE	CCED PRESIAN		COME ADMISITM		CCHE ADBRSIVE	大学 一大学 一 一 一 一 一 一 一 一 一 一 一 一 一 一 一 一 一	ADDRES 1V B			-		FILE ADMENIES			TITE PORESIAN		FILM ADERSIVE		FILE ADRESITS	ท	COST COST-ADE	TITH VOUESTAR	FILM ADBESTVE		# 3 P 4 M 4 M 4 M 4 M 4 M 4 M 4 M 4 M 4 M 4	LURIS JVK	TOTAL PROPERTY	TOT CHOU HIGH	EGT CHOU HART	1 R C C R I	COND	N ADHES
MINOS	AID	AIR	EIT.		ATA	1	I	AIB	7 15	114		11	AIR	٠	_			_	A I R	-			-			_		150					AIR		# T T	_			AIR		5 A		1 4	AIR	AIR	AIF
TERP	52	25	8	2 2	2	×	X	93	% :	6 5	150	S	25	Z	250	35	2 %	S	150	150	5	125	2	125	₹ :	2		2 5		•	165	125	125	i		בי בי	100	52	175	4	ב ב	: :		: =	7	6
TIE	248		3		: =	: 5	16.	20 B	24 1	= =	30	158	=	*	00		5 E	=	2		5	90	Ħ	-		-	•	808		٠.		•	E		•	= ;	9	16 H			= =					
KCVCB	.02	8	. 05	*	4	8	1.63		. 15	\$	80		8	5	8	8	-	,	8		2	!							0.0	5	8.	6	. 12	.07	5.	. 32	10		•	71.	3.5			5	. 20	.00
RTAL	\$.75	7.		69 11		2.85		Ε.	•		3,30	.39	1. 32	98.	9.	. 29	•	. 24		2,76	<u>:</u>	. 38	. 42	1.62	- 52		-	8	.07	. 63	.31	.42				. 65	· •	•		95.	ָרָיקּ ק	. ו		6#	7
APR C053	916	R	846	9		2 2	, U	1	IIC	5	ן דוני	AAC	AAC	Y IC	Y Y	710	ָ בּייניים בּייניים) !	AAC	244	7	:	AAC	N C	AAC	NAC.	7	ָט ע די	110	AAC	IIC		_	7	7 10	7	110) 1 1	;) i	7 7) (= =	,	110	770	A 2C
MATEBIAL	A-11778 A/B AS 1/1 BM SPOXY - BROWN	HER GRO AXUGN HUNCU DE L'T SE E'E	BU SEREM EPOUT PEF	ARCHA SERVICE CONTRACTOR OF THE PROPERTY OF TH	TECK	A LEAGLE ROCKS	1-10-00 1-1-10-00-00-00-00-00-00-00-00-00-00-00-		ABLEBOND 16-1 A/E AS 100/7 BB SILVEF FILLED PPOTY		POLICOCIO 1961-4 B/W BV 20/4 DA COTTUN TILLEE FFORT	224-1 A	224-8 J/B AS	293-1 A	BIEBCHP 36-2 SI	41-5 EE			ABIEBCHD 71-1 SILVER FILLED EPOIT				A 2CF 518 CLOTH	H ECF 535	501 LDE	Solf GLASS Sepport/HOD SPCTY PILE	SOA CICIE SUPPORT/EPOXY FILE ADM		400 C1018 805:05:/55:41 4418 805/5 - 5111	61188	518 CLC18	550-K CLOTH SJPPORT/EPONY FILM ADH	550-1-004 CLOIN PRINTORCEC EPOXT P	1.00	TIR 2	TIK 681-12	RANKS SALVARDE VILLE AXOOD JRCV-1889 SALVARDE			BIESTIK 724-14C	761-6 4/B/V9	7-2 4/8 45	9/4 7-1	7 4	7-5 1/8 15	8-2 1/

SECTION 1 -- ADMISIVES

APPLICATION	COBD ADSESTYR	POAR ADRESTYR	104-7118		PILE ADDRESS		CCUB ADRESIVE	OFF CREEK					1 DR 2 S 1 V B	ADE PCTTING				N DET STATE	ADELSIVE	# A T S T M M M M M M M M M M M M M M M M M						LORESIVE						LOBESIVE	A DEPO IVE									TEPESC ADMINISTRA	1, () 1	ADRESIVE	ADH PILM	ACBES 14 P	ADRES 192
ATBOS	AII C	_	1Sd										_	_	_				_		_	_					AIR	AIR		# a	11	LIR				# T W	¥ 7 4			11	4	918	AIR	AIR	PSI	AIF	AIE
1121	32	1 2	121			11	S	i	Ξ;	3 ;	ćχ	:	X	3	K.	S Y	C S	}	×	3	5	Q ;	= 3	5 %	3	7	93	6	2	Q g	2 22	×	£	S :	G t	Ç,	s :	Ç Y	Ç	; x	i K	3 3	150	65	121	9	50
22	3.5	=	=	P ;	: 3	=	2		= :	= :		:	70	300	24	2 3	1	-	241	Ė	50		Ŧ ;			458	45 H	# S #	741		2	2	2		7		5 5	2 6	2 5		ç		=	=	=	308	Į
#CAC#	2.	=	£.	3 3	37	11.	8	2.55	2.96	ę:	? 5	2	S	-0	3		74.	3	5	ē	\$	\$	9.2	5 8	8	69.		.03	8	2.0	ā	5	8	8.	7.	5	5.8			200		7.7	•	.05	6.	S	₹.
STAL	2.54	1.40	1.72	7		=	. 37	16.45	15.04	9		3-01	.97	•	5. 18 3. 18		Z- 31	.91	-:	1. 25	1.24	2.95			3	.13		. 26			(5)		1, 51	2-44	÷ .	76.	1.43		60°7				•	19.	. 36	1. 20	.68
200	00	HTS	AFC			2	TPI	101	00	4	17	1 0	13	CIB			CIE	API	2	P.	<u>ا</u>	U (1) L	1 6	y or		Dag.	D) L	ָ בַּ בַ	7	APC	P 90) i	- I) i) () () (2 4	:	CIB	HYS	1ST	■ 30
ALTERIAL	AC-1 A/B AS 10/1 BU CONDOCTIVE UPONT SOLDER	TAISHED NO SE-6309 PORT ADDRESTUR	DAR BOW 1-10 RPOXT HORETCOMB	AREODONO 3030 Kroky Bostycous bus - 6724	CHILLIAN CHARLE THE TARGET AND THE CHARLES OF THE CHARLES	SS SEPPORTED ZPORT ADMISTRE FILE RA	-1/WARDENER 22 AS 1	865 OPTICAL CREBET BUTTL	S OPTICAL CRUBBE	13 A/B AS 100/8 BW GREW	APOSOCA TENNA CONT. MPONI ACCI-MAN THE THE SALE	E TATION MATERIAL AS 1/1 SE	14138/HT998 AS 100/40	HI750/HI974 AS 20/4.6 B	106/HY9538 AS 1	ARALDITE 502/951 AS 10/1 BW RPOXY	N L L	APPRICO-BORD 517 TREERAL CORDUCTIVE EPOIT - BIACK	A/B AS 1/1 BW BEOWN REOXT	1-12 J/B AS 1/1 BB 1	A/B AS 1/1 BH EPOLY	A-12 1/8 AS 2/3 BU BEOUR	A-12 A/5 AS 2/3 BW BROWN	Management L-12 L/B hs 2/5 ms mrows rect	# 17 4/2 43 3/2 8# 8#O##	1 AS 25/1 BE	•	NSTRONG A-2/8 AS 50/3 B	1-2/4 AS 3/2 BU	-	1-11 1/8 15 1/3	-31 1/8 AS 6/4 BV	1-31 1/8 15 6/4	-32 A/B AS 10/6 NU	1-32 1/8 AS 10/6 BW	C-1/4CT A AS 25/2	- VACE A AS 25/2 B	C-4/AC1 M AS 1/1 SW	C-4/ACT N AS 1/2 BW	PREMINITIONS (/PL) W PV 1/1 DW BYOXX	#318C#6 C**/AC1 # &5 4/3	12 real 201 C1880A	10 5 10 5 10 00 to 10 10 10 10 10 10 10 10 10 10 10 10 10	AT-105/HT-951 AS 100/12 BK EPOXT	-601 SPOIT HUBERCORB ADN	Y S	_

SECTION 1 -- ADMISTWRS

ALTESTAN	2000	1818	SCVCR	CT PE	CUNE	ATHOS	AFPLICATION
BONDHASTER Z645 A/B AS 10/3 BW 1POXY	#SC	. 50	.01	= ;	001	AIB	ADBESTUE
		8			90	7-2	
2	35	9.	2 ;	E :	= ;	7	
1645 A/B	200	1. 32	50.	E =	Q		AURESTAR
				=	2 2	a i	
				18#	130	AIR	
BONDMASTER MESB/CH-16 AS 100/32 BW EPONY	2C	4.02	-21	24 H	6	AIR	
BORDWASTER M688/CM-16 AS 100/32 BW TFOXY	NSC.	7.62	.03	19	52	AIR	ADRESIVE
				E 2	<u>.</u>		
		•	8	E 6	- <u>,</u>	A 16	
BORDENSTAN BEES CH-S AS TOO / 18 SR FPCYT) () () () () () () () () () (7.40	3 :	# :	Ç		
	20	3. 90	=	= =	Ç	# 1 # 1 # 1	
		٠ ٢٥	٤	; =	3 %		ADBES 14 E
	ì	} ;		2	3	AIB	
A/B AS	M S.C.	3.63	=	3	5	AIA	A DEES 17 E
M773 A/B AS 1/1 NU	NSC.	2.37	٤.	₩.	9	4 I B	A DBES 14 E
			;	7 E	0.	2-2	
BONDERSTEP H777 A/B AS 1/1 BR EPOIT	ESC	1.82	દ	E ?	2 3		LDBESIVE
AMORA BE 1/4 St E/1 CCCH SELECTOR	1	2.11			2 5	AIR	ACESIVE
430	200	78	.02	7R	9	AIR	ADERSIVE
	2	· ·		=	150	AIR	
				7	200	115	
BR 34 EPOTE ALBESTUR	ACC	• • •	8	30	£	AIR:	
				2 5	2 5	# T #	
AND THE PROPERTY AND TH) CC	38	00	10E	2,		ADRESTAT
				308	101	AIR	
				90 H	132	113	
			;	E 0	8 8 7	AIB	
BE-610 PFOIY/SETLANTUROPURABLY		1.1	5	308	3		
BE-610 PFCXY/121BAHTDBOPFRABE/P	ø. ₽ >	6	-02		5 £		
and the contest of th	41.0	5	5		120	111	MILE MAIL
DOM SOM WING BROOM CHAINFRONING RUNGLING FLEE			5	5	120	113	ADS TILE
のなって、これでは、「おいない」であっている。 これには、これには、これには、これには、これには、これには、これには、これには、	808 808	11.95	. 12	. SE	5	113	
C-68/CA1 A AS 100/5.3 3W GRAY ZPOXY/704 SAMDPILLED	HTS	. 12	6.	20 H	83	AIA	A DRES 14 &
CASTALL E A/B AS 10/1 67 69AT EPOUT	CAS	.51	8.	128	9	AIB	ACBES 14 #
CASTALL QUICK CLEE SPOTY CAST-PAR PRE-MIT	CAS	2.65	Ξ.	3 E	S	A I B	A DERSIA E
CASTALL 1520/E1-7 AS 100/7.5 BW RPOTY	CAS	1. 25	6		S	NI T	ADRESIVE
Choracl 490/s191 as 1/1 ss Plor MI-STERGIS SPOXY	S 10	. 28	<u>.</u>	= 4	<u>.</u>		
CROIM GRIP CERRET BETWEEN RETHACHTEATH FILLED		5.	70.	2 6	3 %		
	: : :		1	2	•	4	
CAMINDA MODITION COUNTING CONTINUES TIMES TO A TOTAL TO		99.5	06.4				
		2	9	30 M	25	ATA	
1745 BILLING SATSTERS COT MOTUMED	ָ נ	:	•	9	160		
1104 AJ 616 MO154AU	HCC.	15.72	64.	26 H	\$	=======================================	ADBESIVE
CHESTER 220 ADHISTWD BLACK	HC.C.	. 39	8		52	A I B	A DHES IVE
				10E	160	AIR	
CHEMICK 234	RCC	15.54	2 .	E .	25		TAISING T
					•	:	

SCTION 1 -- ADMISIUMS

TTESLEE	APP CODS	STRL	SCVCB	20 EX	CGFE	ATBOS	APPLICATION	
CHAICK 2348 LIBSTORE BORDING AGEST - DIRCK	RCC	51.05	9.69	24.8	25	AIR	ADEES 1VE	
1 BH SPOXY	306	1.51	- 02	2	52	A 15	ADBES 14 E	
07 SILICONZ	S C C	12.62	1.02	24 H	52	AIR	ADBES 1V R	
,	S	2.95	%.	2	150	AIR	ACEES IVE	
1024 CCMDUCTIVE SILICONE	280	=	=	Š	111	A IR	CCED ADMISTRE	
1024 CCMDDCTIVE SILICONZ	CIIO	- 02	8	# B H	771	AIR	CC4D ADMTSIVE	
1029 CCMDUCTIV? SILICOMP	CHO	£	2	Ę	99	7 I B		
1010/PEIMER 1010 STIVES FILLED STLICORE	CHO	.31	=	70	72	AIR		
1015 Chr Dary STLWRS PRILED STLICCUE	CHO	1,08	. 65	70	22	AIF	CONC ADERSIVE	
	CEO.	1.66	5					
SACATE AVE IN MOVE BY COMP SPOTT		1.17	2	25.E	111	AIR		
1010 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0:5		2 =		200	214		
4041-0402 A/B to 1.0/0.0 B4 recen			: 3	1	2 5			
1201-124 P/B P2 100/00 P4 COED 110/1			3 6	1	2 4	6 P	SHEET PROPERTY	
SE4-29 COMPUCALTY EPOXY	9	71 -1	5		9	4 1		
Š	CHO	- 49	2	H +7	Ç	ATK.	CORE COATING	
				#7	9	414		
va	C#0	99.	\$	= 2	52	AIE	CCHE ADERSIVE	
FILM DR	S S	1.02	.03	304	165	AIR	ADM FILE	
COMBP K-20 A/6 AS 20/9 BW GPAY 390XT	1 00	- 75	ક	7	20	AIR	LDRES 1VE	
				30 H	82	AIR		
/B AS 100/82 BW	HUO	.57	8.	2	52	AIR	A DBES 1VE	
COMPANY NELSE AND AS 100/82 NW POLYCRETARE	00	. 52	.02	248	9	AIR	ACHES IVE	
ALOGU SE L'OUT	ACC.	2.03	=	100	9	AIR	POTTIEG PCAM	
		-	9	20.8	7.	a L	A DEFE STATE	
\ .	4 (0)	1	?	3 4	. 4			
•	2		5	E 47	3 2			
CPEST 3170 4/8 AS 1/1 BM HODIFIED WHITE PPOLI	ا د	7	S	2	C Y			
CPEST 3170 A/E AS 50/50 BW PPOXI	Ji.	J. 38	5	2	\$	# T #	Popes 14 E	
			,	# 12 T	125	A I B		
PST 3170/7133 AS 1/1 BU	CPC	2. 19	3	210	52	7 I I	A COLES 1V Z	
CPEST 3170/7133 AS 1/1 34 HRITE SPOXY	CPC	3.25	60.	16 H	52	AIR	Abers 172	
				28	50	A 16		
4 841 C/ 2CFF	Cac	3. 47	•	210	52	AIR	ADRES 1VC	
THE THE STATE OF THE TAX OF THE T	000	2.01	-	#	9	FIE	ADBRS IVE	
191 1/8 15	262	26.86	7.58	2	25	AIE	LCW TENP ADE	
MARKET TO MICHEL SE CANCEL OF BLACK CONTRACT	262	26. 52	7.06	20	52	AIR	LOW TREE ADM	
4 961 6/6 46 6	Da.	1.10	. 17	2	25	AIR	ESIVE	
2. 3. 1 446	0	2.28	**	728	2	150	LOW TRAP ADE	
## COM TO ALL CO. C. M. C.	, ,	-	2	Ş	Ķ	4		
1344 4/8 45 100/18 3W BF04W	ָ נ	:	5	2	125			
***************************************	7	2 70	77		, ,	4 -	4014141	
7119 AS 30/7	ָ ֓֞֝֞֝֞֝֞֝֓֞֝֓֞֝֓֞֝֓֞֝֓֞֝֓֡֓֞֝֓֡֓֞֝֓֡֓֞֝				3 6			
1300 V/B 42 100/10 04/	ָ נ	70.7		2 (9 6			
74 10 A/5 AS 100/26 BY TELLOW	CFC	76.7	9	20	Ç	3 T W		•
71.19	CPC	6.76	-0	9	52	11	A DRES IVE	
•				24 H	125	AIR		
7425	CPC	1.45	2.	2	25	AIR	A DEES 1V M	
S 100/24·B	S	1.85	. 17	2	25	AIA	ADMES IVE	
				16 H	80	AIA		
FB164 3435 1.1 10 100/26 BH	CPC	1. 12	=	30	25	AIE	ACHES JV P	
	;	i :)	7# H	125	AIR		
	. 212	1.34	#	2	25	AIR	A DRES 14 E	
7450 A/B AS 100/16 B	CPC	1.78	. 30	70	22	AIR	ACHES IVE	
				16 H	80	A IE		
CREST 7450 A/b AS 100/16 BW	CPC	1.12	. 19	30	52	AIR	A DHES IVE	
				24 H	125	AIR		

SECTION 1 -- ADMISTVES

OS APPLICATION		A DRES 14 R								A DBIS 14 K				ACE		HQV										-			ADERS 1V I		A LOUIS 1VI		5 ADRESIVE	_		B ADBESTVE						A DRESIVE	COL 11					E COME ADRESIVE		R ACHESIVE		R ADBESTVE
ATHOS	AIR	AIR	TI					*	II		718	TI	AIR	II	AIR		N I	TIT		111					A 1 A		ī	1	AIL	1-3	AIR	9-E	9-E	AIR	AIR	AIR	Y I I	AI B	AIR	NI N	Y	AIR	AIR	A T E		KIY	AIB	I	A I B	AIR	I	AIR
TREE	52	52			Š		9 (Q	2	3	9	52	ŝ	52	52	%	S	ç:	ב ני	Ç	2 X		0, 4	3 :	9 4	64	110	9	(S)	2	Ş	130	170	52	52	22	52	52	52	% :	9	52	9 3	; x	3 5	2	52	25	52	52	9	6 2
11 E	20	20					5	2	74 H	Į	7	=	H	30 D	2	7¢	7	2		2 6	2 5	:	2	2 ;	# ·		2 2			20 20 2	: =	H69	H69	70	2	70	2	2	20	20 :	24 B	# 9.	= :	141		= Œ	70	₩	63	E.	24	76 H 2 H
ACVCH	.30	.72		•	2	•	į		. 85	.	Æ.	=		99.	96.	9.	;	.27	;	50.0	6	5.5	3	3 (•		6.1	=	•	. 15	?	.17	.03	- 02	8	.0	. 02	5	90.		- 88		46	•		=	6.	÷	00.		.02
STEL	1.21	1.48		•	,	:	1	1.67	7.	3.69	7.35	1.43		1.75	1.74	1.70	į	. 54	;	20	2 %		7:	-	1.42	**		. 4.2		•	. 23	:	36	60.	01.	. 19	.13	01.	60.	ē.		3. 15		פר	;		8#	1.73		64.	,	1.1
GODE	CFC	20	, (י ני		913		ပ္	SCC	DCC	SCC	DCC		DCC	ည္ရ	ပ္ထ		ပ္ထ		ပ္ထင္တ	2 6	2	ט ט ט	200	ည်	מככ		,	נ נ נ נ	1	מכנ	,	DCC	22	ů D D	220	DCC	20	ည	သ		ည		,	י ר		၁၁၀	VAK		HAH		ZAK
MATEBIAL	MANAGARE PRODUCTION TO THE SET ALL AND	CTRUE AND ALC DE LOCKED OF STREET STREET		CICIEMETE 22-3		CT 209/NT972 CLEAR ARERS RPOXI		DC 142 OVER A-4094 PAINTR	271	271	1110/R AS 10% CAT	DC 3116/8 AS 158 CAP S			DC 3145			DC 3145 ORE CORPORED GRAY SILICOME		6-1104 LO1	6-1104 LCT	6-1104	6-1104 LCI	6-1104 LOT 18129370	A/B AS 10/1 BE	63-48E A/B AS 10/1			DC BS-4654 A/W AV 10/1 BW OFFICE SILICONS SILICONS	6 3-467 A/8 A3 10/1 00		104-10		63-461 SALLCORE 63-500 A/F AC 10/1 BG STLTCOMP	93-500 E/C EC 10/1 BE STITCOM? LOT PR020392	STATES TO THE TOTAL STATES TO THE STATES TO	91-500 A/R AS 10/1 BH SILICONS LCT	91-500 A/R AS 10/1 RE SILICORE LOT	41-500 A/E AS 11/1 32 SILICORE	A/B AS 20/1 BY		DC 93076-1/2 GAM SILICONE	•		DC 93C16-1/2 GEAT SILICONS			DE VERSE DE 160-EE-E EDOXY ETT 150/8012 AS 20/1.5 RW		DEITH BOND 152-C-84 A/B NS 100/1.5 BN BLUE ZPOXY		DELTA BOND 152-1-A LFOXY KIT PRY-MIX BLUE

SECTION 1 -- AUNISIVES

1 APPLICATION	A DEES IVE	ABERIVE	AD0181V1			ACESSIVE		ACRES 1 T	PORTSIA					Abers 14 m	ADBESTAR						PRESINE		COMP ADRESIVE		COLC ABBASIVE	CCHD ABREITTE		ADSES 14 B	LORDS IVE			ABERS191	A F 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		ADRESIVE									PILM ADBESTVE	FILM ADDREIVE	acees 14 2
ATHOS	1			TI.		ī	111	11	=				1	11					=	TIT		7 1	1			ATA	N I	AIB	AIR	AIR		AIR	II	11	AIB	a i			¥ 7 6	10.	:		AIR	Ţ		AIR
B	25	3 12 13	m 9	150	9 5	120	150	5	202	202	Q S	2	×	ĸ	£	X X	Ç Ş	150	22	150	22	23	160		6	5	×	93	116	ב :	2	32	X	2	52	8	2 3	8 %	9 5		=		121	17.7	,	52
21	16	12	= 2	3	? ;	: 3	=	=	=	7.		128	24	241	2	248		, <u></u>	3	=	= :	<u>.</u>	= ;	9 6	# F	1.5	100	90 H	25 25	7		. e	2	3	16 K		T 6	5 6	2 5		=		Ŧ	Ξ		2 0
RCVCB	. 0.		9.	*		8		8	5		:	10.	Ş	8	ē	5	20.0	65	7.		5.	;	8	5	2	.02	. 29	- 02	\$	-02	8	8	8		. 15			5.	5.5	2 9	<u>.</u> 5	. 02	-	8	. S	8
STRE	1. 18	1.59	9		9	. 2		. 39	. 29		2	. 54	1.57	1.53		1.27		1.54	9		3. 29	;	8	**	3.30	1.27	. 65	96.	. 63	2.42	?	2. 18	1.25		2.08		? :				2 20	69	1.54	1.34	. 27	6- 15
### COD#	# N W	111	900			2		2	2	0	Ē	D 00	DRV	DIA	S	2		400			9 9 9		2 00		2	042	20	HYS	MY S	2	H	S A B	EYS		HTS		7 1 1		2 2		2 2	HYS	BYS	HYS	SYA	SAC
HATBRIDE	DEITA BCRD 152-1-B ZPOIY KIT PPI-RIN BLUE	DELTA BOND 152/51A AS 100/7.5 BT	DEN 030/NDL AS 100/27 BE EPOIT - ARBER			DER 332/DADS/LITHAPBAK AS 10/3/40 BW SPORT - CREAM		332/TPTA/LITHAPEA	332/TTTA/LITBAFBA	ATOME ME C.O.S. ST. SC. NAME COLUMN TERM	CT 17 H40/7c1/7cc	DER 3321C/WESSAMID 140 AS 6/7 BU RPOIT	DESCOU SIX TOBE EPOXI	DEFCOR S BIBUTE BPOXY BOOME PARTS TECH TUBES	DOIFHOR CE-1078 W/B3187/D4585 AS 20/1 BW BLLCK	BOUGHT BURBLE REOLT PAICE KIT PERKEASORIC GRAT		SELECTION OF SELEC	DUFORT 46951 POLYESTER		DGIOHT 46971/CAI 805 AS 10/1 BH		DOPOST 55041 SILVER FILLS SPOXY	TABLE CONTRACTOR OF TAX TO THE STATE OF THE		B-SOLDER 3022/18 AS 100/8 BW SILVER FILLED ZPONY	B' SILICORS -	65	EL 901/21 LS 100/11 B# 3POXT BLSOOM	3	RE 130's EVOLUTION BEAUTIFUL	9309 A/8 A5 100/23 BH	1/B AS 100/23 B		PA 9313 CRANGE EPOIT	3000	THE WARD AND TO THE BEAUTY AND THE B	034 148 16 100.33	# # # # # # # # # # # # # # # # # # #	OK1 ANDROPEND DOORS		926	EA 9601 STPPCRIBO RPOKT ADMISIVE PILM YELLOW	AAISLHOT HITH ANDRESSA VE	FA FILE 04010	ERSTHAM 910 CYANOACRYLIC/FOIL SAMDWICH

SECTION 1 -- ACHESIVES

IOS APPLICATION	ADBESTAR						ADRESIVE										R ADBESIVE			APRESIDE								P PESSIVE				•	_		1	3833		1100				-					ALBERTA.		ALR ADRESIVE
ATROS	AI	AIR	I	I	AIR	Y	AIR					1 4	II	PSI	AIR	11	AIR	AIR	118	•		•				_		AIB			***	•	_	AIR				7		AIA	3:	7	3 :	2 :	3 2	4 1 4	i	; 2	2
TERF	52	22	52	22	3	9	22	175	82		132	::	121	170	120	52	8	150		2	5	25	25	25	104	104	2	150	150	52	5 4	Ç 9	65	52	2 :	2	2	7	2	2	Ç þ	Ç ;	ς ;	6 3	8 ¢	Ç 3	3 %	21	25
T E	24 B	24 H	248	24 B	Ĕ	72H	72H	7 H	308	100	308	2 2	;	60	#9	24.H	7	= ;	7 ¥		24 H	24.8	24.8	16 H	304				2¢ E	24E	2 :	308			= ;	2		9 ;	H 7	7 e F			7	97		2 2			20
SCVCH	.01	č	.02	80	. 12		1.32	8	. t		5	8	3	8	80	6.	8		ě	5	8	10	17.	G.	.07	.02	-02	3.40	<u> </u>	8	è	-05	.03	.01		8	.03			.00	. O.	=;	ויין	70.		3.5	5 8	.03	00.
CTRL	.65	9	.60	19.87	1.40		9. 68	1.00	. 20	i					. 52	1.69	6#.		ž		2.1	84	1.58	90.9	7.92	1.98	***	3.76	<u> </u>	9	- 1		42	. 23		. 52	92.	6	9.	1.54	1. 29	97.	£ ;	***			7	. 85	.05
CODE	CO	100	100	NO.	#: #:		E K F	ľ	E.		R F	***			24	EHC	ENC					, E) H.d.	E S	O E		ERC	SE PE	SHC.	NA I	Z C		ENC	BAC					NA C	200) H				7 6	122	111	104	FPI
Tersands	3-4 00-8	CHIEF CACCO MICE OF CALCER IN THE SAME OF STREET	2/4 04-3		TO A TO SE TO SE TO THE TERM OF THE TERM O	,	2126	PFOXE	EC 2290 PPCAY ALM		EC 2290 POLY ALM		TO 2500 B.T. M. 2.23 B. S.244 BORROTES	TAN AND AND THE SERVICES	PICCE BEGGEVENCE OF \$9,000 OF ST 1011 CO. C.	100/28 NO CLEAR PROXY	ECCORCHD 276/CA1 17 AS 10/1 BR 500X			HOLDER 200 10 10 10 10 10 10 10 10 10 10 10 10 1	205/11 45	34 0/ 500	2 6 6 7 700	#CCCCCCC #2/12 #2/	ROTOBORD 45/15 IS 1/2 BE SEAT-SIGIO REOM CLEAR	051 V/1517 AS	51/9 15 100,	55/11 45 100/17	55, 11 AS 100/17	25/9 15 5	25/9 15 50	MUCOBURD 25/9 AN 30/6 34 E30XI	54 6/51 567.9 AS	ECCORCED 56C/9 AS 40/1 NW SCIDER	•	57C A/B AS 1/1	57C A/E AS 1/1 RH	ECCOBOND 57C A/E AS 1/1 BW SOLDER	ECCOBOND 800 SCIDER SILVES FILLSD FPOXY	ECCOBCHD 601 A/E AS 10/3 BH SILVER FILLED EPONT	CCCBORD 767 A/B AS 1/1 BW THIXOTSOPIC EPOXT	pî N	15 100/5.3	S	5 15 1	SPIBCED 1210/9861 AS 5/1 RE EPOXY	BPIBCND 122/CLT 931	2010CND 122/CA1 954	SFIELD 125/CA1 90:27:0 3PIMOND 8510 A/6 AS 10/3 BW

SECTION 1 -- ADRESIVES

AFPLICATION	A DA 15 17 E						COMPANY TO THE PROPERTY OF THE			コンドラマン からになる こうこう	TATOR PRINCE THE			CCRE ADRESTAR			ADDES 1VE	ADRESTVE	CCHE ADMISIVE	CCME ADBRSIVE						***************************************	OF1 CERESI	CPI CREEKI					OPT CERMIT					TORER COME ADM		日本にいる		A DRES IVE								CHESIVE	
ATHOS							-							ATE					•	_		NIN.		0 WIN	_		S EIG						O RIV					AIR			ı		PSI	A IR		-		AIR	•	4	
CUFB TEMP.	25	8	0	2 4	9 6	2 9	2 5	9	9 4	25.	125	100	2.5	150	150	100	150	125	20	9	95	S :	2	Ç	Ç (5	, K	3 2	22	9	52	22	25	52	Ç 4	C 9	100	90	90	52	25	95	90	52	23	100	52	3 3	5 6	121		
CURB	16 H		E O	# T				20.0		: =	: 7	=	=	=	=	308	304	Ę	248	16 H	16 H	12H	E 7	117	181			24 H		74 H	8 B 8	24 R	24 H	5		3 =	£5#	#2#	# # # # # # # # # # # # # # # # # # #	24 B	₹.	15.8	#2H		10H	1504	E ;	Ę 2	74 H	: :	
RCVCR	5	. ;	.02	56			9.	5.5		3	9	2	6	8	8	8	00.	8	<u>.</u>	8.		5.		3	5	5	5	.02	}	1.03	. 15	8	3	Ş	? ?	5	10,	8	-01	. 24		.05				0.	70.	5.6		.07	
THE	. 83	•	3.40	9			•		Ç		7	=	=	. 20	75.		. 56	. 22	. 16	- 62		90.		-	67.1	0	5	1.17	: !	2.62	3.58	1.54	3.28	9	6.0		59	-	5.83	4.10		- 42				9.00	70.21	6.6	•	. 56	
34 W	NCM	1	14 14 14 14 14 14 14 14 14 14 14 14 14 1	# b	4 b	# 1 1. £	6 to 6				. a.	M C /	M 0	0.	FPR	14 14 14 14 14 14 14 14 14 14 14 14 14 1	712 112	M di	MC 2	375			6 k	≠ k L, ¢	8-		4	No.2	l 1	M C.	N G	Z P X	2 A A		4 6	. 6.	E	M. G.	Ićd	PPI		SHL				SHI	1 s	SHL	1	SHT.	
ANTEIIAL	PPIPHER 825A/NOC 1/FILLTR/CCNVBRTER - 2POXY			STOCKER BOOK IN A DATE OF STANDS WITHOUT BY DATE OF STANDS		BRO-168 BAG E/R BO 1/1 AB DILLY FILLS FROM	14045 CONTRACTOR OF CONTRACTOR OF STATE	1007 11 11 11 12 12 12 13 13 14 14 14 14 14 14 14 14 14 14 14 14 14			THE THE THE STATE OF THE STATE	REG COLD STILLS POOR STRAIN CORRESPOND	ANCAL CATTLE THOSE AND				874 A/B AS 10/.3 59 THESS COED	C-TEK H77	O-TEK H80 SILVER FILLED	TPO-TER HOS A/B AS 1/1 BU PLATIMOM FILLED EPOXY		PPO-TEK 181 A/B AS 10/1 NW 3013 FILLED PPONT	301 4 4 5 43 1/1 54 1/LLD	SUCCESS SOL A/B AS 20/3	NG 6/07 67 0/7 105	PECTURE 201 A.E. AS 20.5 BU COTTOLI BECTY INT 125.089	10 1 10 10 10 100	SPO-TER 301 A/B AS 20/5 BW OPTICAL REDIT LOT 375051		TPO-TER 701-2 4/8 AS 20/5 37 OPTICAL CEMENT EPOYT	101J A/E AS 10/2.	BY OPTICAL CHARM		COLLEGE SERVICE SE SA SA SA SA SASSE	STEVER FALLSO	417 A/B AS 15/1 BU STLVER	920 EFCXY ADRESTVE	930 A/B AS 100/3.3 BW		BAISER		BPCH Y-24 EPOXI				PPCM 1001-BT-70/WERSARID 115/REK/TOLDENE	TOOL/VERSEBLD TO	SPER SYCHE A/CICLOBERABOL AS 100/12.3/23 BY	(2)(c+2) (50) (c 2)(c 2)(c 2)(c 2)(c 2)(c 2)(c 2)(c	SPCH 815/CEE 732/V9 SILVER PHDS/ARP	

SECTION 1 -- ADMISIVES

CUBY ATHOS APPLICATION TERP	25 AIR ADERSIVE	718	25 AIR ADRESTAB		=		•			60 AIR ADRESTVE	71 LIB ADBESTAR	4		11	414	AIR					414	_	1			¥17	A I B	AIS		a L			_		AIR	25 AIR ADRESIVE	ATR	A L		_	MIR	AIA	175 ATE ADBESIVE	A T &		4 1	# 1 #	AIR	AIR	AIR		4	•	¥ (AIR	100 AIR ADRESIVE	AIR	N 1 B		-	AIR	25 AIR ADH-SEALANT	
11 2 2		# 9 C	9	9				**	=	5.5		E 1		12	24 H	30	, .		2	=	22	38			2	2	2	70	42		2 ;	2	78	7	Ŧ	2		; :	E ;	E 9.	3. -	. S	5	: 3		6	=	Ħ	E	2	: 6	2 2	E :	=	78	Ξ	161	5	5	2 6	2 :	24 H	24 H	
SCVCH C	 •	_	•	•	3 8	- '	-	3	_	. 01	•	•		8	•	8	\$ 8	3	5	8		.02	:	•	50.	<u>.</u>	5	90		3	5	5	6.		8	7	? ?		= ;	5	<u>.</u>		10		2 ;	50.	. 23	£.	6		3	•	70.		.03			5		3 :	= ;	5	.02	•
STRL	 1.83	7.	3			95.		=		76	:		2	1.56		75	: :	- 79	.50	e		40 1	•	,	69.	4.68	1. 16			2	67	1.12	- 42		1.09			C :	•	1.28	. 19		34	5	7	-1	1.45	1.71	-				2.87		2.93		2.01	:		5	. 88	1.51	. 81	•
MFR	 SHL	LHS		ָ פּ	SHI	SBL		SAL			3 , 3 (SHC	SHI	SRL		100	ZHE	BYC	SHL	SHL		-	1		SHL	SHL	SRL	1 6	,	ZEC	650	G SC	SHL		184	1 1	120	SHL	SRL	SHL	381		ŧ	7	ZHE	SHL	SHI	LHS	===	3 ,	100	SHI	SHL		SHL	 	190	7	115	SHI	SHI	RYS	U AH	ì :
RATERIAL		BIS/TETA AS 10/1			820/TETA AS 10/1	1/01 21 473 70/1	. / /	THOSE OF STATE AS ACCOUNT OF STATE STATE STATE OF THE STA	MPON SZO/NEN AS 100/001/11/2 11/2		RPCH 627/FEESAMID 140 AS 1/1 BW BPOXI	_			EPCH 626/05a /3//A6F/Cakeon pinton at on a series			BY THE BOARD AND AND THE PLOOD AS 10/5/1 BU BPOXY			SPCH 628/1111 AS 10/1 BY CORE S		THOM 828/VERSAMID 125 AS 1/1 BW W/3% SIG2		TIOSE BE 367001 be 361 statement of the contract of the contra	GZG/VERSALD	BZB/VENSABID			R28/VERSANID	SOR APPRESANTO	THE STATE OF	0784247078	TPCH 828/7 A3 3/1 54 Erox:		SPCH 828/121-0803 AS 100/35.5 BH EPOXI CUALING	19C# 828/815/140/CAEBGLAC/NOVACITE 1250		#201 #21/2-1 AS 100/23 BG EPONT		##CE #61/E-1 PA 100/23 BE ESTAT	SPCE SOT/F-3 AS TOU/AS OF SPOAT		MOCH 603 EPOX				919 1/8 43	119 1/8	S	934 1/B AS 100/33	934 1/8 AS	938 B/R BS 100/33			STOCKNESS OF STOCKNESS OF STOCKNESS		2PCW 934 A/B AS 100/33 BW W/BEK/MCS2	956 A/B AS	POON 956 A/R AS 100/58 BW/CARBOLAC/CABOSIL	THE BEAT AND THE TOTAL OF THE MANAGES CARBOILE CABOSIL	SOMETH WAS UNDER THE COLOR OF THE CAME OF THE COMMENT OF THE COLOR OF		PROXI-PRICH KIT IC MHITT EQUAL LEMGINS FR TUDES

SECTION 1 -- ADMISIVES

	#4# COD#	Stal.	BOACK	COM	COBI	ATEOS	AFFICATION	
BPCTI-PATCH KIT 608 CLUB BOURL LENGTHS PR TOBES	17.5	3.07	5	28.	K		108-6711 00	
220 L/B AS BQ!	#0#		0.	24	ίχ			
330 A/B AS EQ		10.47	5	36	ž			
BPOTT 907 A/B AS BOUNT LEFTHEN FROM HORKS	-	20.0	•		1			
		}		į	34		7076797	
					n (
		•	;		2	111		
	2	7	60.	1 1 Z	32	7 18	2 DEES 14 E	
٠;	2	-C	5	7	92	II	ADRESIVA	
MAN TOO PIE PACK APOLY AND LOT LIGHT	710	66.	e.	161	2	II	ACCESTAN	
SCHEPOX 710/VELSARID 140 AS 2/1 BW RPOXY	216	. 33	8				ADDRESTAR	
ST 8762 EPOYY DIRIRCTRIC ADRESIVE		90	8	=	16.0			
		}	3	! ;	2 6			
PRI-BARIAS AS 100-11-5 AS BROWN		;	*					
•) 10	•	Ç	= ;	9	MI	ADE POTTING	
	į			24 E	71	7 II		
TOURSELL SISSISSION TO 100/1 OR LIBORCUTED		2.08	2	E 07	2	AIR	LDERSIVE	
,				=	10			
PROBON TARK NAS WELTH POLYBOTHY FILE/N	464	2.64	*			1	2 STAR CABE	
	FIR	1	10	101	140			
	}	•	;					
1000			•	# ·				
	2	F . 3		=	20	111		
	700	5.05	F. 7	2	8	VI.	ADDESTUR	
) 	7.95	3.76	=	150	AIR	ACRES 1VE	
TOTA PECT	700	5.04	2,99	20.8	15.0	a L		
	ACC	1.36	15	=	10.7		1774 254	
PR 123-2 IPOIT ADM PILM - CHAMCH	1			::				
123-218C EPONY ABM PT	, (7	= ;				
121-21.vc sport an	ب د د		-	= ;	171			
SETERED CATCHER.	7		8		124	156		
THE TOTAL STATE OF THE PARTY AND THE PARTY FOR THE PARTY OF THE PARTY	300	-	8	=	121	TIS		
CALL SECTION AND FILE	D V	- 5	-05	=	121	154	ACE PILE	
MANUS BITTA BOY ITOJI C-671 MJ	704	1.17	5	30	125	PSI	ADD FILM	
				=======================================	150	PSI		
150-1 SUPPORTED MPOIT ALUM	P CC	64	8	=	17.7	1	111.4	
POXT FILM	700	. 87	8	=	111	Ē		
150-20 DESUFFORTED RPOIT P	1	•	3	! :			•	
24 RPOYT ADM PILE ORANGE	1 2	3		= 5				
ACR SECRETARY SOUND STATE)) (7	= ;	171	121		
TOTAL STORY OF THE	227	-	Ħ.	=	121	AIB	ADE FILE	
3/ EPUL POR ABR OLIVE GI	700	.73	į	10E	121	PSI		
FOAM ADM PER) V	1.05	50.	1	121	AIR		
37 SPOIT FOAR ADE PER RUS	V CC	1.11	50	=	121			
	1	5	, Y	; =				
400 SBPPC	2 6		.	= ;	2 !			
٠,	ر د د	2 :	3	E :		418	ADE PILA	
POTE - BITSTEE	Y CC .		-21	2	175	AIR	A DB RS 14 B	
	A CC	5.	ē.	=	175	AIR	ADERSTOR	
	FLC		2.59	=	11.1	AIR	PILE ADERSTOR	
127 1/P 15 16/1 B	VEL	4.37	1.60	4	×			
73 127 1/3 AS 16/1 BE	121		- 5		ķ			
	!	•	?		;			
	;		;		Q:			
SOUTH STATES OF THE STATES OF		25.	5	248	5 2	AIR	COME ADMESIVE	
	TRI	3.00 3.00	-02	24B	22	AIR	ADRESIVE	
CA-Z A/U NO N/I DE BPOXE CERRET	YOI	2.48	1	# 0 4	22	AIR	ADBROIME	
CRETACTE I STREIMGROE ADE AND CONTING	410	8. 12	1. 80	120	32	AIR	A CH-COATING	
GARLOCK 201 A/B AS 1/1 BH PPOTT	CLI	4.76	00	28 H	2,5	1	1785747	
GE 4088 ADELSIVE CLEAR	080	3, 52	90	200	X			
) 	•	;		67	# (·	A URES JV &	
				20	202	TIT		

SECTION 1 -- A DRESIVES

OS APPLICATION	A D SES J V W	A DEES JUNE					ACEISIAE				A DERSIAN		L ADRESIVE				THE CRITICAL CRIMENT					_	I FILE ADMISSIVE					-	•						_			CCED ADENSIVE								A DRESIVE		TA ADREST OF	-	AIR OF CHREST
ATROS	111		11	AIR	AIR	7 17	AIR		A I B	II	AIR	AIR	112	A I I			AIR-		=	1	PI	AIR	PSI	PSH			T		-					٠ :	AIR	TIT			_						11	AIR	= :		2 2	12
CUNE	22	×	3	22	52	3	52	×	3	52	×	99	2	3	52	200	N.	9:		121	127	%	12	17	9	16.5			•		: 6	2 4	3 %	:	X	£		52	135	9	<u> </u>	9	2 4	2 X	9	X	6	2	3 %	25
11 E	5	24 H	7¢ H	5	24 H	24 H	5	71	248	7	24 H	248	16 B	128	210	ž		2 :	= =	=	=	100	10	#2#	EQ.	#	# :	Ē :	5	į	5 :	: ;			4.8 H	10		24 B	30	3 9	7E	# 0 C	5 c	9 6	=	248	≢ ;			24 H
#ÇAC#	8	.03		Ξ.	3	•	. 19	9		98	.02		8.		5	. 12	20	1.27		•	. 26	=	.02		.17	2	8,3	9	7	5.5	35		9.6	9	6	. 12	3. 49	0	=	8	6.	-01	ž	5.5	:	.03	;	8	3 =	
stat	52.	. 62		.	1.12		1.55	1.00		1, 25	1.02		.35		1.07	.63	18. 69	19.11			123	1.68	.72		. 83	5	1.27		3.63	7		2	75.0	1,92	22	7. 43	13, 15	. 32	.	. 19	. 23	1.45	•		:	2.65		-0	7. 30	4.83
GODE	HOF	#0#		10	#0#		HOM	HOM		HON	10		089			313	KY S	57	121	198	H 24 H	2 S	22		<u>၁</u>	PCC	224				HTS	2 1	2 1		¥ 1	S A	EO.	HTS	THE	110	BAC	1 KC		<u></u>	,	TCC		22	2 1	STR
Telegraph of the state of the s	PRES SENS	105		WE SEE STATESTATE SEES SEES	COLUMN TO COLUMN AND THE PROPERTY OF THE PROPE		SHAN SHEE TELECOLVERY OF THE SE		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	SHOT SHOW STINGSON SHOW IN THE SHOW	CONTACT THE GOOD TO BE SOUTH THE CONTACT THE STATE OF THE SOUTH TH		TION BE 1/1 11 114 14 17011		CLISS 158 2060 A/B 45 2/1 BW RPOIT	GT 400 TAPE SCHUELDANE POLYESTER/POLYESTER ADM 2513E		RE 79 OPTICAL CERENT A/8 AS 100/2.5 BW	EAISING BILL FORT I GROWTHIN	REINDONE 3 A/B AS 100/19.7 BU		MENTAGED & MACHE FALLS BOSESTATE OF SELECTIVE SECONDS	ST END PROPERTY PRESCUE FILM ADMINISTRY		PPOXY-PERSOLI	HT-424 ZPOXT-PHENOLIC/AL-GLASS	PASTE - CLIVE	HT-1000 LABIMAING FILS	3			4326/3421 AS 100	6C 1/8 AS 1/1 BT	MYSOL 6C W/M AS 12/4.4 MM ALUR FILLED SPOIL	ADEEDIVE	Marie 1/8 1/8 1/4 1/8 1/4 1/8 CORDINATIVE BROLE	THE BOUND TO THE COURT OF THE PARK TO THE	REFORMED BOOK - DATE - DATE - CARE -	LABINATING FILM 2C-200-1/POIL SANDWICH	TACATURE AND TO SA PROST	BAS AS 100	KY ACH		LEPKONELS 109/LM-52 AS 100/70 BM LIGHT GRAT ZPOXT	109/LB-52 AS 100/74 BW LIGHT GHAT	TREECURIN 109/LH-52 AS 100/74 BW LIGHT GEAT EPOXT		46/LB-52 AS	46/LH-52 15 100/74 BW	LERS BOND C-59 J/B AS 59/1 BW LERS BOND F-65 J/B AS 20/1 BW

SECTION 1 -- ADDITIVES

AFFICATION	OP1 CREET	-	TERRED SEAL	TREELD SEAL		ADE-SEALART	ADR-SEALANT	THERE SHAL	-	LDH-SEALABT	TERIAD SEAL	TOBEAL SEAL	LDERSICE	TREEAD SEAL	ACE-SEPLANT		1440 14455 C			ADBRETTE	adres 17 P	A DRESIVE						TREELD SEAL	ADBESIVE	ADRESTUE	ADS PILE		ADS TILE	ACE PILE	ADDES IVE		COST. ADMINISTRA	TATE OF THE P	2 ATOMO TARBE	PCAN TAPE 2 STOR	2 SIDED TAPE	THE STREET LAND	2 SIDED TAPE	Period in the second in the se		ADE FILE		OFT CEREST
A TROS	AIA	PSI	PSI	PSI	1-3	ISd	PSI	PSI	Z-3	PSI	7	PSI	PSI	- S	PSI	P 51	12.0	70	PSI	AIA		TIE	٠٠,					PSI	AIR	116			1	AIR	AIR.	H H				:				AIR			AIR	A IR
CURE	2	25	£	52	25	52	£	22	77	52	52	52	52	52	S:	2	Ç ¥	S X	! \$2	121		121		•	9 4	C X	3	X	22	22	5	127	177	16 5	6	204	5	-	130	?				£ \$	\$ X	16.5	16.5	52
CURR	908	248	72H	70	72R	# 8 E	2	7 F F	128	# 8 #	728	24 H	# 8 H	24 H	121	728	B 0	2 A H	H	158		158		"7	3	H 42	7	24 B	5	5	25 H	# G		806	5	9 ;	# 9 7	Ē	30 H	:)					24 H	908	90 H	20
KCVCB	.62	.03	=	.0	9	7.43	7.00	7.68		12.53	. 22	7.65	13.78	6 ·					13	£1.	. 28	=	E.	5.5	- 6	20.	8	5.	.03	6	5	9	? =	.08	8	;	9;	?	20.	. 22	3	. 20	.15	=	10,	=	ş:	.00
CTHI.	5.17	6.54	5.47	5.86	1.64	14.30	12.63	13, 45		24.86	3.79	17.71	26.84	13.74	16.43			5. 19	2.97	2.46	5.00	2.45				9.2	1.25	14.73	4.72	14.01	1.03	- C	1. 27	. 26	64.	1	7.		F 5	2.64	6.17	1 0.	2.11	4. 55	. 59	1.00	1.21	10.66
CODE	308	LTC	LIC	LTC	LTC	LTC	TEC	LTC		110	LTC	1,70	Ltc	Lic	LIC	o c	111	1,10	110	Lic	.LTC	1.10	ori,) 1.1.	, () L	808	IBE	P C	ACP				#O.	e. F: E	1					A H	E	E E		NO.	NC N		HEL
nateri,	LENS BOND H-62 A/B AS 50/1 BB	A FEC ACHESIVE	A REC ADBESTVE	A FEE ADMESTER	AA OVEE PRINER N	LOCTITY B PEASING MOUNT YELLOW PROM BOLTS	ITE 9 BEALING MOUNT TELLOW FACH	LOCTITE C BLGE ADMESIVE		E	11 41	222	777		7	COCKETS AND BACK WHEN BEING AND MACH BOLLS.		290 BEDIUM STR	LOCTITE 290 BLDIOM STRENGTH ADM GREEN PRCM BCLTS	324		325	10/112 32/20/ PC1 /0/			LOCATER AS-13 SPANE BORDER MARKAGE	MACHOND 9626 FCITESTER FILM/2 SIDE ACE ADB MIN18/P	MASTER BCHD 626 POLIESTER COPOLINES	MC-30 A/B AS 95/5 Bd ACRILIC ADB/BENZOFL PEFOXIDE	MC-10 M/M AS 95/5 BM M/7010MMM ACSTLIC ACERSIVE	MENTERCHO 1715 EFORT SOPPORTED FILE	ASTROCES AND RECAR FALM ADERSIVE METALES AND ADERSIVE	329	LBCHD 329 EPCKY	地名 日本の がた のず のれ人のまた 山川の山川の町町町	į	SICEOCIRCIL THE B OLITHON FILLING SPORT			TAPE		TAPE	TAPE 666 PVC FILB/2	AS 2704 SILICOME ADR	MARTICO 3135/7111 AS 1/1 BW RPOXY	328 SHEET ADMEST	SEEL ADHESIVE	ME SET A/B AS 4/1 BM OPTICAL CEMENT - EPONT

SECTION 1 -- ADMISIVES

					Ē	ATHOS	APPLICATION	
MATERIAL	14 CO DE	181.6	. נ		18 11			•
			2	2 5	×	AID	ADDESIVE	
NODE FORD BLE-10176 LY-125 THERSOSET ADR/F) T		3		11			
	300	2.08	1, 12				ADERS 1V X	
OPTICAL COUPLING COMD - SILICONS (PROPRIETAN)		9	5	3	ĸ	AIR	ACHESIVE	
P 400/CA1 515 AS 1/1 BE EPONT	100	A. 18	1.	24 H	52	PI B	PORESIAN	
P-460 1/8 15 100/7 BH		;	ð	7.E	100	NIN.	A DRES 1VE	
p-61 SILICA FILLED RPOXT	2	•		5	135	AIR	!	
	E TO	4.02	5	171	2	AIB	PERSIAN	
PAIRE CERTAI 0014	•			Ħ,	120	AIR		
	20	3,58	.58				2 SIDED TAPE	
PERBACEL TAPE 941 MILAR/2 SIDE MAJURAL BUDDER/F	N C	1.06	*	24.8	125	PIT		
PRITISON CHEM RECKY A/8 AS 1/1		2, 58	38	30	52	713	COME ADMISTAR	
PITEL CA A/B AS 1 DROP A/1 GR B CONDUCTIVE ADMESSAGE		1.77	90.	Ę	121	PSI	FILE ADDESIVE	
PLASTILOCE 7178 MILON/EPONT ADM	ALA	. 63	12.	Ħ	7	AIR	A DELIGITOR	
POLY CAST EC EPCIT LOT 173-4416-4	!			2	. 9	AIR		
	ECC.	1.08	. 33	248	125	IS.	FILE ADMENTS	
POLICE LIBERATIES FILE	A BC	. 25		= =	2	ALE		
POINT PPC SE BLUE LPCAL FORDER				70 H	2	# T #		
		,	;	20 E		111	ACRESIVE	
A SECRETARY OF THE STANDARD CASTING	PEC	1.12	5			4 4		
		•	;		2 9		ACRESIVE	
	2	9.	5		2 4	414	ADRESTVE	
AN ALEAT NA DE NAME DE DESTRUMENTANTE LOT C21828	PEC	1.05	5		; ;	214	ADRES 1V K	
	<u>ا</u>	5.	3		; ×	7 2 2	ADERS 1VE	
	280	97	5		121	AIR		
	,	;	ē		X	AIB	Aches ive	
De 18 ACRILIC CEMBUT			2		9	AIR	ADEIS 1VE	
PT 4121 A/B AS 1/1 BW EPOXT	11.		10	_	2	AIR	FILE ADRESIVE	
PYBALGY OR CLOSE SUPPOST/ACSYLIC FILE ADE - ARBER	5 6		97		154	AIR	FILS ADSESIVE	
PYBALUX 3249-67 CLOTS SUPPORTED FILE ADMESTAL		1.71		_	\$2	AIR	A D BES IVE	
R-313 L/B AS 100/8 BU EPOIT				•••	3	NIN.		
	HCC	7.63		• •	22	M I V		
BD 3327-6/ACCEL 4/F	246	3,35			1/1	7 1		
MANGEL WEIGH SECTION FOR LAKE AND THE	S H	1.17			130	Tea		
THE PROPERTY STORY OF THE PROPERTY OF THE PROP	P. W.	96.	-		171	101	1114 B114	
MANAGED ALCO FLOTE SOLICITE AND ALCOHOLD AND	S 22	.67			2 5	1 1 1		
MESORI FROM TIME AND AND AND AT AT AS 5/1 PH BPOIN	S S S S	. 82			5 4		ADRISTAT	
STREET OF OUR TROOK ADM A/8 AS 1/1 8V	T T	1.67			3 %	4	ATHERT STATE	
SEASTHER JOHNSON DESCRIPTIVE ACRULIC ADRESTVE	NSC.		5	·	3	AIR		
	6		90		22	AIE	A DHES IVE	
SHOPIEZ W-619 PEES SENS ACRYLIC ADM/FOIL SANDUICH	5 5 E	:			2	AIR		
	2	2.01					A DEES IVE	
MIGICIAN SILICONE	878	3.46					ADBLES IVE	
MIGIORNY 19010-1 WISCORLASTIC FIRM/ 35 1852 40.	080	5.45	-	3 248	52	AIR		
102	GEC	2.97	1.55					
ALA 102 GRIT LILICORE		,	•	248			ACH-SEALERT	
RTW 103 BLACK SILICONE	0 0 0	5. 35 2. 92	1.65				ADH-SEALA WT	
)				5 5 4	AIR	A DH-SEALANT	
PTW 108 CIEAE SILICONE	0 10	3.11	1.60				ADB-SEALANT	
				. 24 H	150			

SECTION 1 -- ADMESTIVES

S APPLICATION	ABBISTUS CCUD ADRISTUS COMD ADRISTUS	A DE 15 1 V E A DE 1	ADERSTOR ADE	AD 1-21 L-42 CAPS - AD 1-21 L-42 CAPS - AD 1-22 CAP	10 11 2 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ABBRESTY BADDESSTY BADDESS
ATROS	1999					A LIBRA DE LE PRINCIPA DE LE PRINCIP
	ะหะ	_{ร้} ะหมหมหมหมหม	ទ្រឹងក្នុងងឧទ្ធងង	រក្ខុងសក្កងស	: វេ វក្ខុ ភវុវវវវវវ	888888 88888 8888888888888888888888888
221	2000	2604377778 E0 2 0 0 1 0 2 0 2 0 2 0 2 0 2 0 2 0 2 0	468 308 308 728 248 1508	26 4 6 5 6 5 6 5 6 5 6 5 6 5 6 5 6 5 6 5	665 646 65 65 65 65 65 65 65 65 65 65 65 65 65	2012 2012 2012 2013 2013 2013 2013 2013
NCACH.	5228		* ** ***	55.	7 770555	
STAL	6.32 2.22 5.22		2. 5. 65 2. 22 2. 22 2. 22 2. 22	2. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8. 8.	2. 2 2. 2 2. 2 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	. 13 . 13 . 13 . 36 . 51 . 51 . 69
#4# COD#	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0					00000000000000000000000000000000000000
MATTIL	HTV 160 ONE COMFOURNT TRANSINCENT STITCONS HTV 11/T-12/SILVER PLAKS 0.55 T-12/76K SILVER PLAKS HTV 11/T-12/SILVER PLAKS 0.55 T-12/76K SILVER PLAKS HTV 116 ONE CCAFOURNT TRANSINCENT STITCONE	Hannuda H	RTV 511 .007009 IN TRICK RTV 511/T-12 AS 40 GM/10 DROPS SILICOUR RTV 511/577/T-12 AS 1/1/4% BS RTV 560 SILICOUR RTV 560/T-12 AS 0.1% T-12 RTV 560/T-12 AS 0.1% T-12 RTV 560/T-12 AS 0.1% T-12	RTV 560/577/1-12 AS 0.5K F-12 RTV 560/577/1-12 AS 1/1/0.5% BW SILICONE RTV 560/577/1-12 AS 1/9/0.5% BW SILICONE RTV 560/577/1-12 AS 1/9/0.5% BW SILICONE	560/580/1-12 AS 1 560/580/1-12 BCA 560/9811 566 0.078 BM CAT 566 0.087 BM CAT	RIY SAG C.1% BU CAT SILICOME LOT JR 133 RIY SAG O.1% BU CAT SILICOME LOT MA 136 RIY SAG O.1% BU CAT SILICOME LOT MA 137 RIY SAG O.1% BU CAT SILICOME LOT MA 137 RIY SAG O.1% BU CAT SILICOME/GR SSA1SS PRIB/SAMBBICH RIY SAG O.3% BU CAT SILICOME/RY SAG O.3% BU CAT SILICOME/RY SAG O.3% BU CAT SILICOME/RY SAG O.13% BU SILICOME/RY SAG/Y-12 AS 100/0.1 BU SILICOME/RY 77/7-12 AS 100/0.1 BU SILICOME/RY 77/7-12 AS 100/0.1 BU SILICOME/RY 77/7-12 AS 100/0.1 BU SILICOME/RY SAG O.3% BU SILIC

TEBRIT.	# # P	C1mL	4CVCH	71 HE	COBE	ATROS	APPICATION	
							100-004-186	•
	GIC	1. 36	-		C X		ATH-POTTED	
6111/CAY 9691 45	229	1.31	. 3	# :	C ¥		ADE-POTTING	
0/16 64 0006	229	1.23	12.		9 6		ADB-RECARS	
8223/CB1 9836 A3 34/4	225	7. 38	ָרָ נָּ	E :	3 6		A DE-WECKES	
M243/CA1 9656 A5 54/4	GEC	6	. 22	97/	95			
. /27 64			1	E 9	, v		ACH-REC1PS	
	GEC	. 79	67:	e :	7 (ADR-RECAPS	
8262/CA1 9838 A3 3478	325	ę .	.21	2	Ç		STITCHE	
8261/cl: 5858 15 35/4	010		. 28	# 9 C	ς:		かまして トレー	
6372/CA1 9858 AS 97/2	GFC	1.31	. 22	=======================================	S	# T T	50 54 54 54 54 54 54 54 54 54 54 54 54 54	
8373/CAT 9858 AS 97/3	ָ טַ	1.10	36	16 H	52	AIR	A DE-SEA LA ST	
9858 AS 95/5			.21	168	52	111	SILICONS	
BIR3/CA1 9858 A5 97/3	ָר בּי קייניים	99	36	,,,	52	A I B	ACH-STALANT	
	ן פ	•		•	135	AID		
		Cy	61	26 H	150	AIR	ADH-SEALANT	
SAN SALICOME	י ניפו	. ר בייר	9		90	AIR	A CHES IV R	
10 10 -CH/ OC OC	S i	7. 34	2 6		\$	AIR	ADERS 1V I	
BELDONG AND DADE AS AVI BU CLEAR DROXY	N 1		3	••	\$2	AIR	ADBLSIVE	
	HIS				9	AIE	ADBRS 1VE	
	HYS	9	֓֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	•	ý	150	ACH-SEALANT	
STICE/A SETIMENTED CAR CELECO OF SECONDED TO SECONDED	ť	25.41	2	•	3 %	-	ADR-SPALART	
	E	25.66	9.19		Ç		178-41118	
	E	37.13	17.34		Ç	101		
4 172	HER	25.39	6.15		2	101		
4 173	*	16.04	1.74		52	PSI		
		13.02	22.69	72H	52	PSI		
		1.06	.52		52	N I N	ADDED TO E	
	E F E				125	<u>1-2</u>		
	•	90	. 81		52	AIR	A CERS IV	
ATTACHMENT TO (XE-5241) N/B AS 1/1 BE ROST RED IPORT	C 1		9		X	AIR	ACHESIVE	
			2		×	PSI	ADEES 17 E	
	£		:		<u>بر</u>	154	Loris Ive	
	E				125	ATE	A DEES IVE	
•		7.5			<u>,</u> ×	ATR	ADS-POTTING	
		ć.		-	Š	a L	A DERESTAR	
	E E	.65	.0.	8 7 E		1	MAISSEE SECT	
9 6 6	E	₩.		_			CORP. ADDRESTVE	
177	E	. 45			2		1015117	
177	K	τ.	.02		171			
2214		1. 25		_	2			
2216 B/A AS 3/1		1. 21		3 24H	ς:	174		
2216 B/A A3 3/1 BW		1.16			0			
0.2216 B/A AS 5/1 50 B/B B-5	E	. 16	.03					
					2			
		1.60	.32	180				
2216 CLEAR ANDEN S/N AND 1/1	E E	1. 60	•		_	4 1 4		
2216 CLEAF ARBSF D/A ES // DE	5	1.75			S			
2216 CLEAR SHEET B/A AS 1/1 DE	重	1.09	8	2	% :			
2216 CLEAR ANDRE BAN AS 3/1 DW					ç	C-2		
	Z Z	.13	•				ADERS JV A	
2216 SANDLICHED		1.66		•			AUSTOLE	
1/1 SK K/0 3		4.50			5 1		NAT SABOT	
SCCTCHWELD 583	E E	4.20			154			
SCOTCHWILD 588	0			01 50	22	AIE	ADBREITE	
STRKIT SP653K825AS ZPOXY PSM 8040-00-916-384/) L	1, 38		. 22 24H			ACH-STALEST	
SIINSTIC 140	,							

SECTION 1 -- A DATES IVES

MREDINI	# F E	Tur	KCVCN	COAR	18 P	11805	APPI ICATION
STICCSET 152 NH122 SILTCOM?	ICA	2.08	25.	5	×	17.0	AT 516 18 9
				E	3	AIR	
SATE 62/63 No. 1/1 By DEC'Y	208	7.69	4.27	HO!	22	AIR	ADBISIVE
	70	C 7 - 9 1		#	% \$	1	ADRESIVE
S4P 62/63 AS 1/1 BV EFOXY	181	1. 40	=	5 3	2 52		TIME STATESTIC
		•		8	9	AIR	
***************************************				#	121	A I I	
529 41761E C111642	LCC	. 36	- 02	5	52	AIA	ADDES IVE
5.65 41* VEE E11 5. 6	0	2.48	.75	308	25	MIN	1000年代日本
40.00.00	0 KG	2.09	2.8				A DER SIVE
MOTATE COMMITTE NO APPORTUDE CARREST STATES CARS IN		9.	.27	- 5	36	AIR	ADBRIGHT
CONTRACTOR OFFICER OF DELVISOR) (3)	. 28	=	12#	99	AIR	ADBRAIVE
4004 STLICCAF		10. 17	5.09	24 H	X	AIP	ADB PCR TAPE
STITCIAP DETAR	ינ פיני	22.67	7.87	3. 3.	25	AIR	ADE PRIEMS
1 1 1 C C E S) (1)	0	2	2 4 H	150	AIR	ADE PETERS
337777	OM C	19.67	8. 02	24 H	25	AIR	ADE PETER
STOCKED TO THE PROPERTY OF THE	029	1.05	.35	24 H	150	AIR	ADD PETERS
	U Bi	23.76	7.35	248	52	AIR	ADS PETERS
SS #120 STITLE DEFEND	0 80	6.72	4. 16	24 H	150	AIR	ADB PETRES
SO ENCOUNT OF THE PRINCIPLE OF THE PRINC) (2)	24.98	14.60	24 E	52	AIR	ACT PETER
CONTROL AND	0	9	8	24 H	150	AIR	ADE PETRE
CERT FILT CONTROL	630	15. 52	8	=	X	AIR	
TICE TOTAL SOLT	108		90.	2	52	II	
APPROXICATION AND TO A CONTRACT AND THE STATE OF THE STAT	E NC	. 94	. 15	161	65	AIR	į
001 64 17/1996	INC	. 33	5	161	107	AIR	
SESTING TO THE PROPERTY OF THE SET OF THE SE	SHC	.63	5	H	100	ATE	
STATES SESTING TO BE TOUGHT TO SESTING TO SESTING THE SESTING TO SESTING THE S	24 2	.	.03	180	22	AIR	LORESTAR
18 //mm cv 1717/1100:-	11	£.	8	24 H	25	AIA	ACE 25 34 R
STYCLST 285061/9 AC 10.0 2 BB 82048	1	,		728	09	AIR	
2850MT/11 A: 100/2 7		E.	8	70	ĸ	AIR	ADRESIVE
2850#1 -9 AS 10	2	. 52	.03	24 H	7	AIR	ADDESTOR
170 A/B AS 1/1 B2 D	200	. 52	-02	2¢3	25	AIR	ADERSIVE
186 A/B AS 10/1 RE STITCHE	200	61 -1	-27	2	ĸ	AIA	ADELS 14 R
1-661 A/8 LS 100/7.5 Bu Blue Peors seres cour	2	2. 19	*	74 E	X.	AIR	ADELSIVE
) E 4	7-1	.03	32	5 2	AIB	ADDISIVE
TARE 200 A/B AS 1/25 BU ACRTLIC BASE ADB	2		. (2E	5	AIB	
PRCKNIT 72-00002 SILVER PILLED SILICONS		97.7	9.	5	Ç		ADDES 142
TECRNIT 72-00002 SILVER FILLED SILICCUE) L		. 8		Ç,	AIR	COND ADMESTER
TRCKHIT 72-08116 COMD 3POXI A/B AS 1/1 BH			36		25	5-2	CCND ADBRITE
TRMP-P-TAPE K-100 KAPTOM/2 SIDE SILICOME ADM	CHE		:	5	r.	A 1 K	CCUE ADDRESS OF
	-	4	ž	6	,		Z SIDED TAPE
75	DIA		!	3 6	Ç		
TILS COTF 1202 A/B AS 1/1 BV BLACK PROXY	STA	. 7.		2 =	ר א		.
		•	3	= =	ÇŞ	# T	STARING CPRD
2101 EFOAT BI	181	1.71	5	E 2	9 9	# T F	
2106T EPCKY BIPAK	18.		5 8	8 6	2 4	111	
2111 STAKING CPND TPOXY	TRA	2. 90	5	328	36		
TRA-BOND 2112 STAKING CPMD SPOXY BIPAX KIT	Tar	1.45	10		3 %	4 A	
2113 EFCXY BIPAK KIT	TRA	3.40	2	38.6	3 5	4 6	ALBERT CTES
BOND 2114 CLEAR EPOYT	487	3. 16	. 62	72H	3 X	. a 1 4	
BOND 2116 LECKY BIPAN KIT	181	1.01	50	74.H	3 X	# T T	
TRA-BOND 2122 ALUB PILLED EPOXY BIPAX KIT	TRA	1.15	S	72H	3 K	112	
			•	:	3	# 4 4	

STATUS 1 -- A MARKS THES

APFLICATION	A DESS IV A				A CHEST JV II			LDEESIVE			COMB ADBRSIVE	ALB-PCTTIEG	A DEPOSITOR		ADERS 1VE		OPT CREEKT	OPT CENTER	TERRID SEALAST	THREAD SEALANT		ADMES IV B	THREAT SEAL	ADRESIVE						A DERES IV	A DIRES TV R	CONT COAT	ADBROIVE		adees 17 &	
ATHOS	==			11	TT	AIR	A TB	AIR	ATR	AIR	AIA	AIB	ATR	AIR	AIR	AIA				AIR	AIR	AIR	AIR	LI	178	414		TIT	A I B	AIB	AIR	AIA	AIR	E-2	AIR	
	% %	ž		4:	ç	65	9	25	ž	9	9		=	55	8	55				*	121	25	25	×	ž	12.5	}	S	69	\$2	52	52	\$2	52	17.7	
12	5	5 5	# F	7	9	78	-	168	=	===	2	, =		24.8	=======================================	74				=	=	24.8	24.1	7	5	, ,	2 2	2	# 9	2	2	=	Ξ	24 B	=	
NCVC.	ξ.		\$	70.	5			4		:	.03	7	5	•	.03	!	3	3	-62	9		.63	=	3			5	- 02		52.	- 24	0	8		90 -	
XTRL	2.27	90 · 7	C .	9	.72			1.1.1	16.04		1.04	-		:	. 73		3.03	11.09	3.61	3, 99	:	7. 17	2. 17		2 .	;	9	96.		1.39	1.60	2	35		<u>.</u>	
CODE	111		7 1	4 2	417			10.		E Fi	1		-	1	T d A	!	808	208	MY	14	!	U M	1				E C 0	HTS		သ	DCC	DCC	DCC		STV	
THERE	2126 BI	21350	1430	2151 11	PAR TI				7 / 7	185-COE 21126/E-8 72 20/0.23 De 8F011	CALLER CONTROL OF A COURT COURT OF THE COURT COURT	. :	٥.	0711488 3/33 4/4 48 1/3 8W	BB (/5/1)	THE STATE OF THE S	STREETED STATE SHOPLINE STATE STATES AN OF				TITCE SERV			3	MICO FAST SAT AFORE & PART ALT	TOTAL TOTAL PATTICONS AND	CCHEONERS GRAY	XC9-G710/H2 3561 AS 100/26 BW RPOLT		ME-4-3099 ONE PART SILICORE	TE-E-2130 CM DALT SILICONS	VALUE AND AN ACTION OF STREET ATTIONS CONTING	- 4		T-663 PREBROFOXY ADM OWE COMPORENT	!

SECTION 2 -- CABLE INSOLATION SHEIM TUBING

)\$ APPLICATION		
ATROS		
	150 150 150 150 150 150 150 150 150 150	
25		
SCVCB	######################################	
\$181F	86. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9.13
18		DIS VIG CTD
RATERIAL		CARLE 1/C 6-61 BY OKUMITE DUPONT HYPALON CARLE 2024 INSULATION BLACK/HRITE SILICONE CABLE 22191300 CA BLACK/HRITE TRICK INSULATION CABLE 24799/408 KAPTON SHIRLDED POLYINIDE

SECTION 2 -- CABIR INSULATION SHRIPM TUBING

																					•																													
AFPLICATION	CARLE INSOL	SEPTEM TOPING	PRIGHT HEAVY	TREET LATOR	101111111111111111111111111111111111111		RED CAD		SLEEVING	SLETVING	St. Reving	HIRE INSOL	1961		TAFE			_	110	TAPE	WIRE INSUL	SEPTEM TOBLEG		CABLE INSUL	TOSAK MAKE	TOTAL MAIN	CABLE WARF	UIRE COATING	SCUR CEPTES	ABLER ABITED		RIBE COATING		HIPE INSUL	SBEIRE TOBING	SHEIRE SLEEVE	SBEIRK TODING			WINE COATING	SIES CONTRE								SHILK TOBING	ROSE
ATROS		A LE					41.1										11.1		}	ī		AIB			1											A I B												AIR	; ;	
TEMP		373					26.0	•									121	121	: !	119		125			•	9										% %												150	, ,	
C38E T188		ř					-	£ .									;		•	20 H		8	•			22 H										. 2 SE												#		
SCVCR	8	3:	2 9	3.5		8	2	20	8	00	8	8	- 02	. 02	2;	3 3		,	17.	. 12	8	. 15	8	8	8 .		70.	c:	-		2 8	38	.10	8	. 07	3	. 07	.07	.0.	5	5		5.	? =			2.0	7.	=	. 13
FTHE	8		? ;		•	90	•		.27	19	.21	.0	. 15	. 19	= ;				96	.31	60.	. 58	. 02		1.36	9 1			7	PC - 7	~		.51	. 52	. 39	99.	.37		.07	9 (77.	•			6		78	. 52	.78	. 52
NP R CODE	918			, e	2 1) E	. E		83.8	918	E F	E.			4 1	2 6	346	# TE	H.V	J Z C	HIG	NI.G	HAV	HY			FO.	1 2 1	3 0		168	BEL	S S S	S S S	ECC	2	BIC	200	9 10	> C	2 6	ב ה ה	7	4 4 5	e C	918	BCC	PPC
4ATEBIAL			COC-MARKER 1681E6 SILVAR COED 18/50M NEW GUE SHELEN	CICOL SINICCES CABLE MAGI	TOTAL TRANSPORT TOTAL TRANSPORT TOTAL TOTAL TOTAL TOTAL TRANSPORT TOTAL TRANSP	このまた こうしょうしょう コンストライト カー・コンプレン コンプレン コンプレン コンプレン コンプレン コンプレン コンプレン コンプレン アンプレン アンプレン・アンプレン アンプレン・アンアンアンアンアンアンアンアンアンアンアンアンアンアンアンアンアンアンア	THE PARTY OF THE PROPERTY OF THE PARTY OF TH	NEW CAT ELCOLOG BERLEBERT LATE BLACK COLOLISTA	THE PARTY AND THE TAX	ATTREBUTE OF BEING POLYCIES	BATTERSO SIRESTED OF BEILD POLICES	THE TREECE BOXY PIEC INSCLATION	POLTESTER PILE/BO	1 SYPL 2539 POLYESTER FILM/NO	FIBERAL 1 CAPE 2540 POLTESTER FILE/NO ADR	AL	IPPELLETED PO		TO 172 CELECON BURBER TAPE NO ADI	ú	8	PP DOT SERIEF TOBLEG #30TELL		CABLE OUTER INSULATION	239 WALTS SILICONE WIRE	~		٠,	HOME SAM JOSES PLACE MARKET THE SAME SEPTIMES AND THE SEPTIMES OF THE SAME SEPTIMES AND THE SAME SAME SAME SAME SAME SAME SAME SAM	THE TOTAL OF STREET, STREET STREET, ST	1001	COST TROUBL CELETON COLUMN TRUBER CON COLUMN TROUBL CELETON COLUMN TRUBER CELETON COLUMN TRUBER COLU	TROO-1/20 BRAND-REX	TTTICK FAF CO	KYBAN SHETHK TUBING MIL 123053/8 BEAT GOM SHRIME	-	SCICER SLIEVE		INF INSCIATIO	WIRE CCATING	WITE COATING	CHEL HIFE COALLEG	CHET WIFE HEAVE AA		A TIU ON TAIL 1989	CECOOL LIBERIAGE ROBBIN	STE THEM	T-FRE C RIBE TROUBLION - ARECON (CONTREC	N221 POITCLEFIN SH	HYIRELOW 413 HCER BLACK OUTER SHEATH ONLY

SECTION 2 -- CABLE INSULATION SHRINE TUBING

OS APPLICATION	HIRE COATING	HIR CONTING				SERIES TOBIES	SHIRE	•	TOBI	UIBE				CAMP ARABA				RIBE						10017 9170					Ī	SERIBE TUBING						SHIRE TUBIES	SEPIEC TORING		WIRE CONTING											_	
A TROS					AIP	AIA	II			PIS									11									AIR			į	111		•							-	::	1 1 1		AIR		4 4	i	1 18	ł	٠
CULE					150	150	98			150				•					7									135				50	300	2							150	2 4	9 4	,	3 %	125	2 4	2	20.4	, ,	
12 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2					=	3	54			24 B									101									0. SE				E									;				5	2 =	24.0	= •	. # 40	2	
SCVCR	8	3.5	-	3	8	-	1.75	. 15	• 22	8.	91.	8	. 28	£.		5 5	5	8	.21	-02	8	6.	.02	5:	3 8	3:	71	5	8	-0-	.04			5.5		29	. 15	. 28	=	-05	ë a		7.7	9 4	7.	•	77.	,	?	3.5	
THE A			-	:	5	4	8.42	•	.,	1. 12	.72	. 12	. 28	*Z .	2 %		51.	=	. 82	. 52	1.69		2.	=:	77.				6	.37	3.32	1.30	7. 37.			99	.56	1.25	.79	.53		1-22	9:	70.7				4 - 7 ·	<u> </u>	. 28	
RIPE		ر د د د	2 6	3 6	, L		240	I NE	STR	9 50	308	RCC	<u>၁</u>	<u>ن</u>) (ָ בַּי	ב ב ב	308	<u>သ</u>	သူ	SCC	22	S S	ည က		ر د د		, e.) () ()	181	920	0 0) (E	1 E		22	ITI	204	2	A () (C	980) () () (ם מ	,	2 6	2 6 6	ָ ער פּי	51C 07P	
HATEBIRE		MACHET BIRE COATING MID 1500 058	H AGMET	THE STREET STREET LEGISLATURE CONTRACTOR	3	11-561		PARTICULAR ALLAND AND PROPERTY	CANTING CONTRACT OF CREATIONS OF THE CONTRACT		TOSE SEED TO THE TOTAL PROPERTY OF THE SEED OF THE SEE	BATCHER COAK SO261-1211-9 WHITE OUTER IBSUL	BATCHES FIRST FCT PRESCHE	R KYBAR PEE	FOLYALKENS WIRE INSCLATION TELLOR	SEACEGE POLYALKEED KIEG LEGICLETION SELLON THEN 44	POLYALKEN	はいて、アーウェー・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・		SEEC 44 E	27.20	SPEC 44/0411-20 SPACE G2 CUTEP		SPEC	SFEC	SPEC 88 P	SAVCERS 102 FFE SECURE	- 1	THE CHAINE CITY WITHOUT TOTAL WAS A STANK OF THE PROPERTY OF T	SELECTION OF THE ADMINISTRATION OF THE SECOND SECTION OF THE PROPERTY AND ADMINISTRATION OF THE SECOND OF THE SECO	2 All-102 VERILLAL SLUTTES - 2100	ST 9025 SILICOME WIRE INSUL PLACK	SY 9025 SILICONE MIRE INSCRAFICI	9025 SILICONE	SE GOOS STILLCORE SIEM INSCINITION - COTES	SILICONE PRESENCE OF		INSULATION	PREZE BAGRET		PIPAP NYLON CAEL	R 17 SILICONE VA	SP 220 SILICCUL VARILISM	R 220 STIICCHE VARHIS	E 290		90 SILICCHE -	98 SILICONE VA	4 WHISE	SHE OFFE BEILD SILICORD LING INSTITUTE ACTION INSTITUTE IN SILE INSCILLING	

SECTION 2 -- CABLE INSULATION SHRINK TUBING

ATBOŞ APPLICATION								AIR SEPIEK TOBING	••	TOSEL MEIN	HIR IBSOL	TOSAL MAIN	TESTI MIN							SATURE VETTOR			MELIES STA		WALLES BY	114	ANTERS STA	当日は国の	-	ATR SHELLER	AIR	AIR SHEIFK	MAIMAS	SHIRD INTERS	AIR SESIBL	ALIENS SELLE	AIR SHIRE	H		_		TATES MIN					Mataes all	-	air.		AIL SELLER	AIR		70 10 10 10 10 10 10 10 10 10 10 10 10 10
CUL		:	2	-				121	121									;				2 0	15.0	3 00	0 77	2 2	150	:	25.0	232	150	17.7	:		125	8	2	2	125		ì	223			•	-		•				•		
		;		2				7	58									;	= :	=	;	= ;	, ,		E !	= ;	2	•	3		; =				28	Ë	30	30	158		,	E C	i	. S	Ę	0.5	0.5E	2 B	0.5#		2 2	0.58	=	
KCVCB	1	8	•	8	8	8	8	-05	25	8	9	8	:		3:	-	3	5	70.	ļ	.32	ξ.	2 9	9 :		9	9	5 6		7.5	?	9	22	5	. 28	50.	. 19	.21	2.	5	=	. 20	52	. 26	. 26		¥.	. 28	i	.5.	42	•	8.	•
CTAL		55.	3.70	8	8.	8	0	95	1.13	0	=	5	5 8	5:	9	-	. 27	.02	.87			2.09		76.	•	2.01		7.		7.02	-		7 .	**	9	15	1, 16	.,	.43	.68	.		69.	.76	.63	٠	. 63			.82	. 62	:		
MAR			S	ABC	166	900	970	2	210				101	# !	THI	181	1 10	18C	176		<u> </u>	# T.K	ည (၁)		<u>ာ</u>	ELY		171	2 (22	1	4 6	֓֞֝֞֜֜֝֞֜֜֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֡֓֜֜֜֝֓֓֓֡֓֡֓֡֓֡֓֡֓		1	200	BAT	RAT	BAT	BAY	BAT	2	201	S S S	22		ည္က	S S S		20	ညည္က	י נ	RAT	
THEMPIE		CHATTE A DIEL INSULATION IN SHREET POPE			Minimal of the state of the sta	HOMETON TRANSPORT TO THE TITLE TO THE CONTRACT OF THE CONTRACT	HENDERS WITH THE STREET OF THE STREET STREET	CELEGRAPH STRUCTURE TO THE SECOND STRUCTURE TO THE SEC		THE COME TO STRUCT STRUCT STRUCT TO STRUCT S	TRESOLITE 43 181-1 MICH TOLINGS MINE INSUL BOD IN	TPE WINE INSOLATION	THE WALLICS II-24 IPS SIRWING - NOW SERIENBELS	THERESTICS 112-20-1932 BRITE WIRE INCOL	TERMINETICS SXZ-16-1929 BURCH WIRM IMSOL	THE MATTER 635141 OUTER WHITE LACOURE INPUTE MYLON	THE PARTY TOTAL TEPERS PIREDIASS SIPE INSULATION	THE STATE OF THE STATE INCOME STATE OF THE S	THANKIE G 2735 COLL COLTING		PRESENCETS COMMECTOR BOOT 2141332-3 HIRT GOM SHRIME	PROPIE		THEPHOPIT CAN CIEAR IRREDIATED POLYCIEPIN		-		KYBAR IRBADIATED FLUO	THEPHOFIT HISO WITCH - BLACK DEAT GOT SHRIM				LMF-100 TY 1	FT 102	kT 218			210 11	HERETORIES DE CONTROLES POR PORTE POR PRESENTANTE PORTUGATION DE CONTROLES PORTE PORTUGATION DE CONTROLES PORTUGATION DE	1	֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	֓֞֞֜֜֜֜֞֜֜֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֜֜֓֓֓֓֡֓֜֜֡֓֡֓֡֓֡֓֜֡֓֡֓֡֡֡֡֡֡	ָ ֓֞֝֞֝֞֝֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֓֡֓֓֓֡֓֡֓֓֓֓֡֓֡֓֓֡֓֡֓֡֓֡֓	4744 176	TELEBOOK OF BELLEVILLE	7	A 110 100 00000000000000000000000000000		176	PREPARETY SCI GLAY SERIER TURING LOT 11491	SCI	FERENCETT SCL SELFE		

SECTION 2 -- CABLE INSULATION SERIEK TUBING

HATEBLEL	148 148 148	4 THE	BOADS	11 22	181	ATEOS	APPLICATION
THE EMPORTER MICHADE 1200 FIRESCLASS SIBBUT TYCOU TUBING FORMSIATION 844-3 THE GREEK WILE FOLKMERHARE COLVING UNICLES BUT FAR FOLKETHARE COLVING UNICLES BUT FAR FOLKETHARE COLVING VARGIAS 6-16-00 TYPE W FIRESCLAS SIRVE VARGIAS 9-16-00 TYPE W FIRESCLAS SIRVE WERE INSULATION TELLOW/BOOM WIRE INSULATION WHITE MIL-4-22759/16-20 THE INSULATION WHITE MIL-4-22759/16-20		200000000000000000000000000000000000000	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				IBSUL STREET PORTING PROPERTY PORTING PROPERTY P
	72	7.00	77 •				

SECTION 3 -- CONFORMAL COATING

SECTION 3 -- COMPOSHAL CONTING

E ATHOS APPLICATION P	AIR COMP COAT	AIR COATING	_	CCE	11	E I	# (37 4						FIR	AIA	_	AIB	AIE		AIR CORP COAT			ALE COLLEGE		ATE COASTE		-	ATA		A I B	AIR	•	AIR		AIR.		214					#I	AIR	AIR	AIR		AIR	AIR		AIR CCATING	
CURE	ĸ	8	52	23	99	= 1	2	2:	2		ě X	3 9	8 %	52	6	1	15	2	7	2 3	5		Q X	Ç	3 %			12	X	S	150	150	2	£	6	12	15.0	<u>ר</u> אַ	G X	: 2	65	9	150	52	17.7	2	9	52	2 3	25	
CUBE TIME	7.0	, =	70	20	10 SH	# (1	107	E 07	, c	3 6	300	E 0	5 H	7 E	30 H	7	E	Z .	=	2 2			=	2 2	2		=	7H	24 H	28	24 H	0	E	.	2 6		,	2 ×				24.R	7	16 8	=	24 H	24 B	300	
RCACH	9	=	≠.	4	8	e:	5	.	5		5	•	10,		.35		80.	2.10	8.	.03		;	87.	=				#	07	}		1.92	.	ē.	;	. 92	70.	yr.			3, 75	- 87	•	. 03	. 36	01.		8	1.27	.0	
KIRL	5	06	2.14	2.07	£ .	.91		2	. 33		•		1.07	1.45	6		1.37	4.24	1.7	3, 15		i	3.74	S. C.	8	0.33		4				5.22	1.55	1.01	. '	2.42	1.31	•	•		S. 10	1.66		.63	1.09	1.07		1.29	2.31	.91	
2000 1000	!	200		DCC) 31					248		380		RMC	SHC	ZXZ	1 1 1 1 1						وء د) L	;		MAC	S.4C	BAC		CHE	Z W Z				7.81		•	Idd	Tide	188		SHL	. GSC	SHL	,
AATEBLAL	THE KINDS OF THE PROPERTY OF T	は、日本のような、「「日本による」となっています。 「「日本の本人の主人の主人の主人の主人の主人の主人の主人の主人の主人の主人の主人の主人の主人	A/MENDIN/MENTAL MAJORITY SPECIAL DE	DC 92-028 SIICCMS OVER PSIMME DC 1200	Dempter 1162 A.E AS 1/1 BW TELLOW FIFTIBLE PFOXT	DES BERIC/VERSENTE 140 AS BS/30 BE PROTE CONTING	DK-4 DPI-KOIE EFOXY POWDZE CONTING	SORVI B109-5 DIFMENT OVIDE	DESTRUCTION 300 SEPTES TRANST	•		TADAS AND TO 100/33 BA GLY TOUR THOUSE	##C30	THE PARTY OF THE P	SCIOCOLT CLASS ACTION OF THE STATE OF THE ST		CC-2 CCMDUCT	FILL	FC-200 A/B AS 10/1	EP-3 A/B A5 2/1 B4			ECCCCOLT FP-3 A/B AS 2/1 BW POLYNBETER WE	EP-3 A/B AS 2/1 BW		ECCOCOAT IC-2 A/E AS 2/1 BH POLTURET BANK			## ### ### ### ### ### ###############	. /nc cw n: /wh:		PHT POLYEST	MCCOCCAT FRY POLYESTAR-PREMCIIC			RCCOCOAT VE A/E AS 1/1 BM EPORT	VE A/B AS 1/1		BCCOCOLT 210 A/E AS 20/7 BH EPOIT		:	MCCOGE 1265 A/E AV 1/1 34 2001	•	RPINCHD 123/CAS 952 AS 20/3 BW EPOXT		~		•	SPCH 828/CAT 951 AS 10/1 BH EPOXY	WOOM SORVEDSHIP 140 AS 50/50 By EPCXT	

SECTION 3 -- COMPONENT COATING

NATERIAL	APR CODE	NTRE	RCVCB	CONS TIME	CORE	ATHOS	APPL	APPLICATION
					1		20177102	
THEN BEGINTESANID 140 AS 50/50 BF PPCXY	SHI	 	5	9 2	6 3			
	į	•	5	5	ķ	A I I	COATING	
140 AS 70/30 BB	150		8	2	×	7 I	COATING	
2	1	:		201	9	A I B		
	185	69.4	8	16 H	\$2	11	CONF COAT	OAT
MADOR 628/4MARABITO 140/03 07/02:4/824	:			=	9	AIR	,	!
MENTION STATE OF COLUMN STATE	78 S	1. 35	8-	36	\$2		CORF COAF	ONT
THE STATE OF THE S				=	3		1	
WG 5.0/5/5 21 080-F COTFORT BINGS STATE HOME	680		8	2	2	1	CCATLE	•
SECOND SE	PC	4. 67	8	=	9	M I		110
THOUSE THE TANK TO THE TOTAL TO THE TANK THE TANK TO T	YCC.	.78	8	≝ ;	120	***		9
				= ;	120	1		-107
as see each to be bail no acettic coating	HID	6.32	00.	2 ;	2	AIR		
THE TOTAL OF A SAME AND AS A STREET BY A SAME ACCURATED	MYD	6.19	8	2	S:	# T #		
STATES AND	CIC	21.66	-89	= ;	ς;	# T #		1 60
				8 7	5 8			
				= ;	Ç X			
			5	E	7	•	4105	CONT
STRINGS. 1220 PCLIUDETRIBE	210	2. 26	70.	OF.	35	AIA		CO 11
11.27	בי ניי			5	χ	NI T		COAT
	ב נ				3	AIR		COAT
1133			3 8	2 2	9	AIR		CONT
1812	֓֞֝֝֝֓֞֝֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֓֓֓֡֓֓֡֓֡֓֡֓֡֓	2	=	30	11	AIR		COAT
MUNICIPAL 1912 CH SCREEN	נו		:	78	23	11		
	į	9. 38	-02	=	ב	AIR		CONT
	֓֞֝֞֝֝֞֝֞֝֓֓֓֓֞֝֓֓֓֓֞֝֟֓֓֓֓֓֞֝֓֓֓֓֓֓֞֝֓֓֓֞֝֓֡֓֞֝֓֡	10.04	90	24 B	2	N X R		COAT
Bristal 4820 ACMILIC	;	•	٠	• •	3	AIB		
THOSE SO CALBRIDA SOLES ASSESSED.	5	9.74	.01	301	E	AIA		CONT
	S S S	11.81	.07	. ,	0	NI V		C011
ESSTATED DESCRIPTION OF THE STATE OF THE STA		3.27	=		ς;	# T E		140
			;	H 47	7 (414		-
HTHISTAL 2153 A.B AS 1/1 BV HOD RPOXY COATING	grc	1.94	6		£ &	AIR		1
	į		¥		, K	AIR	COBA	COAT
BUMISTAL 2156 A/B AS 1/1 BY POLYCRETHANE	1	61.51	2	•	S	N I R		
				00	52	AIR		
CHARLES CONTROL OF THE CONTROL OF THE STATE	CTC	8.63	.02		99	AIR	CONF COLT	CONT
THE STATE OF THE POST OF THE STATE OF THE ST				8	9	1	,	
MANAGER 2472 A/B AS 1/1 BV PLOORESCENT POLYDRETHAND	CIC	9.38	-02		2 3	NI N		1480
			7		8 ×	4	2000	COAT
BTHISEAL 2013LU/2013 AS 100/2 BW EPONT	O.L.O			8 06 8 06	32	11	}	
		•		# 9E	9	N I B		
	DH M	.59	.08	1 24 B	20	AIR	CCHF COLT	COLT
IC-2 PCITUREINFEC COLLING					S :	<u>.</u>		
74 1/1 BU 100/FD 100 BS 1/1 BF	812	5.82		# 5 E	۲ <u>.</u>	4 t t		
TECHTO FOLVESTE/POLITINDE CCATURG	SCH					4 4	TACOUS	
LACORER TYPE II CLEAL ACETLIC PSH R010-00-515-2487	K E	4.35	. 23	2,5	C %	118	CCATIBE	981
LAMINUM X-500 4C8/10C-45 AS 1/1 3H CIEAR	DEX	20.44			3 K	4 4	CCATIB	110
LARIMAN T-500 4C8/10C-45 AS 1/1 BM CIPAR	DEI				125	AIB	; ;	!

SECTION 3 -- CCHPOBNAL COATING

MATERIAL	# # # # # # # # # # # # # # # # # # #	STAL	SCVCE	28 85	2002	ATBOS	1347	APELICATION
	200			TIRE	TREE			
LENCOTE G-3103/63174 AS 100/5.7 BW CLEAR COLTING	BAL	17.65	£.	10 8	z	AIA	21100	COAT
CHICAGO CTICATOR ACT OF	1	;		000	9			
	110	6 ° 6	Ęį		2			CONT
THE SECRETARY SELECTIONS	110	C?:	è	= :	<u> </u>			CONT
17 A/M AS 2/1 No. PLAYINIA	1 1			= ;	C 10			COLT
17 1/R AS 2/1 BM PLEYTER	2 1		•	2 5	9 ;			COLT
	2	17.71	5	3 5	Ç	ij:		CONT
PC 17 A/B AS 2/1 BW PLRXIBLE EPONY CCATING	8 78	7.01	2		G X			
ı	:	:	3		3			
PC 18 POLYDARIEMANN COLTING	BYS	15.51	. 20	; =	3 5		COLOT	9
	-	2.06	2	2 40	ž			
1)	:	•		3			
PCITUBLISANE COATING CLEAR 50% RR	HTS	3. 10	8	12	×		COM	
18R PCITUBELBANK COATING CIERR	RYS	-0	. 65	191	8	11		100
				241	2	11		
PC 108 PCITUESISANS COLTING CLEAR 505 NR CORE/F	BYS	=	.03	191	2	II		COAT
				7¢	2	1 -5		
FC AN A/F AN J/A WE UMMINISHED	S = 0	7-42	2;	= :	3;		100 KIND	
	•	:	9				COATING	2
				2 ;	5	TI I		
PECTOPOLISE A DITE AND STACOSTS AND SECURE	9	,	1		1/1	9 M		
	9 (7.0	5 3					COAT - AGE
SOLUTION STATE			3 8					ı
COATING 22H ONE	***	::	5 6	•	ž	:		1
PE 1511 A /R A 9	7 4		5	2 :	Ç			
15461 1/8 15 40/100 Au BC			Ų,	2 ;	2 6			COLT
) L	?	5	E 4	Q 6	1:	8	C0 4T
PR 15461 1/8 AS 40/100 BU POLYCRETRANE THIN FILM	PBC	. 78	90	7	2 %		8	*****
) }		£			
PR 1568 ATECSCI DESTRARS COLTING/P	PRC	1, 57	8	=	; ×	=	CCIP	-103
				121	2	1		
PR 1568 BELOSOL GERTRANS CONTING/P	PB C	3.25	.02	=	\$2	11	2100	COAT
			•	23 B	75	AIA		
UBSINGE	7 2 2	1.92	. 02	2	52	AII		COPT
70603.4 8661	<u>ه</u>	3.00	.02	۳,	25	AIB		COM
		;		=	82	A I S		
		. 69			% :			COAT
2/22/12/20 14/2 14/2 14/2 14/2 14/2 14/2 14/2 14/2	بر د د د		3	٤:	S	TI		COAT
		۲۰ ۲۸	6	Ξ;	ς:			CONT
00 16601 1/6 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/	9	3	•	# :	79			
6) . 		5		3 ;			CONT
すべつ こう きょうし はいまま こうじゅう はいしょう こうしゅう コン・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	4 1 5 6		:		Ç			COAT
から からし はっちょう しょうしょう しょうじょう かんしゅう かんしゅん かんしゃ かんしゃ かんしゃ かんしゃ かんしゃ かんしゃ かんしゃ かんし	1		95,	# * ·	000	AIR	CONF COAT	
	PT	30.6	.2.		52	AIR	COATING	9
10017 PG (707 PT 11 PT	FI	18. 29	9	20E		AIR	COATING	9
TI 40 1/H-11 45 20/3 BH BPOIL	PTI	14.20	9	16 H	65	AIR	COATING	9
LIGHT PRODUCT OF BLANK	PTI	8.31	.03	2 8	5	AIR	CCHP COAT	:017
		;	,	24 H	52	A IR		
THABE	I C	10.95	<u>.</u>	2¢ H	52	ai i	CORF COAT	101T
FIRE-FIL RE 642 FOLFINISE TO BIR FLESHYCOAT	D0 P	.	00-	158	119	A I B	COATING	9
				30H	204	A I.B		

SECTION 3 -- CCHPOSHAL COATING

MATERIAL	MER COD!	THE	RCVCH	CJER TINS	TENE	A TROS	APPLICATION	į
PPRE-41 PR 692 ECLYIMIDS 15 MIN FLASH/COAT	# PG	98.	8.	158	20.5	AIR	COATING	
				26 H	149	21	1	
CHE PART	DCC	1. 49	61.	20	5 2		CCLF COAT	
OF-C-3117 CHE FART SILITORE	220	1.07	• 25	# :	£ 5		CCBF COAT	
	Ç	09.	38	2 H 2 C	2 %		CONTING	
RD 1875-3 FOIXUERIEAES		1.35	2	24 H	×	AIR	COLTING	
1875-1 FCITUEZINAR	}			24 H	7	~		
	7 H.B.	4.03	- 6	3 H	99	AIR	CC NF COAT	
2/1/2 34	614	11.01	9	16 H	z	AIB	CCAF COAT	
700 /				16 H	9	TI T		
BABC 18 A/B AS 4/1 BW CLEAP EPOYY	HAH	6.85	6.	= :	525	AIR	COLTING	
•		;	8	=	ž		COLTT #6	
HTW S11/T-12 AS 0.5% T-12 BW SILICONE	0 20	6	3	2.5	111			
		9	60		<u>.</u>	a I	COMF COAT	
STE 615 A/B AS 10/1 BE DEVOL AT 1250	ا د ا د	1.10	1.06	1 2	×	AIR	CCNF COAT	
of profiction continu	,	;	:	158	121	AIR		
MATER - MILE STAR - MECUliate Star Star force	DCC	.61	. 23	8 ¥ 8	22	AIR	COMP COAT	
141. 111.				24 H	5	AIR		
A/MECULIA SINE SEC PARK	S	1.43	. 24	9	52	AIR	CCIF CCAT	
Methodology of the state of the	X	.37	.95	3	120	AIR	COATING	
DICECTOR AND	Ü	4.21	1.38	2	ĸ	AIR		
THEREOUS TOTAL STRUCTURE TO CONTROL TO CONTR	100	. 59	5.	2	\$2	AIR		
THE SECTION OF THE SE	100	.87	. 12	2	£	AIR		
THE PROPERTY OF THE PROPERTY O	100	30	.03	10	X	AIP		
TIMEN TO COLUMN TO COLUMN TO THE	100	. 32	š	708	2	AIR	COMP COAT	
THE STATE OF THE TOO AT COUNTY BEAUTIFUL	100	. 28	.03	24 H	S	N I N		
SOLITIES TO A SOUTH OF THE SOLITIES OF THE SOL	1 00	.57	\$	2 8	5	A IR		
COLLINGE 113/300/CRECK 100/3/1 BW FORSOLD 21	100	95.	-05	70	52	AIR		
TABLE 113/300/ED 21 TOPPEDITE FORMUL 23	ည္	. 88	8	2	52	AIA		
COTTOBER 111/300/OULDSOL POSHULA 24	TCC	. 29	8	2	S	AIR		
COLITERIA 113/300/004DBOL FORMULA 26	TCC	Ξ.	8.		2	AIA		
COLTERNE 113/300/1-12/CALCAFIROR BU/DB CASTOR OIL	3.T.K	.37	-02	= ;	2 4	# # # # # # # # # # # # # # # # # # #	CORP CORP CORP	
SOLITHME 113/300/T-12/SILFIAKE 135/BRIANE	100	. 62	8		9 :	17.4		
COLTERNA 113/300/TOLUSYS AS 100/73 BW/173 BV	1 CC	.50	.03		ያን			
113/300/TEIETHTLAMINE POSMOLA 22	100	e .	.03	2 5	C F	4	# CO # CO	
	10C	6/	5	9 4 7	2 ;			
TT-MARK 113/300/328 AS 100/65.5/1.5 BU PORHULA 8	1 00	1.19		¥ (8 8	4 .		
TITEMEN 111/100/FLETZICIE 9 PCRHULA 29	100	9.			Q :	# T #		
BEST ALTHOUGH COLLING	MEG	9.46	8.	2	57	# T T		
. "	SPR	8.72	- 02	2	S	# T #		
	SPL	3. 64	E.	H 47	C)	M T M	CCALLES CONS	
_		9.31	4.97		;		PRCIECT IN COST	
10 1 10 1 10 10 10 10 10 10 10 10 10 10	THE	1.31	2.	2	52	PIE	COLUMN TO THE POLITICAL PROPERTY AND ADDRESS OF THE POLITICAL PROPERTY ADDRESS OF THE	
CONTRACT COC. TO A CO. TO A CO. TO DO TO BE DO TO	14 C	1.07	- 15		2	AIR	CCATING-POTTING	
				# 0 #	2	AIR		
SMARTS SUFFICE AS ACTION OF ALL PARTS FOR THE PROPERTY.	ENC	19.37	12		52	HIE	COLLING-POTTI BE	
1.9 45		1.20	. 16		75		CCRF COAL	
		i			2		27.1.00	
1217/9 AS 100/13 PH	(A)	1.7		2 2	7 5	4 4		
STYCAST 1217/9 AS 100/13 BW PPOXT	2	75.	71.		15.0	4 4		
•				11 47	2	1		

SECTION 3 -- CCHPOSHAL COATING

MATCHAL	APE CODE	1413	#CVCH	CJ 52 TI 48	CORE	ATROS	APPLICATION
	300	2.60	8.2		12.5	AIR	COMP COAT
	A HC	6.26	1.25	12 H	20	AIR	
22H FOLYUL	FPI	1.60	90.	₹.	23	NI N	
			Š	# 57	ָרָ יָּ	9 1	
The state of the s		.,	S.	E 0	2	AIK	
ZZH FOLYLARTHANZ	40.4	J. #	-02	70	52	AIR	
OPATHMY 22M FOLNOMBTHAM? 2 CCAT SAMPIZ	PPI	1.65	-	20 M	52	AIR	CONF COAT
				20H	22 82 82	A TS	
TRACAMS 27H/SEAC FLUCASSCOMT TRACES	FPI	2.43	98,	# 2	22	AIE	CCNF COAT
				24 H	75	9-4	
100/55	FPI	10.71	.6.11	. HE	63	AIR	CCMF COAT
STAILEST 5750 A/E AS 18/100 BY	FPI	=	.03	=======================================	\$2	AIR	CCNF COAT
				28	09	A I B	
TRAILBRE 5750 A/E AS 18/100 BW	FPI	. 83	.03	Ĕ	22	AIR	CONF COAT
				HC	65	AIR	
5750 A/E AS	⊢ 8. 8.	. 65	5	98	99	AIR	CCMF COAT
JEALARS 8267 SLAMSPARKET POLYDRFTHARE	Iad	10.00	. 17	24 H	\$2	AIR	COATING
				5 H	7	AIR	
US 0009 N/B AS 100/35 BJ POLYURZTHANE	HYS	13.69	7.55	15 H	\$	AIP	CCMF COAT
				2 E	90	A I.E.	
FINTL DISPLESION PLASTISOL 771-3720 PLACE	. VIS	43.89	10.45	#9	100	AIB	CCNF COAT
WORTTH 63 FOLKERIBLES CONTING	BAK	99.	.95	23 H	52	A IB	CCNF COAT
HOTHOW 1000 MASK FILM GREZH	448	2.07	£4.	1 E	135	AIR	#5 C#
TR-6-2205 ONE FART SILICOM?	DCC	2.85	60.	20	25	AIR	CCHF COAT
	200	3.55	7.8	=	*	A IR	COATING
E 734 AS 454/1,3/0,1 284	DCC	2.28	1.22	#	74	AIR	COATING
•				· **	00	AIR	
MY 218 MP FULLINDS BULK MATABLAL	CIB	2. 32	8			: :	CCBF COAT
	22	19	.03	20	25	AIR	CONF COAT
		•		=	2	A I B	
X1-2561 A/B AS 10/1 BU CLEAR STLICCHE COATING	DOG	. 9	.03	210	25	A I.B	CCMF COAT
II-2577 CIEAR FCLYDINBTHYL SILONAME - CHE PAFT	2	2.20	. 52	2	52	AIR	COBF COAT
STIRL 61 IN ALCCHOL	00 P	2. 32	. 22	30 H	Z,	AIB	COATING
				7R	90	7 I B	

SECTION 4 -- BIRCTHICAL CORPORERTS

CORE ATMCS AEPLICATION		TESOL PTION	I #SOT PLION					SOTTENDENT SELL	1975 18400				いていること	CONNECTOR	WIFE COATING	AIR CCBH	232 BIR COMPINSUL	AIR CCFF					-	CCHECTOR	CORNECTOR	CCIN INSUI	CCSH INSOI	100 18-6	CCENECTOR	SCIDES				CCBH INSOL	CCMH INSOI	CCHMECTOR	TC CCMECTOR					いっているのでした。		CONTRACTOR	のでもしはませし	BOLDANIO)		CCHRECTCR	CCHURCTOR	CCNECTOR
TI ES																												H *9	_	_	_				_	_	_	~	0	٥.		- (۰,	.	.	۷ د	-	٠ د	3 8	3 5
#CAC#	8	3	8	.03	8	8	8	-07	£.	ξ:	2.5	3:3	5.5	25	=	8	*	.03	.02	2.	5:	? ?	5 6	5	9	20	- 28	90.	.00			8.3											8.6		3.5					• '
ATRL		80	1.30	1.62	1.30	. 28	99.	2.54	5.	.50	95.	50°E	1.50			ויין.	. 10	.07	2.24	= :			5.5		=	5	*	.31	. 24	00-	00.	5.	, 35. d	76	9#	-52	=	. 15	. 42	#.;	. 61	.97				ני. ניי		22.		
CODE		ב ב ב	A	AMP	4	4 4 8	AH	A W	A B B	787			# B #	# A		200	1 E	110	CAR	7	- T	5		5	5			CAN	CAN) ii	APC	CAT			E E	N I B	111	80 G	ROG		HAC	ACB	CAN	4	# I	B 2 2	2 2 2		1 2 0	100
TITELLE		-	FIGURE 104 400 POLICE OFFICE OFFICE	THE PROPERTY OF THE PROPERTY O	ALCONOMINATION DOS-200-1 PERIODICACEDES TIBES	AME REEL THEO TREE BLOCK 204307-6-70-39 SPOIT	FTED 1850 1886	22-18 (1-2) SOLD	B HIL	CCH IECTOR	CCBRECTOR SERI	CCHECIC	481 CCBBECTOR	481 CORRECTOR	1 481 CCER	METORS WOLLTENDERLESS 2000 NEGENT WIND BROWN		TRIMBLES PROSEL MARKET ONE CONTROL TO THE PROSE	CCRNECTOR	CCHRECION	N CCURECTOR	MICH COMMECTER	CCURECTOR	COMMECTOR	ENCH CCHMECTOR	CCBECTCE		STITUTE THE COME DOI-10181-1106 BLOS	-	• =	61 SCLDEE	- CLEAN	POPH BASE -	PHENCLI		בין בין	COMMENCE OF THE STATE OF THE ST	S. PASO POLYABILDE - INIDA/ROH COPPUS	N-8970 ROCKY PILE/ADE/COPPER	- MESA PLAST	CCHRECTOR	COMMECTOR 3-2-	INSERT/CAN	P SDG-F MIL H-	۵.	-	SCH CCMMECICE	SCH CCEMECICE MB1511/46FP01S1 PRCFM	SCH CCHNECTOR	DEBTINGS COMPECTOR STATEMENTS

SECTION 4 -- SUBCTRICAL CORPORESTS

CURS CURI ATMOS APPLICATION	COUNCYON CCHRCTON CCHRCTON CCHRCTON CCHRCTON CCHRCTON CCHRCTON THRAILE BLOCK THRAILE B	25 AIB 25 AIB 25 AIB 25 AIB	GECRARY GEOGRAPY GEOGRAPH GEOGRAPY GEOG	08 45 AIR 163 AIR 100 AIR 171 AIR 171 AIR
SCVCB CU	000000000000000000000000000000000000000		66.09 66.09 66.09 60.00	2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
KTRL	22.23.28		11.55 11.55	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
E 17 18 CO DE			CLT	· 医阿里氏试验检尿病 医阿里氏征 医阿里氏氏征 医阿里氏征 医阿里氏征 医阿里氏征
MATCHIAL	DRWTSCH CCHRETCR 41-010350 RBD SILICONE DESTSCH CCHRETCR 6825 R104-4425 PHEBOLIC INSELT DESTSCH CCHRETCR 6825 R104-4425 FILICONE INSELT DRWTSCH CCHRETCR 6825 R104-4425 SILICONE INSERT DRWTSCH CCHRECTCR 7221 UR664-712F SILICONE INSERT DRWTSCH CCHRECTCR 7541 R1640-144P SILICONE INSERT DRWTSCH CT SALIAS FERRIARI BLOCK RE SILICONE INSERT DIALL 52-70-70 SHORT GLASS FIRBELTA RCCOCOAT 200 A/E AS 10/1 BR 2FOIT	ECCOORD AN 70 ETRABOL WASH - 3 ECCOORD AN 79 MICHOWAYE ARSORBANT ECCOORD AN 79 MICHOWAYE ARSORBANT WASHER ECCOORD CE-5 724 A/M AS 100/1 BW SILICOUR BASH ECCOORD CE-124 X/M AS 50/1 BW SPORY ECCOORD GES 126 W FILLS SILICOUR BASH ECCOORD GES 126 W FILLS SILICOUR ABSORBE ERF-6 NICOUAVE ABSORBING FOAM ERF-6 NICOUAVE ABSORBING FOAM ERA 7037 1508 ERA 7045 1	PR GOSBER BUDDER SIL JASPER 1146 COLUMN 1146 COLUMN 1146 COLUMN 1146 COLUMN 1146 TAPE CLAYBORK LABS B TAPE CLAYBORK LABS B	PRATIGG TAPE CLAYBORM LABS 2 COATS BTW 6-1104 REATING TAPE—CLAIRORM LABS DC 280A ALM INSTLATOR SCILLOLOSE MITPATE AND SOLVENT INSTLATOR SCILLOLOSE MIL ASOGNA INSTLATOR SCILLOLOSE MIL ASOGNA INSTLATOR SCILLOLOSE MIL ASOGNA INSTLATOR SCILLOLOSE MIL P-150378 FUSE INSTLATOR WILLMING G-5 PEL MIL P-150378 FUSE INSTLATOR WILLRING G-5 PEL MIL P-150378 FUSE INSTLATOR WILCRODT CAMBECTOR RED SILICOME INSTRUTY WILLFOLDS CAMBECTOR RED SILICOME MISSET WILLFOLDS CAMBECTOR RED SILICOME MISSET WILLFOLDS CAMBECTOR RED SILICOME MISSET WILLPET JG LASS FILLED WILLOW WILLS MIX WILLS MIL SCHOOL CAMBECTOR MISSET - CAMBER

SECTION 4 -- RESCIRICAL CORFORDERS

CUPE CURE ATHOS APPLICATION TING TENP	BCLD CPED	NCID CERD	MOID CPHD	MCID CPND	HCID CPBD	HOLD CPHD	BCID CBRD	GEAD STORE CERE	HOLE CPED	HCID CEND			10H 454 AIR .	24H 25 AIR										SB 204 AIR	STA. CRI MCF
SCVCH	8	5	0.	90.	3	9.	9.	- 0	ĕ	9.	ĕ	<u>.</u>	0	. 32	2.9	ö	8.	ě	.03	•	ě	8.	9.	.02	7
CIRL	.27	. 25	. 26	. 27	. 24	. 26	.27	. 26	. 36	٤.	. 24	. 25	90.	7.72	29.02	. 16	. 32	. 19	80	.12	-	8	1.89	.57	. A.7
478 CO DE	101	HOF	0	TOR	49 13	1 S 1 S 1 S 1 S 1 S 1 S 1 S 1 S 1 S 1 S	BCA	PCA	SIG	SIG	III	TIL	POL	13C 18	ACA	XER	Ics	212	H A I		SEC	WI.G	CLT	PC	70.4
SAVORIAL	BIBCHT DES KADDOTA CADS 18011 ET 7720	TIES PCTOBOLA	DEST MCSORGES			SOUTH SOUTH STATE OF THE PROPERTY OF THE PROPE	PAST ECA CHOS 4011 1TD 723	F3E.	PRET	LiVe	PREA TEXAS TAST 741500	PRET SEXAS INST 701.5170	SG-101 COME	O DONE BOINSTANDE COIL CONTING	MATERIAL CONTRACTOR MATERIAL	SPECIFIE 1622 STEERS	WW WOI SECOL EFCKY/FIBELJLASS	SCOTCEPLY SCCEL COMMICTOR GLASS PRIME POLYESTER	SH 272-2.5 HEATER - FED STITCOMS	SH 3/4TS BEATS - AEC SILICON?	ATTOCACE BY E SOO DISLACIBLE	PROFILE WATER COMPLETION WINDROW CAMER INSULATION	_	BET CONTING	SECTION AND THE PARTY

STOTION 5 -- RESCENICAL SHIELDS

Checked State Checked Stat	14.718.32	## F CODE	¥ THE	SCVCB	CTPR	CUBE	ATHOS	APPLICATION
13 14 15 15 15 15 15 15 15	#0#1-0#02 A/5 35 1-5/5-5 RG	CHO	.32	=		200	AIP	PT SHIRED
VALUE FILLY SILCORE 125 GADE	38 3 3/3 F 8/8 8/8 7070-1707		3.	=	7	200	T T	DINING AN
The first of the	4041-0402 A/B 10 1.3/3.1 bs			¥	•			FILLER
19	1212 SILVER FILLFU SILICENS 4313 CTIMPE STITES STETCHER 135			95	158	171	AIB	SETTLE
VALUED STITCCEN CANO CAN	CT: :NO: THTC / STT: 2 19475C F171	?			E	17.	AIR	
UNITED SILICONE CHO					842	17.1	A I R	
UNIT OFFICE OF CASE	1214 SILVER FILLS SILICONT	CHO	. 26	.05				GASKET
UNIT OF STITICARE 125 GANDE	1214 SILWER FILLED STLICCHT	C40	ě	.02	8 1 2	17.7	AIE	GA SK E1
The filted structure 125 Garde 146 177 Air 18	1215 SILVER PILLTO SILTCOME 125	CHO	90.	- 02	158	171	AIR	SHIFLE
					.		11	
TATE FILLED SILICORE 125 GENDE CHO		9	4	5	2 2		111	A 1212
LAME FILED SILICORE 125 GED CHO .39 .01 154 171 AIR SERIED LAME FILED SILICORE 125 GED CHO .39 .00 154 177 AIR SERIED LAME FILED SILICORE 2000 GRADE CHO .30 .00 154 177 AIR SERIED LAME FILED SILICORE 2000 GRADE CHO .30 .00 154 177 AIR SERIED LAME FILED SILICORE 2000 GRADE CHO .30 .00 154 177 AIR SERIED LAME FILED SILICORE ARCSPACE 200 CHO .30 .30 .71 AIR SERIED LAME FILED SILICORE ARCSPACE 200 CHO .30 .30 .34 .77 AIR SERIED LAME FILED SILICORE ARCSPACE 200 CHO .30 .30 .34 .77 AIR SERIED LAME FILED SILICORE ARCSPACE 200 CHO .30 .30 .34 .77 AIR SERIED LAME FILED SILICORE ARCSPACE 200 CHO .30 .30 .34 .77 AIR SERIED LAME FILED SILICORE ARCSPACE 200 CHO .30 .30 .34 .77 AIR SERIED LAME FILED SILICORE ARCSPACE 200 CHO .30 .30 .34 .77 AIR SERIED LAME FILED SILICORE CHO .30	7215 SILVER FILLES SILICENE 125	2	9. •	•		17.7		
TABLE 177 AIR SAIRIE	SILVER FILLD PINCACSILICORD 125	CBO	. 29	9.	15.H	121	F	SFIRE
The filted fil					¥	17.7	111	
LATE FILLED SILICONE 200C GRADE	FILLED FLYOROSILICONE 125	CHO	.03	8	158	17	TI.	3 11 18 5
Large Filled Silfone Cho					# C	77.	A I E	
LUME PILLED SILICONE ASSCRACY 200 CMO .05 .02 158 177 AIR SHIRLED SILICONE ASSCRACY 200 CMO .30 .00 158 177 AIR SHIRLED SILICONE ASSCRACY 200 CMO .36 .77 AIR SHIRLED SILICONE ASSCRACY 200 CMO .36 .17 AIR SHIRLED SILICONE ASSCRACY 200 CMO .36 .17 AIR SHIRLED SILICONE ASSCRACY 200 CMO .36 .17 AIR SHIRLED SILICONE ASSCRACE 200 CMO .37 .16 .37 AIR SHIRLED SILICONE ASSCRACE 200 CMO .37 .16 .37 AIR SHIRLED SILICONE CMO .37 .16 .37 AIR SHIRLED SILICONE CMO .37 .17 AIR SHIRLED SILICONE CMO .37 .37 AIR SHIRLED SILICONE CMO .37 AIR SHIRLE	DOOR SHOOT ITS AUGUST TO THE STATES	C B C	15	80		==	II	
LUER PILLED SILICORE ARROSPACY 200 CMO .30 .00 154 177 AIR SHRILD LIVER PILLED SILICORE ARROSPACY 200 CMO .30 .00 154 177 AIR SHRILD LIVER PILLED SILICORE ARROSPACY 200 CMO .35 .00 154 177 AIR SHRILD LIVER PILLED SILICORE ARROSPACE 200 CMO .36 .12 AH 177 AIR SHRILD LIVER PILLED SILICORE ARROSPACE 200 CMO .36 .12 AH 177 AIR SHRILD LIVER PILLED SILICORE ARROSPACE 200 CMO .04 .02 34 177 AIR SHRILD LIVER PILLED SILICORE ARROSPACE 200 CMO .04 .02 34 177 AIR SHRILD LIVER PILLED SILICORE ARROSPACE CMO .36 .22 AH 177 AIR SHRILD LIVER PILLED SILICONE CMO .30 .22 AH 177 AIR SHRILD LILED SILICONE CMO .30 .22 AH 177 AIR SHRILD LILED SILICONE CMO .30 .02 AH 177 AIR SHRILD LILED SILICONE CMO .30 .30 .30 AH 177 AIR SHRILD LILED SILICONE CMO .30 .30 AH 177 AIR SHRILD LILED SILICONE CMO .30 .30 AH 177 AIR SHRILD LILED SILICONE CMO .30 .30 AH 177 AIR SHRILD LILED SILICONE CMO .30 .30 AH 177 AIR SHRILD LILED SILICONE CMO .30 AH 177 AIR SHRILD LILED SILICONE CMO .30 AH 177 AIR SHRILD LILED SILICONE CMO .30 AH 177 AIR SHRILD SILICONE CMO .30 AH 177 AIR SHRIP SHRIP SHRIP CMO .30 AH 177 AIR SHRIP SHRIP CMO .30 AH 177 AIR SHRIP CMO	STEADS TILLIS STEED STATE		:	:	E	11.1	AIB	
LVER FILLED SILICORE ARRCSPACY 200 CMO .30 .00 15M 177 AIR STREED LVAR FILLED SILICORE ARRCSPACY 200 CMO .36 .00 15M 177 AIR STREED LVAR FILLED SILICORE ARRCSPACE 200 CMO .36 .12 LVAR FILLED SILICORE ARRCSPACE 200 CMO .43 .06 15M 177 AIR STREED LVAR FILLED SILICORE ARRCSPACE 200 CMO .43 .06 15M 177 AIR STREED LVAR FILLED SILICORE ARRCSPACE 200 CMO .71 .16 SILVAR FILLED SILICORE CMD IMPERSORP CMO .65 .11 0.58 177 AIR STREED STREED SILICORE CMD IMPERSORP CMO .65 .11 0.58 177 AIR STREED VER FILLED SILICORE CMO .06 .02 24M 177 AIR STREED VER FILLED SILICORE CMO .06 .02 24M 177 AIR STREED SILVAR FILLED SILICORE CMO .06 .02 24M 177 AIR STREED LVAR FILLED SILICORE CMO .06 .02 24M 177 AIR STREED LVAR FILLED SILICORE CMO .06 .02 24M 177 AIR STREED LVAR FILLED SILICORE CMO .06 .02 24M 177 AIR STREED LVAR FILLED SILICORE CMO .06 .02 24M 177 AIR STREED LVAR FILLED SILICORE CMO .06 .02 24M 177 AIR STREED LVAR FILLED SILICORE CMO .06 .02 24M 177 AIR STREED LVAR FILLED SILICORE CMO .06 .02 24M 177 AIR STREED LVAR FILLED SILICORE CMO .06 .02 24M 177 AIR STREED LVAR FILLED SILICORE CMO .06 .02 24M 177 AIR STREED LVAR FILLED SILICORE CMO .06 .02 24M 177 AIR STREED LVAR FILLED SILICORE CMO .06 .02 24M 177 AIR STREED LVAR FILLED SILICORE CMO .06 .02 24M 177 AIR STREED LVAR FILLED SILICORE CMO .06 .02 24M 177 AIR STREED LVAR FILLED SILICORE CMO .06 .02 24M 177 AIR STREED LVAR FILLED SILICORE CMO .06 .02 24M 177 AIR STREED LVAR FILLED SILICORE CMO .06 .02 24M 177 AIR STREED LVAR FILLED SILICORE CMO .06 .02 24M 177 AIR STREED LVAR FILLED SILICORE CMO .06 .06 .06 .06 .06 .06 .06 .06 .06 .06	SILVLA PILLED SILECOME 2000	CHO	-05	. 02	151	171	AIR	SEIFED
The color of the					Ħ.	111	AIR	
		;	;	1	7 t			
TABLE THE PRINCE THE PRIN	SILVER FILLS SILICOMS AERCSFACE		. 30	8		- [31116
LUES FILLED SILICONE ASSOCPACE 200 CHO .43 .06 15H 177 AIR SHRILL LYES FILLED SILICONE ASSOCPACE 200 CHO .43 .06 15H 177 AIR SHRILL LYES FILLED SILICONE ASSOCPACE 200 CHO .04 .02 3H 177 AIR SHRILL LYES FILLED SILICONE CHO .71 .16 20H 177 AIR SHRILL LYES FILLED SILICONE CHO .71 .16 20H 177 AIR SHRILL LYES FILLED SILICONE CHO .74 .16 .22 AH 177 AIR SHRILL LYES FILLED SILICONE CHO .05 .05 .05 20H 177 AIR SHRILL LYES FILLED SILICONE CHO .05 .05 20H 177 AIR SHRILL LYES FILLED SILICONE CHO .05 .05 .01 20H 177 AIR SHRILL LYES FILLED SILICONE CHO .05 .05 .01 20H 177 AIR SHRILL LYES FILLED SILICONE CHO .05 .05 .01 20H 177 AIR SHRILL LYES FILLED SILICONE CHO .05 .01 20H 177 AIR SHRILL LYES FILLED SILICONE CHO .05 .01 20H 177 AIR SHRILL LYES FILLED SILICONE CHO .05 .01 20H 177 AIR SHRILL LYES FILLED SILICONE CHO .05 .01 20H 177 AIR SHRILL LYES FILLED SILICONE CHO .05 .01 20H 177 AIR SHRILL LYES FILLED SILICONE CHO .05 .01 20H 177 AIR SHRILL LYES FILLED SILICONE CHO .05 .01 20H 177 AIR SHRILL LYES FILLED SILICONE CHO .05 .00 20H 177 AIR SHRILL LYES FILLED SILICONE CHO .05 .00 20H 177 AIR SHRILL LYES FILLED SILICONE CHO .05 .00 20H 177 AIR SHRILL LYES FILLED SILICONE CHO .05 .00 20H 177 AIR SHRILL LYES FILLED SILICONE CHO .05 .00 20H 177 AIR SHRILL LYES FILLED SILICONE CHO .05 .00 20H 177 AIR SHRILL LYES FILLED SILICONE CHO .05 .00 20H 177 AIR SHRILL LYES FILLED SILICONE CHO .05 .00 20H 177 AIR SHRILL LYES FILLED SILICONE CHO .05 .00 20H 177 AIR SHRILL LYES FILLED SILICONE CHO .05 .00 20H 177 AIR SHRILL LYES FILLED SILICONE CHO .05 .00 20H 20H 20H 20H 20H 20H 20H 20H 20H 2	ADIOSOME AND CHILD COLLEGE STREETS SECTION	GE 3	. 5	8	15.	1	AIR	
LVER FILLED SILICONE ATTOCHE A		?	•	}	×	17.7	AIA	
LUER FILLED SILICONE ARNOFREE 200 CHO .43 .06 .15 H 171 AIR SWIRLE LIVER FILLED SILICONE ARNOFREE 200 CHO .04 .02 15 H 177 AIR SWIRLE LIVES FILLED SILICONE ARNOFREE 200 CHO .04 .02 15 H 177 AIR SWIRLE LIVES FILLED SILICONE ARNOFREE CHO .71 .16 .22 AH 177 AIR SWIRLE CHO .71 .16 .22 AH 177 AIR SWIRLE CHO .71 .16 .22 AH 177 AIR SWIRLE WER FILLED SILICONE CHO .65 .02 24 H 177 AIR SWIRLE WER FILLED SILICONE CHO .05 .02 24 H 177 AIR SWIRLE LIDENCE SILICONE CHO .05 .02 24 H 177 AIR SWIRLE LIDENCE SILICONE CHO .05 .02 24 H 177 AIR SWIRLE LIDENCE SILICONE CHO .06 .02 24 H 177 AIR SWIRLE LIDENCE SILICONE CHO .06 .02 24 H 177 AIR SWIRLE LIDENCE SILICONE CHO .06 .02 24 H 177 AIR SWIRLE LIDENCE SILICONE CHO .06 .02 24 H 177 AIR SWIRLE LIDENCE SILICONE CHO .06 .02 24 H 177 AIR SWIRLE LIDENCE SILICONE CHO .06 .02 24 H 177 AIR SWIRLE LIDENCE SILICONE CHO .06 .02 24 H 177 AIR SWIRLE LIDENCE SILICONE CHO .06 .02 24 H 177 AIR SWIRLE LIDENCE SILICONE CHO .06 .02 24 H 177 AIR SWIRLE LIDENCE SILICONE CHO .06 .02 24 H 177 AIR SWIRLE LIDENCE SILICONE CHO .06 .02 24 H 177 AIR SWIRLE SILICONE SILICONE CHO .06 .02 24 H 177 AIR SWIRLE SILICONE SILICONE CHO .06 .02 24 H 177 AIR SWIRLE SILICONE CHO .06 .06 .06 .00 24 H 177 AIR SWIRLE SILICONE CHO CHO .06 .00 .00 .00 .00 .00 .00 .00 .00 .00		•		,	24 H	177	110	
LYER FILLED SILICONE ARGEPACE 200 CHO .04 .02 15H 177 AIR SHIRLED LYEA FILLED SILICONE ARGEPACE 200 CHO .04 .02 15H 177 AIR SHIRLED LYEA FILLED SILICONE ARGEPACE 200 CHO .04 .02 15H 177 AIR SHIRLED LYEA FILLED SILICONE AG CCMD IMMES STREATE CHO .96 .22 LYEA FILLED SILICONE CHO .96 .22 VER FILLED SILICONE CHO .96 .22 VER FILLED SILICONE CHO .96 .02 24H 177 AIR SHIRLED LYEA FILLED SILICONE CHO .96 .02 24H 177 AIR SHIRLED LYEA FILLED SILICONE CHO .96 .02 24H 177 AIR SHIRLED LYEA FILLED SILICONE CHO .96 .02 24H 177 AIR SHIRLED LYEA FILLED SILICONE CHO .96 .02 24H 177 AIR SHIRLED LYEA FILLED SILICONE CHO .96 .05 .01 24H 177 AIR SHIRLED LYEA FILLED SILICONE CHO .96 .05 .01 24H 177 AIR SHIRLED LYEA FILLED SILICONE CHO .96 .05 .01 24H 177 AIR SHIRLED LYEA FILLED SILICONE CHO .96 .05 .01 24H 177 AIR SHIRLED LYEA FILLED SILICONE CHO .96 .05 .01 24H 177 AIR SHIRLED LYEA FILLED SILICONE CHO .96 .05 .05 .01 24H 177 AIR SHIRLED SILVER FILLED SILICONE CHO .96 .06 .05 .01 24H 177 AIR SHIRLED SILVER FILLED SILICONE CHO .96 .06 .06 .06 .06 .06 .06 .06 .06 .06 .0	1224 SILVER PILLED SILICOR	CHO	. 36	-12	:	;		SEAL
LVES FILLYD SILICONE APOSPACE 200 CHO .04 .02 15H 177 AIR SMIRLD LVES FILLYD SILICONE APOSPACE 200 CHO .04 .05 15H 177 AIR SMIRLD LVED FILLYD SILICONE STRAND CHO .07 .06 .07 .06 .07 .07 .06 .07 .07 .07 .07 .07 .07 .07 .07 .07 .07	1224 SILVES PILLES SILICONE	CNO	=	8	15E	<u>.</u>	Y I I	SHIFT
LVER FILLED SILICOME AFFOSFACE CO. CHO71 .16 .24 177 AIR STRING CHO71 .16 .22 .24 177 AIR STRING CHO71 .16 .22 .22 .22 .22 .22 .22 .23 .23 .24 .23 .23 .24 .24 .22 .24 .22 .24 .24 .24 .24 .24		9	ŧ	ć	# 5 E	::		
LYER FILTED SILTCRE THO 271 -16 THO 270 -17 THO 270 -1	1224 SILVAS FILLED SILECTME ASPOSPACE	2	5	•		133		· •
The principle of the					2 # H	17.1	Y I I	
71-02-7004-1000 AG CCWJ IMMES SORP CRO .98 .22 6 SILVEZ COND IMMES STRRACE CRO .61 .66 SA 121 AIR SWRINK SERIEM CRO .65 .11 0.54 121 AIR SWRINK CRO .65 .11 0.54 121 AIR SWRINK CRO .65 .11 0.54 121 AIR SWRINK CRO INTO IMMES STRICKED CRO .05 .02 24H 177 AIR SWRING CRO .05 .02 24H 177 AIR SWRING CRO .05 .02 24H 177 AIR SWRING CRO .06 .01 24H 177 AIR SWRING CRO .06 .01 24H 177 AIR SWRING CRO .06 .01 24H 177 AIR SWRING CRO .07 .07 .07 .07 AIR SWRING CRO .07 .07 .07 AIR SWRING CRO .07 .07 .07 AIR SWRING CRO .0	~	CHO	.71	9 .				•
G SILVER COND IMMES STREAM CHO .61 .06 5M 121 AIR SMRIBM G SILVER COND IMMES STREAM CHO .65 .11 0.58 121 AIR SMRIBM STREAM CHO .65 .22 .10 .28 121 AIR SMRIBM STREAM CHO .05 .02 24H 177 AIR SMRIEL CHO .05 .02 24H 177 AIR SMRIEL CHO .05 .02 24H 177 AIR SMRIEL CHO SILVER FILLED SILICOME TEC .06 .01 24H 177 AIR SMRIEL CHO SILVER FILLED SILICOME TEC .22 .10 .10 24H 177 AIR SMRIEL CHO SILVER FILLED SILICOME TEC .22 .10 .10 24H 177 AIR SMRIEL CHO SILVER FILLED SILICOME TEC .22 .10 .10 24H 177 AIR SMRIEL CHO SILICOME SERT TEC .20 .10 .24H 177 AIR SMRIEL CHO SILICOME SERT TEC .44 .12 .11 .24H 175 E-3 SMRIEL CHO SENT TEC .44 .12 .11 .24H 175 E-3 SMRIEL CHO SENT TEC .44 .12 .11 .24H 175 E-3 SMRIEL CHO SENT TEC .44 .12 .11 .14 .15 E-3 SMRIEL SMRIEL SILICOME SERT TEC .44 .12 .11 .14 .15 E-3 SMRIEL SMRI	CHO INNE	CEO	86.	. 22				
C	CHO-SHRING TUBING SILVER CCND INNER SURPACE	CH2	.61	8	<u>.</u>	121	VI D	
VER FILLED SILICONE VER FILLED SILICONE CHO	CBC-SBRIBE 1051MG SILVEP COMD IMMES SERVICE	CHO	. 6	=	2	121	AIR.	
VER FILLED SILICONE LAD SILVEN FILLED SILICONE FILLED SILICONE FILLED SILICONE FILLED SILICONE FILLED SILICONE TEC .00 .01 24H 177 AIR TEC .00 .00 .10 24H 177 AIR TEC .00 .00 .10 24H 177 AIR TEC .00 .00 .10 24H 177 AIR SILVEN FILLED FLASTIC ANH BNC .10 .01 VALOR FILLED FLASTIC ANH BNC .10 .01 SILVEN FILLED SILICONE	CHO-SIL 1401 SILVEN FILLED SILICONE	CB0	1.16	. 22				SBIELG
VER FILLSD SILICONE CHO 1.03 .27 VEL FILLSD SILICONE CHO .06 .02 24H 177 AIR FILLED SILICONE TFC .06 .01 24H 175 E-3 AD SILVER FILLED SILICONE TFC .22 .10 24H 177 AIR ALRD SILICONE SERT TFC .05 .01 24H 115 E-3 ALRD SILICONE SERT TFC .44 .12 .12 E-3 ALASTIC TFC .06 .09 .09 .09 .09 ALASTICONE SILICONE PRC .16 .06 .06 .06 .09 SILVER FILLED SILICONE PRC .16 .06 .06 .06 .09 SILVER FILLED SILICONE PRC .16 .06 .06 .06 .07 .44 .17 AIR SILVER FILLED SILICONE PRC .16 .06 .06 .06 .09 .06 .09 .09	CHO-SIL 1401 SILVER FILLED SILICONS	CB0	.05	-02	24 H	17.7	AIB	311120
### PILLED SILICONE CHO .06 .02 24H 177 AIR FILLED SILICONE TEC .06 .01 24H 177 AIR E-3 CHO .06 .02 24H 177 AIR E-3 CHO .06 .01 24H 177 AIR ED SILICONE TEC .05 .01 24H 177 AIR ELLED SILICONE TEC .20 .10 24H 177 AIR ELLED SILICONE SERT CHN .11 .01 .12 .14 .15 E-3 .19 ED EDY TEC .20 .10 .24H 177 AIR ELLED SILICONE SERT CHN .11 .01 .01 .01 .01 .01 .01 .01 .01 .01	CHO-SIL 1405 SILVER FILLED SILICONS	CHO	1.03	-27				CASKET
EILLED SILICORE	CHO-SIL 1405 SILVE FILLED SILICONE	CHO	90.	-02	24H	17.7	AIR	SEIFL D
LOS SILVEN VILLED STITCORE	COMSIL G SILVE FILLED SILICOMS	73C	90-	-01		115	E-3	SHIELE
FILLED SILICONE TEC0501 24H 177 AIR FILLED SILICONE TEC2010 24H 115 P-3 FILLED SILICONE TEC2010 24H 115 P-3 FILLED SILICONE TEC4412 FILLED SILICONE TEC4412 FILLED PLASTIC TEC4609 FILLED PLASTIC TEC4609 FILLED PLASTIC TEC4606 FILLED PLASTIC TEC4606 FILLED SILICONE TEC4606	CONTIL WEDILA HALD SILVER VILLED SILICONE	TEC	. 22	2.				SBIELD
FILED SILICORF TEC	COEST, REDITE BAKE SILVER FILLED SILICOUR	130	• 05	.01		17.7	AIA	SBIELT
LLED SILICOME SERFT -190 EPOXT -190 EPOXT -190 EPOXT -10 EPOXT	FILLED SILICORP	TEC	. 20	01.	24 H	115	1	SHIELE
-190 EPOXY -190 EPOXY -190 EPOXY -1 ALGN FOLL/SILVER FILL ACRYLIC AND SHC 09 -1016 FILED PLASTIC -106 06 -107 SILVER FILED SILVCAR -107 ALR -107 SILVER FILED SILVCAR -107 ALR -108 ALR	CONSIL SILVES FILLED SILICONE SERFT	11c	=	.12				SRIFLE
-A ALON FOIL/SILVER FILL ACRYLIC AND ENC26.09 LVZE FILLED PLASTIC SILVER FILLED SILICONE ENC16.06 SILVER FILLED SILICONE ENC03.01 248 177 AIR SILVER FILLED SILICONE ENC35.06 MAUCTIVE SIRICONE ENC59.32	COSTCH ICAD 4101-190 BPOXY	E S	=	<u>.</u>				EP ABSORBER
SV SILVER FILLED PLASTIC FMC 14.06 8.58 SV-E SILVER FILLED SILICONE FMC .16 .06 SV-E SILVER FILLED SILICONE FMC .01 24H 177 AIR EVE SILVER FILLED SILICONE FMC .15 .06 VI CCANDUCIIVE SEALER FMC .59 .32	-A ALUM FOIL/SILVER FILL	3HC	. 26	6				TAFE
SW-F SILVER FILLED SILICORE EMC .16 .06 SW-L SILVER FILLED SILICORE 2NC .03 .01 24H 177 AIR SY-L SILVER FILLED SILICORE EMC .15 .06 YI CCMADUCITYE SRIER EMC .59 .32	ILVER PILLED PLASTIC	ZHC	14.06	8.58				SHIFLE
SW-E SILVER FILLED SILICORE ZMC .03 .01 248 177 AIR SW-E SILVER FILLED SILICORE EMC .15 .06 VY CLWDUCTIVE SENER EMC .58 .32		ENC	91.	8.				SHILL
EW-L SILVER FILLED SILICORE EMC .15 .06 VY CLENDUCTIVE SENIER EMC .32	5 Y-1	34C	.03	-0	24 B	777	A I B	SHIFTD
WY CLEADUCTIVE SEALER BAC .58 .32	1-13	ZHC	<u>s</u> .	8				SHIELD
	77 14	BAC	.58	. 32				SFALANT

SECTION 5 -- RELECTRICAL SHIREDS

ATHOS APPLICATION	ARSOREART ARSOREART ARSOREART ARSOREART ARSOREART ARSCRAMT
TRNE	20 0 19 0 17 7
TI ME	2 = C
RCACH	385555555555555555555555555555555555555
THE	220222222222222222222222222222222222222
HPP CODE	2000000000000000000000000000000000000
SATERIAL	ECCOSOR FDS ECCOSOR DS ECCOSOR DS ECCOSOR DS ECCOSOR DF 110 IBOU FILLED PROTY ECCOSOR DF 112 IBOU FILLED EPOTY ECCOSOR DF 114 IBOU FILLED EPOTY ECCOSOR DF 124 IBOU FILLED EPOTY ECCOSOR DF 125 ILLED EPOTY EXCOR CS-14 125 SILVER FILLED STILCORE

SECTION 6 -- FILMS SHEET HATEBIALS

FROM GLASS FABRIC NOT	AATEBIAL CIBAR	47.2 CODE	STRL 4.73	SCECS	21	82	ATBOS	APPLICATION LTSS
THE COLOUR OF CLASS FIRELY COLOUR CLASS FIRELY CLASS F		201	.5.					6.3
### - PAGE 12 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	THE OR GLASS PARKET.	4 00 00 00	6 8	5 5				
THE TABLE TO THE PROPER TABLE TO THE TABLE T	TR -RODIFIED	CPT	. 59	8				
Name	THEFT STATE STATES	# C		8.8				INSTITUTE
STOCK STOC	200 MICBON PILM PUSPLE	17	56.	35				
Name	STOCK	APT	10.70	- 3				FILE
The part of the	Chos Film Bide		1. 28	8 :				
THE WIND COLTED WILDS NEE 1.11 .05 248 125 E-2 CLOSE NEED WILDS NEE 1.11 .05 248 125 E-2 CLOSE NEED WILDS NEE 1.11 .05 248 125 E-2 CLOSE NEE 1.11 .05 249 1	TYPE S							
The price of Cated Wilder 11 15 248 125 8-2 Cicin 18 18 18 18 18 18 18 1	-XX HYPALCH CCATEL	64 64 64	7.84	1.78				
PRESCY DUP 175 -00 Print P	-IX MYPALON CCATED	PER	=======================================	8	241	125	8-2	CICS
Particle DTP 775 00 778	-IX MYPALCH COATED	222	96.	.02	728	125	1-2	CLOSS
PARENCY DIP 37 30 37 30 40 40 40 40 40 40 40		DQ	.75	8				THE SECRET OF THE SECOND SECON
NO		910	. 37	5				FILM
### ### ### ### ### ### ### ### ### ##		HO B	5	ō				CLOTA
15.3.20		308	5	Ş				195110
1930		144	61.	ē.				
19320 19320 19420 195320 1		× 1		3 8				
FARETIC FARE				\$ 4				
PROSTY PAGE		4 6		5 2				
OR - PROSTY DA PRICATION OR - PROSTY DA PRICATION ACM			: =					
Papelication ACH		213	4	6				
NEW TREE DEED UREASHED ACM	P APPLICATION	Ė	90	5				1881,110
NEW DEEP UPBASED ACM .19 .00		ACH	. 17	S				OFTICAL PILM
NEW JEEP DE JEAN STATE		ACH	- 19	\$				OPTICAL PILE
NATIONAL	alendered officers	ACH	-62	- 09				DIANTET
LENDERED DEFRENCED ACM	ALENDERD HASHED RIOH/ACE	ACM	. 28	.03				BLANKST
The color of the	LINDESKIN DEBESTED	C	. 33	90 .				DLANGET
### 1.26	7 2 3 2 C C 2 T	ACB.	.21	. 07				
A SHEET	ST POR	FT	1.26	. 25		=	A 1 R	1113
A SHERT DUP - 27 - 07 GARRET-SELL CARE FARM CANCED POLYESTER DUP - 39 - 01 GARRET-SELL COLYECTER DUP - 30 - 01 GARRET-SELL CALLED POLYESTER DUP - 3,61 - 00 GARRET-SELL CALLED POLYESTER DUP - 3,61 - 00 GARRET-SELL CALLED POLYESTER DUP - 3,61 - 00 GARRET-SELL GARRET	•	8 4 5	47 ·	3.8				
ON COATED POLYESTER DUP 30 .01 COATED FARMER FARME COATED POLYESTER DUP 30 .01 COATED FARMER FARME COATED POLYESTER DUP 30 .01 COATED FARMER FARMER COATED POLYESTER DUP 3.61 .04 COATED FARMER	•	5 2		9.5				
CM COATED POLITETER DUP .30 .01 COATED FARMER FARMER CASTED POLITETER DUP .30 .01 COATED FARMER FARMER CASTED POLITETER DUP .30 .01 COATED PARMER FARMER CASTED POLITETER DUP .30 .01 248 125 F-6 FELT FILM CASTED FARMER CASTED F		3 2	77	5 5				
ON COATED POLIESTER DOP 1.33 .21 CCAREE FABRE ON COATED POLIESTER DOP 1.33 .21 CCAREE FABRE CM COATED POLIESTER DOP 1.33 .21 CCAREE FABRE CM COATED POLIESTER DOP 1.33 .21 .00 E-1 FILT L 223 TAPE/P GTS .77 .35 18H 60 E-1 FILT ILE 1562 STB .23 .63 .63 .64 HOSE ILH-ACRILIC ADH DIL .19 .01 PILS F-6 FILT ILH-ACRILIC ADH DIL .19 .01 PILS F-6 FILT ILH-ACRILIC ADH DIL .19 .01 PILS F-6 FILT ILSOLATION OF STB INSOLATION FILT ILSOLATION OF STB INSOLATION FILT ILSOLATION OF STB INSOLATION FILT ILMSCALATION FILT ILMSCALATION OF STB INSOLATION OF STB INSOLATION FILT ILMSCALATION OF STB INSOLATION OF	COATED	2	02	5				
CONTER DOP 1.33 .21 CONTER PARK DOP 1.33 .21 CONTER PARK CONTER PA	COLTED	000	9	5				
L 223 TAPE/P	CH COATED	900	1.33	.21				
L 23 TAPE/F		D	3.61	3				,
L 223 TAPE/F GTS .77 .35 18H 60 B-1 FILK 1562 STB .23 .63 .63 E-1 FILK 1562 STB .23 .63 .63 E-1 FILK 1562 STB .23 .63 .64 E-1 FILK 1662 E-1 FI		9 10	2.82	-0.	24 E	125	7-6	
TLE 1562 TLE 1562 TLE 1562 TLE 1563 TLE 1563 TLE 1563 TLE 1564 TLE 15	L 223 TAPE/F	513	11.	50	188	9	1	#114
UCT HOSE LIM-ACRILIC ADM. DIL .19 .01 PRESS SES LM-ACRILIC ADM. DIL .03 .01 INSOLATION CTS .00 .00 LLIZED/ACFILC ADR/R GTS .33 .00 LLIZED/ACFILC ADR/R .12 .00 FILM .23 .01 PILM .23 .01 PILM .23 .01 PILM .23 .01	TLE 1562	S E S	. 23	50	•	;	•	
ILM-ACRYLIC ADM DIL .99 .01 PRESS SERS / PTPE COALFD DIR .03 .01 INSGLATION INSCLATION OF TALIZED/ACFYLIC ADG/R .12 .00 FILM PRESS SERS / PRESS SERS	DCT BOSF	11	2					
PETER CONTED DIM .03 .01 INSGLATION LN GTS .00 .00 FILE TALTED/ACFYLIC ADB/R GTS .33 .00 TAFE EVC FILM CLEAR AMH .12 .00 FILM EVC FILM CLEAR AMH .23 .01 FILM EVC FILM CLEAR AMH .63 .05 FILM	ILM-ACETLIC ADM	011	61	[S145 S
LN GTS .00 .00 .00 .00 .00 .00 .00 .00 .00 .0		DIE	.03	.0.				_
######################################		GTS	8	8				
C PVC FILM CLEAR AMM .12 .00 PVC FILM CLEAR AMM .23 .01 D PVC FILM CLEAR AMM .63 .05	TALIZED/ACFYLIC ADR/R	675	.33	8.				125
PVC FILM CLEAF AMM .23 .01 D PVC FILM CLEAS AMM .63 .05	ပ	E 4	. 12	00.				FILE
D PUC FILM CLEAR ANN .63 .05	à	I	. 23	<u>.</u>				FILE
	WILS UMPLASTICIZED PVC FILM CLEAN	H.	. 63	ş.				PILB

SECTION 6 -- PILMS SMERT MATERIALS

S AFPLICATION	2118	*****	HAVE STATE		18501.21108			INSULATION	TERRAL CCUTEOL	FILE	INSULATION	FILM SHEBT	FILM/SHEST		PLES BATE			1118/23221				THE CONTROL								FILM/SHEET	FILE/SHEET	INSULATION	ECOST.	FILE	CIOI	12283/8114					FORM	FOAR	FOAB	POLI	FOLK	FOAM	THERMAL CCHTROL	FILM SHEET	FILE/SHEET	THEFT	COATED PADRIC	STRUCTORAL
ATRCS							111		AIR		AIR				PSI													# *								,	Ţ			ATB		AIR	III	ATE	118	AIR	i					
CUER							302		150		150				177											:	:	2								;	125			125	:	100	100	100	100	200	:					
71 28 71 28							90 H		24 B		24 H				5											•										•				308	;	248	24.8	# T	28.8	248	•					
#CVC#	- 00	3	5	3	3 8	9	-	7	.05	.02		.05	.09	.19	8.	8	8	÷	50.	5.2	5		? ?	5	38	9	9.0	9.5	: 2	8	6	07	8	8	ē.	.17	- 02	5.5		7	=	=	0	9.	- 02	50	80		5.5			.0
V.T.B.L	. 21		=		- 0	:	. 25	9	. 42				=	3.13	1.68	. 16	- 08	. 21	5.82	•	9			2 9				70.			25.		10	2. 40	1.02	3- 40	-92	6.1		66			6	2			72		30	10.93	.53	3,02
CODE	=======================================			, ,	1		9.0	2 20	RC A	900	E C	8 50	dic.	n.n	DOP	MCC	EAS	ည ရ	7 T	0 10			100	3 6			2 1	4 6	200	4	2 2	0.00		SCE	POT	910	080	080	ב ב ב ב ב ב ב ב ב ב ב ב ב ב ב ב ב ב ב	נ ב ב	م ر ن				2 10		13.	ָ קריים ביים	100) <u>1</u> 2	GEC	ATP
INCOMPAR		TITE OF CHECKING COOK OF	SOUS URFERSILLISED FOR FILE	CLOTH TAPE 154	CHENN CHOISE TOLC - UNBILL WHAT!	/OC/C41 113/08/	THE TOTAL SET STATE SOURCE:	1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		THE PARTY OF SOLID		TAPPOR 200THR9251 FLUOSOCIAGOR COATE POLYIMIDE		29 MELLON PIB			KOTALITH OFFEC FILM STP" 3	KTHAR 200 FCITVINYLIDANC FLUOLIDE	Last Tissus 2681	LHKRW 4036-112 FOLYCLEMONATE IRES	SOS-3 FILE BLACK TEPLOS ON PAGFIC			IBACING PILB 4/	IN 616 - 7 HIL FILM	PHCTOSERSITI	POLYESTER 12 A	THE PROPERTY OF STREET			BOLLES OF THE RELEASE	TORREST OF THE POST NOT THE POS	CONTRACTOR OF THE PROPERTY OF	HATOR PIREBLISHAND OF	OBANGE MII-C-7	M	RM-10 KAPTOM/NOMER THEEAC/POLYESTER	KAFTOM/HORET THREAD/POLTESTER	OFCOPILM RE-11 KAPTOM/HOUSE THRESHO/PCLYESTER BINDER	p 7395-121-2	F-Z500 PCINVOLFCER		E C A AN ED		MARK FORM WILLS 130-001 BRICK	SAME TOTAL WALLE	HARL FORD MULLE	PRESIDENCE GIANO LEGISTE RICORY DI LEGISTE DE LOS PROPERTOS DE LA PROPERTO DEL PROPERTO DE LA PROPERTO DE LA PROPERTO DEL PROPERTO DE LA PROPERTO DEL PROPERTO DE LA PROPERTO DE LA PROPERTO DE LA PROPERTO DEL PROPERTO DE LA PROPERTO DEL PROPERTO DEL PROPERTO DE LA PROPERTO DE	DARKATHER C FOLK-P-X41683	- POLYRE		PHENOLICANICAL LIEU STANDONP

SECTION 6 -- PILMS SEERT MATERIALS

SCYCH CORE CURE ATHOS APPLICATION	***********************	O 24H 125 AIR STRUCTURAL	TERS T													30K 180	=							「何年の日本			26 P-6	7.0	34 25 TH	145402	CLEEKE SECTION													16 PILM/SERRY		11 FILE/SHEET								A 1880 P B 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	20H 115 AIR
95655	956555	5855	8625	10.02	2.01	1.		8	3	: 8	3 3	0	2	5.07	.02	-05	8	10.	3	. 15	. 24	. 18	8	. 22	=			:			2		Ý	Ę	Š	3	3 8		5:	2 :	9	3	8	8	.05	5	8.	.13	. 02	.27	77.	7.0.8	. 30	.30	12.00
		1.89	1.00	. 57	. 12	9	-	20	=		7 6	5	64.	30.31	60.	.07	Æ.	.50	- 29	.70	6.34	6.75	£4.	.97	0	2,53	2.38	•		•	02.	. 62					:		6	57.	-	70.	5	90.	. 05	.02	8	#.	. 12	2.90	2.90	2.90 4.14 1.26	2.90 4.14 1.26	2.90 1.24 1.26 2.33	2.90 1.26 1.26 1.36 1.35 1.35
2000		A:T	308	808	CFL	E 00	308	, S	9 6		-	PPC	E	مَا	SIC	0.0	0.1P	DC P	SCI	BCI	ECI	RCI	ADL	A.V.) U	?			: E				2 2		. C) E	5 (. i	DU L	H	9	940	Dub	34.5	DUP	GSC	đ HC	DUP	00P	00P	09P 9XX 7XX	DOP TXX TXX DXC	000 000 000 000 000 000 000
dereddir			PLENIGIAS VS-100 OPTICAL		POINCARBOWALE CLECKIE CIED GUIDS		SOLING THE ARTISTS OF CLARA	STATIC DE	S AT NY HOR						PPO 531-CA1 CPACUE POLYPHINKERY OXICE	n	PYFALFY FILE PCITABLE 2 BILS TRICK			8	_	RC-AS-2400 A126 MILON FILM W/C ANTISTATIC CCMP/CLEAS	SAIL CLOTP ALUMINISM		CTITODES CONTROLLY STATEMENT OF CONTROLLY CONT		CHARLES SAFETY SAFETY SAFETY SAFETY			AND GOOD ATTICONE CONTROL DOTATES DOTATES	1810 STITCOLE	6214 STITCERA COAT		ATTENDED OF THE SECOND STREET	かいまという アンドラ かっきゅう カー・ファイン・コー・コー・ファイン・コー・ファイン・コー・ファイン・コー・コー・コー・コー・コー・コー・コー・コー・コー・コー・コー・コー・コー・	TOTAL DESCRIPTION OF THE PROPERTY OF THE PROPE	TRANSPORT OF THE PROPERTY OF T	1310 B) 581180)	TOURS TOURS	100 99001	120 BL 30 CC BL	PEF INSULATION I	374		4			01/SILVE		7289-ELLT 240/50D	TEMP-ELBIE 240/50D TEMP-PLET 240/50BED	EEN Aaabaute	EDB ARABARIC ACID (R) MON MOVEN CACSON PELT	EZM MARMAC ACID (M) MOM MOVEM ELCEOM PELT MOM MOVEM DACHOM PRITE	EDN AABBAKIC ACID (M) MON WOUSH CACGOM PELT MON WOUSH DACHOM PELT PENSETT

ATHOS APPLICATION	FOA	FCI	AIR PCT PCAN	FOR			•	AIR POAR SIPE .		POPE FORE								_	LIE POAH	#0#	FOAM	_	AXB POAM	104	_	POAR			YCAS	POT BCA	T C A	5		2						E CONTRACTOR			ATE POAR LAMPER		AIS POAS CARPER		-	AIR POT FCAM		101	AIS POLM	POAM	PCAN ABSORBER		AIR FCAR	
CUBE A:		93			121			100		99	-							65 A				125 B			7		• •																125			100		_			100	100			25	
CORR C		2H 9				2H		16H 1		72H 6					,		=		24H 6						24 H							_						E 7 C	-		2B		2H	E. 60	24		1	28	11		Ŧ	24 B			24 H	
SCVCH C	5						2									.03			8	.21	.0	.03	.0.		4	? :		5		\$ #		97 -	;	17.	¥		. *	9 8	ŝ	8	2	}	. 29		. 23	ý	•	. 52	•	. 79	19	. 18	12.	1-83	- 02	
K THI.	.	.78	9	£.	6.	88.	1.24	1.15	8.57	7.07			•	9		1. 31	.97	1. 26	1.13	3.81	4.34	2.26	2.10	7.2			- 67				5		;	16.		1. 23			•	נני		:	. 67	•	7.1		:		•	4.08	.72	.81	3. 20	1.73	. 50	
MP N CODE	AAP	AAC	AAC	PBR	ACC		Anc	AUC	ACL	2 4			4 7 9) i	470	070	0.10	0.10	dJC	930	130	0.10	7. 11	ָ בַּ	,	3 6	200	2 6	0 1 1	200	2 6			O E E		L		200	ENC	1) () = -	CHR)	CHA) (E #	ر د	1) [ENC	BAC	ZHC	CAF	CAF	HAC	:
Tales Inc.	THE STATE OF THE PROCESS. AND THE STATE OF T	# #641-1/FCCCSPHRBRS ST AS 55/45 BH -		FORM / STREET	-		N 1 2 1 .	CIPAR BOOK	TOTAL CONTRACTOR STREET BINCE		>	OLIO LTT HARB	NYIRY TA-50 FOLYDESTHANK	17-2C ECITABETHANS	17-2C POLYDESTRANE		THANK	17-2C BCIVEESTHARE	MANAGEMENT OF THE	THE PROPERTY AND A PR	SOME STATE	THOI SECURIOR SECTION OF THE SECURIOR SECTION OF THE SECURIOR SECTION OF THE SECURIOR SECURIO	3003-7 FCF10	SOTION DAY HOUSE STORY OF THE S	SOOT-FOLKESTER DESTRICTED TO THE FORM	9 9000-60 FCLYE	S370 SILICLES	5370 SILICORE POAR	/ECCCSFE	SP 40 STRIBCTIC FORE SPOIL BEST	EFF-14 SYSTECTIC FORM - TZLION	ECCOPOLM ZFF-14 STHILCTIC FORM - TRLLOW SPOT		ECCCPORE EPP-14 STRINCTIC FORM - TELLOW EPOXY		SCCOPORN TEP-14 SINTECTIC FORM - YELLON EPOIT		SYMPACTIC POAM - TELLOW	MER-14 SYNTACTIC POAM		ZFF-14FE	MCCOTORM MEN-1425 STRINGING FORD			BURGO - BROW CHECKER STATE	E STUTACTIC FOR	PER-14FE STRIBCTIC FORM - CRANGE LOI			MACCA REPORTED OF BUCKSTON	HOLA HOLD THE PART TO A RECORD BASE	NOTE THAT STREET, ST. OF ST.	POSTORBINATE FOREST STATE STAT			166 11/66/7

SECTION 7 -- PORMS

ATHOS APPLICATION		FCAT
i		AIA AIA
CG ##	200 12 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1	25 77
10	20 2 20 20 20 20 20 20 20 20 20 20 20 20	# 6 H
NCACH	29992222222222222222222222222222222222	5885
XTRL		1. 14 1. 36 5. 80
A PR CODE		105
AATEBIAL	TTERFORM 200 POINTERINER POR 46/CD FT FTARPORM 400 POINTERINERS PORM 46/CD FT FTARPORM 400 POINTERINERS PORM 46/CD FT FTARPORM 400 POINTERINERS PORM 46/CD FT FTARPORM 600 POINTERINERS PORM 46/CD FT FTARPORM 600 POINTERINERS PORM 46/CD FT FTARPORM 602 POINTERINER PORM 60/CD FT FTARPORM 602 POINTERINER FORM 60/CD FT FTARPORM 602 POINTERINER FORM 60/CD FT FORM 602 POINTERINER 60/CD FT FORM 602 POINTERINER 60/CD FT FORM FT-10-94-1 POINTERINE FORM FT-2-17-52-3 POINTERINE FORM FT-10-94-1 FOREINER FOR FORM FT-10-94-1 FOREINER FT-10-94-1 FOREINER FOR FORM FT-10-94-1 FOREINER FOR FORM FT-10-94-1 FOREINER FOR FORM FT-10-95-1 FOREINER FOR FOREINER FOR FORM FT-10-95-1 FOREINER FOR FOR FT-10-95-1 FOREINER FOR FOREINER FOR FOREINER FOR FOREINER FOR F	POLYDETHAME FOAM POLYDETHAME FOAM OAM

Activity	4P.E	KINL	SCVC!!	CO RE	CUBE	A THO E	APPLICATION
MACO MACO MARINET STORY OF PRO	216	1.79	. 22	H 0 +	9;	II.	F0.18
MENT HOLING AND AND AND PROS THEM AND AND AND	PFC	. 53	. 05		2	* * *	
		,	;	H 57	2	# T #	101
SOUTH CARLES TO SELECT SECOND	Ç.	B. 5.1		70.	9		
SCOTCHCAST XE-5068 2FORY FORM		65	7	2 4	125		PCAB
SCCTCRCAST XE-5068 220X1 FORT	r :		2	7 7	121	AIR	POAM
SCCTCECAST RE-5068/3 AS 1/1 RG 29077 FORM	r 1	C 4	7	=	121	AIP	POAR
SCOTCECAST 3 A/E AS 2/3 BH 37071 FORE		10.	9	•			FOAM SHEET
ACOT HEODONALIA FORM POLYMINE TENTHER TOTAL	100	4	1.63				POLM
SCCOTT POLYENTED CONTRACT TO AN AND MADE BANK	T L			24 H	100	A I R	FOLM
POLYESTER-URSTRAME FOAR	֓֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	1.63	1.84				FOAB
CHECKLY WILLS TO SEARCH SEASTAINE	֓֞֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	88	10	248	100	AIP	POAM
POLYNOSINE CENTRAL TORS BEOLE 27.24 MV	ני		50.	24 H	100	A IE	FCLR
TOUGHT BOUNDAMENT THE PROPERTY TOUGHT TOUGHT TOUGHT TOUGHT THE TOU		69	6	24.8	100	A I B	FCAM
SOCIA MOINTENANTENANTENANTENANTENANTENANTENANTEN	, E	3, 22	.42				FOAB
The or will be sufficient to the contract of t	SCT	1.81	99.	24 H	100	A IR	FCAB
EVEN CONTROL TO THE STREET STREET TO THE STREET STR	SCT	2,53	£.	24 E	100	A IR	FOAR
COUNTY POLICE TO THE POLICE TO	SCT	.33	0.	24 H	100	AIR	FORM
TOWN TO THE TOWN TO THE TOWN TO BE A TOWN TO THE TOWN THE TOWN THE TOWN TO THE TOWN	1 US		.42				ONAPHE
CONTRACTOR OF THE STATE OF THE	SCT	1.55	9.				FOAS
SCORE SCHOOL STATE OF	SCT	2.23	.73				E TO A
いこの つか まごりこう すりし まままでももったらし してしらい いこしい	SCT	: :	- 24		•	(FORM
	SC1	2.81	=	# 8 #	110	1- 3	
COL COL MANUAL M	SCT	2.57	£4.				PCAR CARPER
THE PARTY OF THE P	SCT	.83	. 31				100
CHANGE MENTER PART RESERVATING STATES THE PROPERTY OF	SCT	20.2	7			:	FOAE
CHATTER MEASURE PARTY MEMORITOR FACE SALES INVESTOR FACES	SCT	1.18	. 37	## :	120	# T #	1040
ACCES DYSHIL FORM POLYBREN CRAY PLANT BETARD	SCT	1. 22	*	7	170	418	
AMERICA SIL BOID SYNTHOUTS FORM BIUN-62EDE	31K		.03	# 9 5	S :	# T #	2 40
				E 9	£	2	
	;			900	· ×	4	FOAR
SHUF-LOK SIE 3015 SYNTHCTIC, FORM GRZEN	SIR	1.13	•	# E	3 5		•
		٠		: E	121		
		98					FORM
SAMPOND II 1271-0- KIRK-DES FORTHUR FORT	109	.31					FOAR
SEMENCED BY 727-100 BACKY COLLECTIVE COMP	100	. 42					FOAN
ARTECTED HT 2221-12 MIGHD COLUMN TOTAL	HOH	.45					
SPONCE ROFFEED MEGPECANY WILL MANAGE TYPE 1 BLACK	4.L	14.10	7.	2	300	2-7	
SPCHAT BYREE WEOFRENZ 41L 161308 TYET 1 BLACK		7. 7			3	•	DARPES
SPONGS ENFERS SILICONE MIL 72-8-765 PED	9 6				99	AIR	FCAS
STREET BOACL (FOLKERET CPN 17-20)	4 6	1, 32			105	AIR	FOAM
STREETS GIVE TO THE TABLE CAR THE TO THE TABLE TO THE TABLE TO THE TABLE TABLE TO THE TABLE TABLE TO THE TABLE TAB		1.37			120	AIR	FOAM
ひろか アイコン アイフ (そのこの はなけら しょうしん) アープ・アイン アイ・アイ・アイ・アイ・アイ・アイ・アイ・アイ・アイ・アイ・アイ・アイ・アイ・ア	SCC	. 87		24 B	52	11	POPH
				Į	9		:
erecast 1040-51/241F AS 100/23 BF FPCXF FOAR	ZHC	3.44	2.	2	22	HIN	LOYB
				7	2 %	4	
ATTENDED 1090 14 AS 100 / 9 BW EPOXY FORM	ZHC	.57			Ç		
STYCEST 1095/11 AS 100/12 BW EPOXY FCAM	2 E	£.		7	C71	414	2404
STYPREST F30/20 POLYSTYFENE FORM/204 GLASS FIBER	7.05	97.					POAR
TERMECO PO 502 DESTUAME FOAM WHITE 1.88/CT PT	# F	6.0					FOAB
THERMOOD 1104 DESTREET BOYS CHEEKE 1140/CO 17	7	:					

SECTION 7 -- POAMS

AATE SIAL	GUD	M THE	. SCVCH	C6 22 41 55	CUBE	ATHOS	SCUCH CURE CORE ATMOS APPLICATION TING TEMP
terms et	BYS	BYS 1.46 . 14 90R	=	E 06	,	i .	PCTIIS FOAR
TO-1000 SYMIACHIC BOAN VAITES	AT S	1.82	24H . 59 BK	24 E	65	IE	FOAB
PERLANE 1723 A/E AS 100/95 NG/LITHIUP PIDOSIDS	141	2.50	2.	2 2	22 22		
VIIOTORO 1901 BLACK VIIOTOR 05-2154 CLGS&D CZLI BYTRHJEC FOLM - GRAY	E #	5.45	Ÿ.	168	20.	ATR	COMP PORM
IN 3529/ECCOEPELES SI AS 1/2 BU SYNTACTIC PCAR PINK	AYC		8	2	125	117	POAM CAMPER
NE 3529/PECOSIMERES SI 15 1/2 BU STRIRCTIC FORM DIME	A 4C	. 82	.01	5 7 8	2 2 3		POAS CARPER
IN 3529/FCCOSEMLESS SI AS 1/2 BM STRIRCTIC PCAR PINK 23PIFIL F700/20 VINKL POAM/20% GLASS FIBERS	ANC	.88	8.9	2H 2H	9 0		POAR CARPER

SECTION 6 -- GREASES LUBRICARTS

8 APPLICATION	LOBRICANT	LUERICANT	LOBBICANT	CHANGE		257140			+14111111111111111111111111111111111111								GREES	LOBBICARY GREASE	651151	LUBRICANT	LOBRICANT	BECKE LOBE				SOLID												011	LUBBICA NT /GREASE	LUBBICANT/GREASE	157159	110	LOBRICANT	LOESICANT	LUBSICAT/628.1ST		LUEBICANT	### 110					
A THOS	ATE	AIR		1				i i														1II	II	AIR		AIR	# T	118	AIR	17	717						4 7 4																
COAR	×	9	ž	;		•		×	Ç													99	2	116		8	202	8	205	25	190					,	Ç																
CONS	288	24.1							4 4 7													-	=	248		28	5	7 <u>H</u>	19	E O	191						2																
KCVCH	=	0	:			•			7		3 3	9	5	5	5:	- 01				9.4	2.47	8			8	- 20		2.	;	. 20	5	5	8	5	8	8	60°F	3:	7		1.74	5.71	3.8	£.	14.59	1.25	92.9	11.46	7.42	5	15. 34	8.8	3
7 I II T					9				17.		2 .	5	5		70.			-;		2	9	•			-	.32		.21		.72	.67	1.94	1.83	1.67	1. 29	2.03	9.49	5 6	55.	EL.	1.62	28.54	5.72	2.90	51.00	3.20	13.19	17.07	20.02		85.13	-6	3
# # B CODE				֓֞֝֜֝֞֜֜֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֡֓֓֓֓֓֡֓֓֡֓֡֓֡֓֡		1	010	919	2 2	0	000	000	0	2	200	000	0	200	ָ נְרָבְּי		7	Z Z	1		CEB	1 4		EFI		EFI	I L	306	305	BOG	10 G	106	# C) i	ט טיפ פ	י ה ק) # #	Ē	200	H 64	713	ည္ထ	ISI	H	Piec	DCC	RIC	908	XIG
LALANDARE		G CCIICILAL		a	FPISCE # BIDECCARBO GREAS	PPIEZOW I GERRSE	PURIOR B GLIASE		BLACK RAGIC BOLY SPRAY/POIL - ATBOSOL NOS2	0	BRATCO 6152 CLEAR OIL BATCH DIM'S	ERMYCOTH SI-36 GERASE BATCH SLD1 WHITH	FRATCOTE 31-38-85 GREAST BATCH DLG 1 GRAT	31-30-52	31-38-2H GEEAS3	803 CKE 151	COMPAIRY-10 0-061 POLYPHEMYL STREE	C6-1103 SILICCHE GREASS			OMIT CHINA WORLDWIND LUBBIICHMIT - ABBUSOT	SALLCORE LUBRACELLES	ACCOUNTS TO A TON PARCITOR SECOND		医乳子 化自然工程 医多子氏管多形征的 人名斯里尔人名 经产品的 医二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十	PRECING METAU PROBECT TOTAL BALLEY LET LETT LATE		STATEMENT STATEMENT OF STATEMEN	•	BABCHADBILE AND& PREMOLIC/NOS2	400			1115		1315		ï	GE 1147 METHYL BIKTL SILICOMS LUBE OIL		EI-TAC GRIESS 9704 SILICOUS	CONTROL CONTROL SOCIONAL MODEL MEST A CREATE DATE OF THE PARTY OF THE	CONSETTED TRANSPORTED BOUNDARY CONTRACT THE CONTRACT TO THE CO			400 0 11 11 11 11 11 11 11 11 11 11 11 11	ACTION TO PERCENT AND A TO ENTREMY - AND SOL	MY 183 SPECIAL OIL FOR BEATING LUBRICATION	PR-240-AC FLUOR CCARBON	O2-3067 OFTICAL COUPLING CCMFCUND	BOYCO 43 GREASE PEE MIL GW3478	AT DURGID 4300 LEIMPORCED INPLOM PTPE	BALON A TYFLOM FILLED DEARING MATERIAL

SECTION 8 -- GREASES LEBRICARTS

ATHOS APPLICATION
CURY AS
CO ME CO
#CAC#
1817
AFR CODE
ALTERIAL

SICTION 9 -- LACING TAPE & CORD CABLE TIES

APPLICATION		
ATROS	A TE	AIR
CURE	149 177 125 100 100 150	722
CUES	2	, ,
#CVCB		. 23 . 19 . 06 . 178 . 178 . 02
NIBL.	4	2.57
3 L	PER NI PE	
MATERIAL	W = = = 11	TAPE GULELACE 18896 MYLON TAPE GULELACE 18896 MYLON TAPE GULELACE 214 MYLCH BRAIL/STH F TAPE H13-08 MOSZ/TYTELOM COAT/STH F TAPE H13-38 PCLYSSTES TAPE H13-38 PCLYSSTES TAPE H MYLCH TAPE E EULSSTES TAPE E EULSSTES TAPE E SOUTSSTES TAPE E SOUTSSTES TAPE E SOUTSSTES TAPE EN STATES TAPE NOMEN SINLY 1251 SCOUPED

BCTION 9 -- LACING TAPE 6 CORC CABLE TIRS

S APPLICATION	۱,	_							LACING TAPE	LACING TAFS	LACING TAPE									LACING TAPE	LACING TAPE	IACING TAPE	CLBIS CIARP	CAELE MOUNT	CABLE TIE	CABLE TIB											CAPIR CLAMP			CIBIR CLARP	TIE COMP		TIE CCRD			-			CABLE TIR		CARLE TIE			CARLY TIR	u	CABLE TIE	CABLE TIE
ATROS		•	ATK							AIA	ATR	1											AIR								2	5		X 7 4	•		#14 4	AIR	AIE	AIA			A IR					AIA		AIB	AIR		AIR				
CCRE	-		-							150	15.9	:											125								126	7		571	1	125	125	8	125	125			5					125		00	125		125				
CORE	*	:	=							7¢ H	15.	•											7 B											# 0 7				2	7				=					24 H			24 H		24 H				
SCVCB		= :	50.	70.	8	71.	2	2	2	90.	.0		1.27	:		3 3	5 8	S	70.	6	8	. 20	8.	3	6	6	6	9	2	3	35	•	77	5	6	8	6.	- 05	5	3	દ	=	ē.	-02	S	8	8.	.02	. 02	8	6.	5.	8.	.02	9-	9.	.05
STAL		3. 13	7.01	BO .	£ .	4.13	1.21	. 12	1.26	£.	. 28	5		:	::				€.	. 24	- 24	2	.	.63	3.6	3. 13	2. AB	3.25	1 50		9:		•	6	- e-	1.02	1.05	2. 15	1.30	-	5.	. 37	60.	- 69	1.7	<u>.</u>	.03	2.49	2. 33	1.90	1.24	2. 49	1.85	.05	1.83	2.60	1.61
3000			24.5	9			E .	13 13 13 13 13 13 13 13 13 13 13 13 13 1	GRE	11 E	400	# # C					41 (9 :		688	385	M 60 17	T III	WER	PA	PAH	PAH		200			1 6 1 6	101	H (101	181	TBT	121	THI	111	111	BIG	97.E	PIQ	PAH	TOT	TBT	TOT	TBT	181	TBT	TBT	181	TBI	TOI	TBT	TBI	TRI
HATERIAL		TAPE MOREE STILE 1251WC VITCH	7111	TAPE FEI STILL	12.0	G THEE SE MILCH	TATE SE FOLYESTED	CING TARE SIDE-D-17C3 18CB	STEF-D-LACT 1804	CING TAPE STUB-D-LACK 183H	THE THEY STREET AND THE TRANS	PLE	PLANT DESCRIPTION OF THE PARTY	22.00	1041-0-201 2141 8	187 410 41 19 19 19 19 19 19 19 19 19 19 19 19 19	4 6	TAPE LLFGLAS 90	TAFE TERF-LACE	TAFE TEME-LACE	TAFE TLAF-LACE	3-40 PIBERGIA	MYLOW 6 BLACK CAELS CLAMP - WFCK2SSEF	PAR-TH CRUIT BCURT	CARLE TIE	SAM-TY CANE TIE LIGHT BROWN		CANCEL CANCEL SECTION TO SECTION OF SECTION		TO SOUTH THE SOCIETY OF THE SOCIETY	TO TOO INVESTIGATION OF THE STATE OF THE STA	TO THE THE PARTIES CARDE		7	Ë	#C 1112 FT-LAP NILCH CABLE CLAMP	TO 1112 TY-LAP WILDH CABLY CLAMP	TO 010 TY-EAR MILCH CABLE CLARP	TO 828 IT-EAR BYICK BOJETING PLATE	to 92 TY-FAP MYION CABLE CIAMP	CCFD T 761-1330 SFE TRPLOM/GLA	TFE TEFLOR/GLASS	CO3D I 761-688 TF1	-2 PAMDUIJ MYLCH SUP	259 TY-FAF MYICH CI		307 TY-EAP 1EFLON (348 TY-SAP BYLCH CA	464 TY-BAP BYLOM	MEN TY-RAP BYLCH CA	TY 468 TY-EAP MYLCH CABLE TIE	5 77	5238 TY-LAP AYLON C	TY-PAP NYMAN CAELE TIE	- N 10	P UTICE	B 23

SECTION 9 -- LACING TAPE 6 CORD CABLE PIES

E CURI ATHOS APPLICATION R TRHP	ON CABLE TIE THE THE 2.06 16H 100 AIR CABLE TIE THE 2.06 (6H 125 AIR CABLE TIE THE TAT 1.96 .01 24H 125 AIR CARLE TIE
COME	76 H 24 H 2
SCVCB	. 06 16H . 01 24H
BFR STRL S	2.06
Br B	444
MATERIAL APPE SINI SCYCE CORE CORE APPOS APPLICATION CODE TIM TRUP	TTB 23M IT-EAP NYLOW CABLE TIE TTB 24M IT-EAP MYLOW CABLE TIE

SECTION 10 -- LAMINATES CIRCUIT BOARDS

CIR COR ATHOS APPLICATION		30ff 25 AIR		28 163	1 26 163 LIR ADR FILM	149 AIR	16.50					t Lanzeath		90H 121 R-2	F-3 771 B2				C-0 101 BAC	F-1 - 51 - 17				ZE 177 LIR	11T //L 27	IS4 L/I B/			3 STEECTSELL	1 BCBERCORD	HCHRICORN		121	2.58 177 PSI	STRUCTURY					18 177 PSI	68 135 AIR	28 121	28 149 PSI		18 177 per	177 psr				SECTION AND SERVICES				1/1 HC#	
MCVCB		9	5	. 12	ē.		5		3	•	5	š	8	.97	8	10	10	2	¥	•		•	•	5	5.3	2	0	5	.03	5	8	£.	8		. 02	. 02	ē.	8	8	8.		ē.	.03		8		.03	20	8	5		3;	9	5	•
STAL				*	9		2					5.	- 20	1.88		9	. 22					3		7.0	?		9	2. 90	1.62	1.27	2. 78	9	1.33	i	. 26	.33	. 53	• 63	. 29	. 42		=	. 19	. 25	.62		.54	5	3, 11	5	76		- :	5	
H F R	•	3	4	SEU	CHS		CHS	200	2			SPI	PLI	FLC	FIB	TAT	Alls	2.69	045		i e	ָ ער פי	1			1 1 1	HEL	2	LIB	370	14			;	_			111	ATL	MI		高 記	# 2 B	U STO	PLC		01 84 84	089	SYR	24				E E	
HATERIAL	ABALDITE HY350/87219/by219/tytogisee abo			FRAFES .	M-MODI-FR-LOCA D942314 TILLS TOTOL		COAST BPOXY/GLASS PREPREG F161-83-1PC8/20	COMPAIR GEAPHITH/SPOXT		17511		7.	BECKE FINERGLASS BOOM CYLINDEN		44	PIREBLE 600 RPCII/FIBERGIAS	PLEASTRIP PLEILELE LIBING LABINATE	60	GOCDITAR GRAFAITE FIBER PROTI COMPOSITIVEM 1000		GT 5500 COPPER POIL/BRIDE LABINATE ONE SIDE	GY-70/I-30 GEAPHITE PROXY COMPOSITE	POXA		188	: .	MENTAL TIME TO GENERAL CECTURATION SMM TANKE VICENCE OF THE TANKE VICENCE	こう こうしゅうしゅう いっちゅうしゅう しゅうしゅうしゅう しょうしゅうしゅうしゅう かいしゅうしゅうしゅう カンド・ファ ちゅうしゅうしゅうしゅう カンド・ファ	•	SPECIAL COM	THE TOWNS THE SOUTH OF THE SOUT	TREATURE ADDITIONAL PROFINITION OF THE PROFILE ADDITION OF THE PROFILE ADDITION AND ADDITION OF THE PROFILE ADDITIONAL AD	140/ 844840 651	THE BOAT SEATON BOOK TO BUILD AND THE	ATE 4050 BESTAN AND GEBOOM AND THE SEA SEASON AND SEASO	THE THE STREET SON DESCRIPTION OF THE STREET	THE TOTAL SCHOOL SON THE VOIL STANDS	- ,	-	LANIELTS AL-3247 PE THIN W/O COPPED		THE CONTROL OF THE CO		BL-2 REOXI/F	LAMINATE 833 MATURAL TYPE GF COBLAR 5104/GLASS/FRA		AT BATE		BIBATE		CP-1091		CHANGE COURSE INTO THE CASE OF	2000	「かって 割を付け (こうりょうぶ かりこく する するすこうぎくちょうちゅうじょうかん

SECTION 10 -- LAMINATES CIRCUIT BOARDS

AFFICATION	HOBETCOND	HONEYCORB	LANTHATE			LAHIBATE	LANIBATE	LAMISATE	LARIZATE	LAMINATE	LAGINATE	Libridit	LAMINATE	LABIHATE									STEUCTURAL	4 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9		4 2 2 4 4 4 4 4							LACIBATE	LAGIBATE	LABINATE	LACINATE	Labilitati	LASITANI			PC BOARD								4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 -	
ATROS	PSI	PSI		;	A I A																		PSI	PSI	PSI	4			9 1 4		7-9	7 7				PSI						;	PSI							
COBI	\$ 2	\$ 2 2		•	232																	!	121	121	55	:			301	7	2	171				171						;	2							
11 E	28	# # # # 7 9	;		# 7 E	:																	<u>.</u>	=	8 2 E	5					2 6	2 Z	:			90 H							80 80							
#CVC#	.23	u.	5	8:	8	8	90.	8	0	6.	8.	9.	9.	.0	8.	8	5	. 02	8	5	ē.	8	2		8	•	3 3	5	7.	70.	6	5	"1"	. 37	.05	- 02	.05	.03	8.		8	.03	00.	8 :	8	-01	0.	0.	.12	5
1141	1.04	*6.	. 28	6.	. 30	*0.	. 13	6	. 12	.31	.27	30	87.	. 93	-42	. 59		.33	. 52		=	Ã.	1.88		. 29	. •	6	6.	3.33		2.94	2.10		1.13	8	7	0#	. 29	64.	. 91	. 82	£.	7	2.11	. 36	8	. 18	02.	. BO	₽.
20 CO	E24	114	A 40	415	H = =	F	3.0		ATL	HC.	I de	ATI	10	d OE	UEC	SYN	GEC	229	219	979	4 EC	31 B	PAR		315		E.	<u>م</u>	GL	GEV	S T	000	=	Ü	AC.	ACA	401	ACA.	HCA	HCA			4 EC	HC N	#CP	E PC	N EC	7 T	N N	ن 1
AATYSI AL	LABINATE THOUSE THE STATE OF THE	LANCTHACH DECIM/FIBLEGRASS LOT 79-4935(MT)	241414	THATE TECHY.	LANTHALTS THOUX/GLASS UNIGLASS STYLE 181		TATTONE BEST	NOTE TEATER	CO ST. BIRKT	1071911 52187	TO THE STATE OF TH		3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	TO THE STATE OF	OF DEPT ACTOR	TABLE G-11 GPC-11 REDXI/GIBESGINSS	A TE AU MARKA		THATE GRE TY		75415 61441	THIS CIO PIS	THATE ROBEYCO		LANCHARY PY1534/934 GERTHITT PROXY	•	THATE R 6098	INATE KAPTON	TARE	IZ HATE	ITHATE KLYLAE/EPCX1	LIMINATE KEVILE/EPOLY STYLE 181		TARTE IXESON	THEIR PICERLE	LAAFE ELCAFFE	THREE STORY AS ROUT IN A COPPER	TABLE FACACLE	1	TICAFLY	- warmy PICAFLY PG 4187 PCIVINIDE/FIBSEGLASS	THAT RICAPLY	THE BICAPIN 102-11/G-10 EPOXI/GIASS	THAT'S PICAFLY 102-69 B-STAGE PAT	THATE HICAPLY	THATE RICALLA	NIBATE HICALSA H-2497	MINATE PICALTA H-5634	HINNTE RICALIA	HINATE RICAELA

SECTION 10 -- LAMINATES CIRCUIT BOARDS

TERE ATMOS APPLICATION		LANIMATE	LASTER	PC BOARD						PSI	150	Lagrante	LAGIBATE	LANIBATE	LAGIDATE	LANIMATE	Lanibate	LAMINATE	LANINATE	4 AIR LANIMATE	PC BOARD	1,581,821,8			¥-6	9-1	LARITATE	LABIBATE			AIR					110		a I V		AIB		2 :		7 PST 1 121 121		•	LABITERS	STERCHRAN			
		٠							•	127	12									#2#					=	14.3				163	=					1	120	2	771	*	•	<u> </u>	2 7	17.7	2	:					
CUER				•						0	E 0									~					#8#	48 H				= ;	2						806	28	8 5 H	28	;		2 2	5 E	=	:					
RCVC.	8	8	8	.0	8	10	8	3	3:	5	0.	8	<u>.</u>	8	8	ē	8.	8	8	8.	.07	-0.	8	8	5	90.	8	8	8	ē	;	.02	3 8	3 8	5	8	05		8.	;	70.	5	3	.07	8	. 17	8	.07	8	0	8
4 THL	· (*)	. 28	. 32	.63	- 25	24	5			£ .	. 32	. 17	. 23	.	=	90.	- 38	6	2.47	2.77	. 29	.68	.11	.0.	. 58	.52	2. 33	. 20		.17	;	57.	,				9	<u>;</u>	. 29	;	9 (•	70.	76.	2, 37		1.17	. 57	1.40	90	60	. 03
CODE	DA M	U Si Si	101	KOL	CO	200	5		2				6 40	S v	Z EC	HEC	MAR	MAK	SYR	NC#	SHS	AAC	7 0C	104	G 5C	5SC	TOL	FLC.	10 H	e.		2 ×	1 6			2 5	2		00		4 1 4	200		9110	. A	- A-	87.8	7 E	908	508	30g
APPRIL	LAMINATE	THEF PICALS	1-15158 &	NIMATE PULLIES	RIMATE N-105 L	114878 N-205 A	3 W. W. W-3105	STREET B-4105			NA P. P. C.	MALINCC 8517 3	NEWA NE	BER 6-	MERA G	MERA G1	HVF FLA	- MAF G-1	KALCE P	PBI CE	FC ECAF	FRAKOLI		TT PINS		SUN SHA	TOPPET	TYPE GP	300/93		10:0000110000	しょうしょうしゅ ほしりしょうじゅうじ いかしん ペイーロ いってんしかい 一日 かっぱいしゅう イニー	MINATE 607 ' PE	4114		PECO 550/120 E	550/1581		MEICO 11-4205-2 B-GLASS PR4 PABRIC/EPOXY COLTED	404 0440	アロドラ こうしょんき コンドア・イン ちかんじん ボル コンドラ からに こうききんしょう イコン	CAMBOAG ACTATATO DECISION		DESCRIPTION OF THE PROPERTY OF	ن ا		`-	۹			BY DUROID 6010 - LAMINATE

SECTION 10 -- LAMINATES CINCUIT BOLIDS

APPLICATION	SCI . 22 . 03 4H 79 AIR BAND 4H 107 AIR 149 AIR	LCGVES BLADS INSCLATION INSCLATION STAND-OFF STAND-OFF
ATHOS	111	
	252	120
11 mm	===	発展はなっている。
RCACE	60	#F 6 4 8 5
MPR STRE	. 22	20.1.20
CODE	3CI	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
EATTRIAL COD	SCI REZ 80/S GLASS FILMBET ROUND COPPOSITE	SCOTT POLYDRETHAND FOAM/ALON KAPTON SAMBHICH LCUVER SCOTT POLYDRETHAND FOAM/ALON MILAR SABDWICH SCOTT POLYDRETHAND FOAM/ALON MILAR SABDWICH SCOTT POLYDRETHAND FOAM/ALON MILAR SABDWICH STORM FOAM/ALON MILAR SABDWICH SABDWIC

SECTION 11 -- AAMING MATERIALS & INKS

25P11C1210#		IABILIA IN MARKING IN	Description of the control of the co	
ATBOS				
8#	0 St	นหนนอนนนนร	8 888 855555 666 675 675 675 675 675 675 675 67	25 27 28 27 28 27 28 27 28 27 28 27 28 27 28 27 28 27 28 28 28 28 28 28 28 28 28 28 28 28 28
8 H	3 3 3	# # # # # # # # # # # # # # # # # # #	2000 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	200 E
SCVC			408666866666666666666666666666666666666	5.40 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
SIML				2. 2. 46 11. 33 2. 33 2. 53 2. 65 2. 65 2. 65 2. 65 2. 65 2. 65 2. 65 8. 60
HPR CODE				
MATTERIAL	FILE 1363-612,511 FILE 1363-612,511 FILE 1363-612,511 FILE 1363-612,511 FILE 1363-612,511 FILE 1363-612,511 MARKES B-400 TO MARKES B-400 VER MARKES B-700 VER MARKES B-700 VER MARKES B-700 VER MARKES B-700 VER MARKES B-953 MT-	WHYTE CH LABEES WG-1 LAST 2004 b/5% CMPONI LAST 2004 b/5% CMPONI LAST 2004 b/5% CMPONI LAST 2004 b/5% CMPONI LAST 2003 MED YELLON LAYT 2053 MED YELLON TYPE FIBEON IMP PAR -007 WHITE SILICOUE 1977 DECAL CARRIER SHY	15/V 14// FAS 175- 16/V 14// FAS 175- 16/V 14// FAS 175- 175- F	SARKEN 729 ELEK IN PROPERTY PROPERTY POS MATE INK A/B AS 2/1 EN 945KEN 7905 MATE INK A/B AS 2/1 EN 945KEN 7905 MATE INK A/B AS 2/1 EN 945KEN 7905 MATE INK A/B AS 8.16/1 EN 945KEN 6029 MATE INK A/B AS 8.16/1 EN 945KEN 6029 MATE INK AMPERAT PROPERTY IN AMPERAT PROPERTY PASS NOT A MATERIAL PROPERTY IN AMPERATE PROPERTY INFORMATION PROPERTY PASS NOT A MATERIAL PROPERTY INFORMATION PROPERTY INFORMATION PROPERTY PASS NOT A MATERIAL PASS NOTA A MATERIAL PASS NOT A MATERIAL PASS NOT A MATERIAL PASS NOTA A MATERIAL PASS NOTA A MATERIAL PASS NOTA A MATERIAL PASS NOTA A

SECTION 11 -- HAPKING MATSRIALS & IMKS

APPLICATION	FOIL IABEL FCII IABEL FCII IABEL DECAL/FARKER FOIL IABEL FOIL IABEL FCII IABEL	DECAL/MARKED MARKING TUND MARKES TUND MARKES TIME TABEL MARKES SLEEVE TIME TO BE TO THE		
ATHOS				
COBE		25 25 25 175	2 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	25 1 1 2 5 1 2 5 2 6
CJ NE		25 24 E	200 300 300 300 300 300 300 300 300 300	
RCVCR	88585555	200 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	. 0.
SINI	00 17 10 10 10 10 10 10 10 10 10 10 10 10 10	- 4.0 4.4 4.4 4.4 4.4 4.4 4.4 4.4 4.4 4.4	6.00 6.00 8.00 8.00 8.00 8.00 8.00 8.00	
CODE		E E E E E E E E E E E E E E E E E E E		. d.
	SCCTCACAL #301 EZO ALUH LABEL UNCOATED SCOTCACAL #301 EZO ALUH LABEL UNCOATED SCOTCACAL #3001 EED ALUH LABEL/COATEM 3400 SCCTCACAL #3005 EMOTOSENS FIRMANACPTITC ADH SCOTCACAL #3005 EMOTOSENS FIRMANACPTITC ADH SCOTCACAL #3005 EMOTOSENS FIRMANACHTICOACACR ADH SCOTCACAL #3009 ELUE ALUN LABEL/COATEMG 3900 SCOTCACAL #3009 ELUE ALUN LABEL/COATEMG 3900 SCOTCACAL #3009 ERUE ALUN LABEL/COATEMG 3900	SCOTCECAL BOIS EMOTOSENS FILM/NILENYACETILG BON SCOTCECAL BOIS EMOTOSENS FILM/NYLENYNYLCOAT/ACEADH SCHET SEAL ELL MAMINES IEK SPRED-O-EAQUE SEA OPAQUING LIQUID SUPER LANGGGE MEAKAES 4PD POLYSSIE: ADN TYTOR-PH GEREN IME FEOT TORS TYTOR-PH GEREN 14 FEOT TORS TAPLY TRENTORE EL 1400/1 HT TAS WHITE REAT STR SIKIM THENDOPIE EL 1400/1 HT TAS WHITE REAT STR SIKIM THENDOPIE EL 1400/1 HT TAS WHITE REAT STR SIKIM	UNITARIES C. 172 GEEST ECOT IN SOLI BN HHITE WORNON CAT-L-INK 50-100/CAT 20 AS 20/1 BN HHITE BORNOW CAT-L-INK 50-100/CAT 9/50-900 THINNES HHITE/F WORNOW CAT-L-INK 50-121969/CAT 20 AS 100/6.4 BY GREEN WORNOW CAT-L-INK 50-407/CAT 20 AS 100/7.5 BN BLUE HOPWOR CAT-L-INK 50-407/CAT 20 AS 100/7.5 BN BLUE	WOTHOW N-2-M ERL/CAT 45/T-1 THIMBRA/F WOTHOW N-5-W GEREW/CAT 45/T-1 THIMBER/F WOTHOW STRIES M MAITE INK N-2-W 0.5% CAT WOTHOW STRIES M WAITE INK N-9-W 5.0% CAT WOTHOWINF MCMC/CAT 6 AS 1/1 BW BLACK

SECTION 12 -- NOLDING COMPOUNDS

CUER ATOOS AFFIICATION	CEED CLOS.	AIE MOLE		9-1	:					MCID CPND	56 1980B			ACIT CPRD	CCERMCTOR	HCID										MCLD		GION LIN	AIN MCLB	0104	ALE FOLE	150 FIR SCIE COMP.	A15 AC15					AIR MCIE	3 AIR MOLE	HCLD			PSI		1118	AIR ACLD	AIR		121 E-6	UTON .	MCLD CPND
CG 82		2.8	24	728		24 H											24E									;	# * * * * * * * * * * * * * * * * * * *	34E	24 H		. H 62	H 67					24.8	20	Ę		58	18H	5		,	 •	25B	E :	# # 8 6	;	
*CVC#	86				6.	.21	.03	.02	8.	-0	5	3.	6.	5.	š	8.	. 02	8	, 0	-0	5	=:	70.	8	8:	8	6.	-02	.02	8	8	Ē:	5.5	9	3 8	88	60	0	6	.03	00.		5	8	5	8:	₽.			.02	8
#1#L	.23	7.61	36.	,	. 20	3.90	36.	•	1. 60	. 24	96.	9.	. 57	2.	. 26	. 30	. 12	. 58	.56	64.	E .	3. 12	6E •	95.	-0	= ;	.70	85.	- 00°	.70	C.		2;	76.	97.				.32	. 12	1. 60		2.07		-	.32	. 52			.34	. 24
# 60 # 60	et e	. 6	9116		å. 7	7 1.3		EF	CEB	L 2	E E	CNS	CHS	L M P	JAC.	2	ပ္ထ	on P	9	90	970	900		e.	ij	- E	PCH.	PC#	1CH	E O	FC#		2 1		2 C	ב ה ה			PPI	1	FIB		FIB	£0.	PPI	I de	219			080	4
dates in the second sec	ACPTIAFIL GA7/20 SITE/ACPTICATIFILE/FIB GLA AS 80/20	ACRITICAN VACALAN UNITERATE ACRITICATIVITY (LOST CERT)	ADITOPHE 183/Child 21 43 100/16 88 EOLYGETHEE		AP 1006 ACETE BUTADIERE STRERE	APBOOS PAST CUPE RPOUT ACT-PAR PRE MIY	REYLOW T PCLIABIL STEER MOLDED AT 2600	ASTREL 366 PCLYANT SOLFONS	360 PCLYABYL	STREET STREET STREET STREET STREET	CITICAL STREET STREET STREET STREET	CALCE M-40-04 ACATAL COPOLYSIS INDICATOR HOLDS	CATCH A-40-04 ACETAL COPOLATER SEROIDED PRILETS	,	COMPETED THE ME FOLYPROTYREME 20% GIRSS FILLED		'	TOOMCTO ACATAL	150MC 10	DELFTH SOOMC 10 ACETAL	500MC10	507MC10 ACET	三 三 1	900MC 10 ACRT	(SIL 201 - BGECH/	NP 1006 POLYCAL BOMATE/FIBER GLASS AS 70/30	DIALL #5-10				DINIL 52-40-40	DOEYL #-17479			MARCIL C-1000 ANCERTIC COPULABBIAN BYOUR SICE HERE		140/4/2013 1-B-FFF 182			WI-115 LS 19 V			GL	CRTTL		-	D SILICGE	-		EGINIATOR LESSINGER OF COMAD	

SECTION 12 -- NOIDING COMPOUNDS

D\$ APPLICATION	MOIE CPND	BOLD CPED		acto ceso					-																HCID	HOLD	HCLE	HCIL	HOLD	GOLD CPED	SCLU CPEU		ACID CPED		MCLD		HCLD	MCLD	HCLE	4101				HOLD		3010	HOLD
ATROS		•																							LIR	•	AII	111	`	•					PSI	AIR	20	AIR	Y	AIR				•	A I A	I	EI V
CUBI	ឧឧឧ	3																							001	}	149	119							63	8	1 9	150	150	150				ý	3 X	9	
CORR	24 E														•										161	:	=	F							58	181	24	24 H	24 H	24 B					728		E
#CAC#	.02	6.5	5	-05	.00	8	8	5	-0	93	5.5	5.5	ā	5	6.	5		5.	. 03	\$ 5	70.	5 8	3 2	8 8	6	60	6	5	.01	8	8	707	9.5	6	8	1	8.	.02	-02	6.	8	9	8	8	2° %	56	
KTHL	1.16	.37		=	. 22	.59	64.	.03	.27	1.06	-	•	60	. 17	. 17	1	.17	. 20	. 17	71.		•		-	7.		- 22	=	=	.17	52.	Ė.	1. 62	200	1.18	<u>:</u>	1.34	1.25	1. 56	1.25	. 12	1.04	OE,	.33	36.32	3	. 65
NP N	320	11	ט פ פ	T T	Idi	LAP	LBP		LIP	BWC	0 10	ָ פֿעני פֿיני) (010	329	089	225	GEC	0 ISC	080	080	0.0	י פפע				\$ b H	SAE	4 1	HPC	SPC	0 i	4 6		NO.	,	ACH	ACS	ACM	ACH		ICI	MIC	900	ن ر و. و	ה מי	D C
RATBELL	BATHARE 1602-60D A/B AS 2/1 DV URETRAKE RATHARE 1602-60E A/B AS 2/1 DV URETRAKE	-	BASE	なんらん かんしょ なんしんにに ちからう (トーニン) なんしゅうしゅ かんしん かんしん こうじゅうしゅう こうじょう しんじゅうしょう しょうかん かんしゅう かんしゅう かんしゅう かんしん かんしょう かんしょく かんしん かんしん かんしん かんしん かんしん かんしん かんしん かんし	TODAY OF BYOME BYOM BY THE STANDARD STA		1008 POLYELELESULPONE/GLASS AS 60/40	P BO W		KUP CYCCIAC BLUE 5500 SERIES W/PIRE BETARCANT	N	100-111 PCLTCARBO	LUMBER 101-111 PCLICARBORATA	TOTAL STATE OF THE	130-111 PCLYCALBO	131-111	131-112	1 133-112 FCLYCALBO	1 140-111 FCLYCAKBO	I 141-111 PCLICAEBO	LEXAM 141-112 PCLYCAFBOMATE	LEIRE 243-112 FCLYCLEBOHATE	LEXES 500 PCLTCABBONATE	LOTICAM 8170 PCLYVINTECREBATOLS	ACIDING CEND	THE PORTURE CAME - GUYS			GLASS	ETL ER 265	LACK	INTERED W	¥ i		THE PASS THE STATE OF THE PASS		BESTATT BOOD FRENCLYC	9010		8700 FHENOLIC/GLASS	BAFIL 650/20 PO	POINTHERSULFORE 200P THERMOPLASTIC		LYSTLFONE	1201-Q A/E AS 1/10 BW	1535 A/B AS 32/100 BM	PR 1536 B/B AS 12/100 BW PCITURETHAME PR 1547 A/B AS 32/100 BJ POLYGRETHAME

SECTION 12 -- NOIDING COMPOUNDS

I ATMOS AFFLICATION	AIA					AIR BOIC CRED				1			AIR BULE	VIR BCID	MCID						ATR MISSCHER						• • •		9	AIR MCLE CPED		AND MOLE CPED			110			n - 4			HOLE CPID	SINGCIONI	BCIC CPED	BCLE CPRD								MCID CFND	STEDCTORAL	ACID CPRD	ACID CARD		
CORT	\$50					=	119	707		776		017		249		<u> </u>	8	163	200	216	232					7 6	007	5 6	121	?;		?!	=	116	216	7		-																			
COBB	=					2	200	308					,	7		358	=	25 B	7	24 H	3				,	000	2		2	7 5	2 :	7	•	•	5			,																			
KCVCII	60.	Į.	8.	3	.0	5			8	ž	3	•	3	8	•	ē		8			8	2			?		;	9		71.	3	5	. 3	5	•	ğ	•		5	3 :	5	8	8	8.	00.	-			3	- 02	.03	- 02	8.	-0	8		3
T813 .	3.49	59.	7. 38	5	1.50	. 53			60'	*	:	;	•	2:	•	2		. 07			. 07	53	76			•	1	67.	}	C7 .	:	7				90		ď			07.	60.	5	00.	.03	95			3	. 20	. 16	60.	3.35	1. 24.	6		,
CODE	=		F 04	-	o I	904			8 2 4	į,) •	0.0	1	9		040		<u>و</u>			G BC	GEC		URE	ر ا و ا	2				9		ָר פ		1	,	7	ì		9 8	i 1	20).	DOP	P P Q	00 P	-				0 30	ပ္ရ ၁	ئ <u>ا</u> ر	DUP	DJP	9		4
HATEBIAL		OF 1006 MILOB 6/10 30% FIRER GLASS			MICOTERER 3/11 THRESCORE TREETONIESTIC BIDBOCKEOO	SOCRES EX CL			MATON P-4 BOLYPERSYLMEN SCHWIDE/40A GLASS	SR MAD STITCHE RIESTONES CORT ABOUT NAC		************		TAUT U CEREAL FURFUSE		SE 43240 CLERE SILICORE		SE 45248 CIEAL SILICOUR			SE 5204 SILICONE		555 RED LCW 12	555 BRITE 104	BACON THE BOXES	*******		THOUTTE ALCC	ě		RECOLLES GREE BUT ARRESTA OF Y C/CCT OF ACREA/SYS AS	26.2/ VASCA AS 100/0:6 50	ACLAC BE SOLID 43/CF MOTOR ACLACE			STRESTIC 6508/15-50 CLEOK 14 49/1 No 41110000		***************************************			STILLIE SOON TO POLICY THE STILL SOON TO SOON	-	HEATCH DAY SCIPED SPECIARY HE-9704	S (PERFLUOSCALKONY	TEFZ SI ETEYLERL/ILTSAFIGOPOETHTIERS COPOLYREE	ANK/PTREE GIBSS BS	TA TOOK BELLEVILLE TO THE STATE OF THE STATE	CONTRACTOR DISCUSSION DISCUSSION OF THE PROPERTY OF THE PROPER	TOTAL PROPERTY OF THE PROPERTY	JU The BCF	WALON 420 SEC TERROPLASTIC POLYBER/304 GLASS	WALOW \$20 THERMCPLASTIC POLYESTER/304 GLASS FIRSH	RS-105 ALA	WESSEL SP-1 FULLIBLDS	14-5 FOLVI	1007 PVC 35% F	17077 KOT J

SECTION 12 -- NOIDING COMPOUNDS

AATSTAL CODE	2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	41HL	*CVC#	CORE TIME	CURE	9	3 APPLICATION	ļ
60000000000000000000000000000000000000								
TO 1006 TELEBURIANTIC POLYPRITE/FIB GLASS AS 70/30			3:				CEOU 6-17	
TOOR FOLKINGERIAGES AS 80/20	_	5	5					
01/01 St 55110/3 HG - 14/14 7001 AA	4 R 1	.29	8				HOTE CARD	
Converse design to the second		0	9				ACID CPRD	
ZF 1000 MCP11/FIRE GENERAL AS 10/10		2, 26	- 02				ACIE CEND	
ZCITAL TOT PCLEASE		85	. 21				HOLD CPRD	
	6	2	- 82				MCIE CPBD	
TATAL 31 FOLIAMIDE			2				BCID CFND	
ZYTT 42 FCLYARIUE			8				HCLD CPMD	
NICON BOILD BE COLOR TRIBERS	9 20 20	1.28	6				MCID CPND	

SECTION 13 -- PAINTS LACQUERS WARNISHIS

AMERSA REGEM BLACK JEOUT PAINT/PEINEF A-136 AMERSA REGEM BLACK JEOUT PAINT/PEINEF A-136 BC 340 WENESE FOLKATST/YLENT BC 746-P PREMCIIC WARNING FOSTIR PINCH 643-2-20 7/1 B4 WHITP ZPOIT ZAINT FOSTIR-FENCH ACKE ZENTZE FOR 93 463-12-8 A/P 45 3/1 BH CA1-A-LAC FIAL ELACK ZEZOIT COATING CA1-A-LAC WHITE ZPOXY A/B AS 3/1 BV		6. 13. 10. 10. 10. 10. 10. 10. 10. 10. 10. 10	23 5055008 t #8222250 5 F	2	22222222222222222222222222222222222222		
IT PRINEE A-116 INF INF INT WHITE PCLYBEIHANE 461-12-8 A/P 45 3/1 BW ANTING	O GGCCCCC C CGCCGGGGGGGGGGGGGGGGGGGGGGG	7	a 50222000 t x82220110 0 t	5	25 25 25 25 25 25 25 25 25 25 25 25 25 2		Parity of the pa
NE WATTP ZPORT ZAIM WHITE PCLUMEETHANE &63-12-8 A/4 45 3/1 BW AATTHG 3/1 BW		0	# # # # # # # # # # # # # # # # # # #	62 - 62 - 62 - 62 - 62 - 62 - 62 - 62 -	552 25 25 25 25 25 25 25 25 25 25 25 25		
AND THE PEROTE SAIN WHITE PEROTESTHANE RES-12-6 A/P 45 3/1 BW		10.00 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	12 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	25 25 25 25 25 25 25 25 25 25 25 25 25 2		
J/1 6V WNTTP ZPONY ZAIM WHITE PCLYGRETHANE MG3-12-8 A/M 4S 3/1 BW NATING			1	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		
4917E PCLYURETHANE 863-12-8 A/P 45 3/1 BW ATTMG 3/1 BV		44		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	288288888888888888888888888888888888888		
M63-12-8 A/M 45 3/1 MATING 3/1 BV		24. E	- 6 6 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		2222222222		
ALTHG		25. E 5. E 6. E 6. E 6. E 6. E 6. E 6. E	2 6 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	62 62 62 62 62 62 62 62 62 62 62 62 62 6	2588888888		
ς δ. γ			26 t. 1882 222 222 24 t. 1882 25 t. 1882 26 t. 1882 27	10 1 10 10 10 10 10 10 10 10 10 10 10 10	22222222222		
. S		12. 04 15.70 19.00 19.00 19.00 19.00 11.00 11.00 11.00		12122222222222222222222222222222222222	ខ្មុននេងខ្មុន		
y S		13.94 15.79 15.79 13.00 13.00 14.15 1.16	± + + + + + + + + + + + + + + + + + + +	12 - 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	25 25 25 25 25 25		
		20.00 6.00 6.00 6.00 6.00 6.00 6.00 6.00	1 2 22 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	12 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	25 25 25 25 25 25 25 25 25 25 25 25 25 2		
	00000000 00000000000000000000000000000	15.79 13.00 13.00 13.00 14.13 11.16	1.22.22.22.22.22.22.22.22.22.22.22.22.22	12 - 1 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	22222		9 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
241-4-140 EST: 3POXY 1/8 44 14 3/1 84		15.75 18.00 18.00 18.00 18.00 11.4		3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	32.52		
May 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	252		Palat Palat Palat Palat Palat
			200. 200. 200. 200. 200. 200.	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	25 25		PALIET PALIET PALIET
THE SCOTE OF LAND		66.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.	22. 22. 40. 50.	26 E E E E E E E E E E E E E E E E E E E	22		PAINT PAINT PAINT
TOTAL PIPE OF THE				24 24 24 24 24 24 24 24 34 34 34 34 34 34 34 34 34 34 34 34 34		AIR	PAINT
MEJ-1-8 PLAT SLACY POOT	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2.4.4.4.25 2.1.3.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.	.02	26 E E E E E E E E E E E E E E E E E E E	150	17.0	PAINT
163-3-100 A/B AS 3/1 3W GMITE YFCXY	7 PC	11 1	.02	76 E E E E E E E E E E E E E E E E E E E	72		
463-3-100 A/9 NS 1/1) (4	9 : 3	.02	16 H 24 H 16 H	99	AIR	PAINT
163-3-100/CA-118 as 3/1 BW BMITE PA		;	. 02	24 H	25	TE	
		= ;	.02	16 H) F		•
Chi-1-12 663-3-100/Ch-118 AS 3/1 88/PP74RB 463-6-5	264	: ;	:		2 %		•
	,	;	٦.	20.00	3 5		•
CAS-1-11C 46 1-3-8 BIACE OVER BRINGS A63-12-12	204	·	•	2 4 5	? ¢		
	;	•			33		
					2 2	4 6	
TO THE PROPERTY SERVICE STORY OF THE PROPERTY		•	:		- (
SERVICE COLOR LITTER	,		?	# P P P	93	1	FALRE
***		•		87/	0	# T #	
TOTAL DEVICE DATE FRIER)	-	5.	H .	52	4	PAINT
		•	1		121	AIR	!
CRITATIAC 405-5-6 ELACA OVER PRIMER 465-32-12) Line	5	. 22	Z .	25	AIR	PAINT
				¥ 0 2	121	-1	
CLT-A-LAC 463-3-8-BLACK OTTS PRIVER 463-6-2 GRESH/P) L	. 70	.03	7# R	25	AIR	PRINT COMPOSITE
				E 0 T	121	AXA	
	1 5C	1.33	8	24 H	120	AIR	PAINT
163-3-8 FLAT BLACK RPCXY	FPC	1.02	-05	E#	\$2	AIR	PAINT
				E:	99	AIR	
				HOE	135	A I I	
				728	126	4	
CAT-A-LAC BE T-3-8/CA-118 AS 3/1 BW RIACE DOOWN DATHE	20.4	40			,	4	
,	,		:		; ;		
THE THE PERSON OF THE PERSON OF THE PERSON OF THE PERSON	,	•	¥		2 4		1
TO THE PARTY	١		c;	E 7		# T #	CCBL PAINT
			:	. JE	2	# T #	
17 1/6	יי	3. 30	•	97	6	× .	COSC PAINT
	•	,	;	6. 5#	2		
HV CCED BIK	ĭ. PC	8, 16	.33	9	2	AIR	PATET
163-6-14/CA-47 AS 3/1 BV CCMD BIK	7 P	6.98	. 35	7# H	22	T I	COMD PAINT
				Ξ	99	AIR	
CAT-1-LAC 463-6-14/CA-97 AS 3/1 BV CCND BLK PAINT/P	PPC	2.17	.35	H 12	52	A 18	CCND PAINT
		!	i		2	A I R	
CRITELIC 403-0-14/CE-4/ AS 3/1 BV COND BIR PRINT/F	r PC	1.4	. 34	74 H	2		CCMD PAINT

SECTION 13 -- PAINTS LACQUERS WARNISHES

APPIICA TION	CONTING	PAINT		† †	PAINT	PAINT		CCEC FAIRT		CCED PAINT						FILTO	THIE	PAINT	PAIST	CCND SAINT	COND PAINT		CCND PAINT		CCEC PAINT		PA INT			PAINT	1	PAINT											1114	- TRICO	PAINT CORPOSITE			PAINT CCHPOSITE	
. A TROS	HI W	P I I		=	AIB	# I					A I I		1					T I	AIR	N I N	AIR	A I I	AIR	AIR	7 I B		AIR	HI	A I	T I	II	AI A	11	11	AIR				1 6					1		AIR	AIR	AIR	A I K
BE	23	2	% %	2 2	22	\$	£ :	2	171	52	% ;	Ç	2	C Y	đ X	; ×	X	2	\$2	: 22	\$2	20	32	52	2	20	\$2	%	%	52	99	22	52	%	52	52	2	2	C 7	Ç X	Ç X	3 ×	Ç K	3 %	3 %	: \$2	\$2	100	25
	E 9.	10 OH	<u>.</u>		=	2	3 9	70E	30	=	2	308	E (::	2 5			9	2	2	24.8	5	2	2	24 B	2	330	2	78	16 H	140	2	=	=														350
XCACH	3.	=	51.	7	2	2.	1	6	60.	9	2	- 32	;	.02	76			-	1	5	3		-01	٠.	5		- 02	8.	8	5		<u>.</u>	. 28	.27	8.		8	0	6.5	5.6	5.5	3 6	3.5		5.5		.03	. 25	
STRL	9.03	2.35	1.67	2.12	2.37	1.46		1.92	. 86	1.57	0.57	£. 50	. ,	1.30		C		7.73			9		1.40	2.09	1.24		9.	2.63	1. 39			1. 32	1.91	1.42	.92	1.01	96.	. 87	. 76		1.04	2.5	F. 6				. 83	1.08	
### CODE	FPC	PC	BCC	<u> </u>	HCC	CC		BCC	S	S	HCC HCC	HCC HCC		<u> </u>	2		2 6	י נ פ	נ נ	נ נ נ) C	,	BCC	E C	CO		22	S	2	E CC		HCC	HCC	HCC	BCC	20	3 2	S C C	HCC HCC	U I	S E	E C	HCC	D)	200	2	HCC	HCC	•
MATERIAL	CAT-1-LAC 473-3-1 A/B AS 3/1 BV CLEAR EPCXT	THE BUILDING STREET STREET	1 CT055	A276 HIGH GLOSS	TOT MAINTENANTAINE SELES SECTO FORE TOTAL	CELECT AND ALCO BLOSS SELLS COLUMN ACLARAMINATION OF THE TOTAL TOTAL TOTAL SELLS SELLS SELLS AND THE SELLS SELLS SELLS AND THE SELLS		CRESCIAZY H322 ELACK COMBUCTIVE PAINT POLYDRETHAND	N322 FLACE	1200 5110	SERVICE TO THE POST OF THE POS	15 2881		S 3107-13 PLAT SLACK POLYDRETRANS	S 3107-13 FLAT BLACK PCLYURTHANE LOT	IS 3107-13 FLAT BLACK	1S 3692-51 FLAT	15 3692	4200 G	V200/9989 AS 50	2004 ELACK	ZOC# ELACK CORD	4000	CHERT TOTAL TOTAL PRINTS CONTROL TOTAL TOT	COORTON DETREE CONTRACTOR DINCE CONTRACTOR	1100 STATE STATE OF S	91-1091 ST TIMERACK PRESERVED CACA CACAMINES	1 7077	2 6677	COMPOSITION FOOD CHOICE FOR CONTRACT TO SECURITY OF THE CO	1 0067		101 9067	101 906 1	171 70 C 771 101	101 900	101 700	101 9012	2306 LCT MUA	2306 10T OAB	2306 10T 0GB	Z306 1CI	31AZE Z306 1	LAZE	RERGLAZE 2306 LCF WHA	HENGLAZE		CRESCRIPTION 2006/54CD DICCORRECCES/ICCORRECT	73067

SECTION 13 -- PAINTS LACQUEES VARHISHES

AATESIAL	E P R CODE	4THL	SCVCB	CORR	CORE	LTHOS	APPLICATION	
CHEMCIATE 2306/CAT 9986 AS 100/1 TWO COATS	BCC	1.01	æ.	151	K	AID	PAINT	
				154	7	TIV.		
				15#	X,	=		
THE COURSE STREET STREET, JOHN BONDERSE	1	,	,	E 0	נו	AIR		
		- 62	\$		2	AIR	PAINT CCMPOSITE	
1000 C 10		2	. 65	300	5 2			
B BOTABA / SOCI		1.00	50.	420	52	AIR	PAINT COMPOSITE	
	<u> </u>	3	Ş	420	ĸ	AIR	PAINT COMPOSITE	
B BOLLAW /BOCK			5	74	125	AIA	PAINT COMPOSITE	
	į	i		=	X.	AIR		
	200	1.75	. 12	= :	X X		PAINT COMPOSITE	
CAPRGIATE 2306/LAMBOLDW MDOTW/BOT PARTOR DETREE AT			;		Q:	TI T	,	
1/2/2121 2 20 22 20 20 20 20 20 20 20 20 20 20 2		-	3	7:	C X		PAINT CORPOSITE	
CHRISTALL 2306/SUPER ROFORCH PRIMER'S			•		C y	# T T		
	93	7	70.	2 5	Q #	NI T	PAINT CCMPOSITE	
Chryslath 28 2402 alon Pille Bortabetants 10+ 104		ţ	;		2 1	III		
200			6	2	2	AIR	PAINT	
T D V V D I			.03	2	X	A IR	PLINT	
TATE FOR BUILDING			7	= ;	9	AIR	PRIMA	
CONFIGURACIO SERVE DE CARLORS IN TOTAL DE CONFIGURACION DE CARLORS IN TOTAL DE CARLORS		90.	e:	2	%	7 1 1	PSIRES	
4	200	6-9	- 30	2	2	A I B	PAINT CCBROSITE	
	Q;	7.51	. 32	2	5 2	AIA		
COSTA FOR HEREITAE CONTING		2. 11	€.	3	52	HIN	PAINT	
	4 EQ	8.58	1.28	72H	Z,	AIR	PAINT	
CONTRA DELACT METON	00	2.30	1. 28	23 E	150	AIR	PAIST	
- 1	CTL	3.93	. 03	=	9	TI T	PAINT	
T HOGHES	ť	2.60	2	128	125		PAINT	
CONTRACTOR SCO BELEGA FOLINISTEM COMPINED	S E	. 69	-02	2	ĸ	AIR	PAINT	
		. 79	.03				PAINT	
٠:	I C	2.54	- 26	2	52	AIA	PAINT	
SC 32-100 BEAR OFFICERS FEELING	ŭ		9.	2	52	111	PAINT	
	ŭ	. 63	- 20	R 12	2	11	PAINT	
DC 92-019 STITCER DETROP	6	:	;	# ·	3			
DC 96-003 DISERSION CONTACT	200	71.	è	# Z	£	AIR		
991 WASHISH - CLEAR) 2		2	# F	C X	=	CONTING	
991 VARBISH - CLEAR	֝֞֝֝֝֝֝֞֝֝֓֓֓֓֓֓֓֓֓֓֓֞֝֓֓֓֓֓֓֞֓֓֡֓֞֓֓֓֞֝֓֡֓֡֓֞֡֓			2 5	ç	# T #	COLF COAT	
MIS 1162 A/B AS 1/1	7 10	. 4	90.4	B 4 C	<u>C</u>	X 1 X	COMP COAT	
	1	;	:	=	3 %			
DOPON: 4817 COMDUCTIVE SILVER PAINT	a DO	3.84	•	24 E	2		CCBB BATHT	
DOPOUT 4922 1/8 AS 1/1 BU COMD SILVER PAINT	9 DG	.61	8.	158	3	AIA	CCED PAINT	
				H 0 H	8	AIR		
SOLVEING BLACK REPREMILIEUSHURINGS	HIC.	2-70	.21	=	121	AIR	PAINT	
COLUMN STATE AND	HI.C	*6.	. 33	161	125	AIR	PAINT	
) (8)	8.91	.78	# O F	£	A 1 B	PAINT	
			;	=	X:	AIR		
	0 10	. 72	٤.	E 6	2 2	EI.	PAINT	
E-KOTE 3030 COMEUCTIVE ACRYLIC PAINT	042	. 76	50.	=	6 9	11	CCMB SATM+	
				24 H	22	A I B		
MANUTER OF COMPOSITABLE PAINT/ACEPTIC	B PO	3.32	œ.	16 H	25	AIA	COND PAINT	
SA 9203 CRE CLATORES DRIBES DOS SOCY	9	97 01	,	8 t E	3 ;	AIE		
RCCOSIL FUIRE 33		13.63	2 5	Ξ:	۲ <u>۲</u>	# I #		
	;	,	•	=		174	ACE PAINTE	

SECTION 13 -- PATHIS INCQUERS VARBISHES

SATTERIAL	346	# THE	NCVCB	CORE	CUKE	ATRCS	application	
								i
OF MADES CONTRACTOR AND THE PARTY OF THE PAR	930	.85	=	128	<u>و</u>	AIE		
	SHT	1.67	. 12	6	2	AIR	11174	
CONTRACTOR OF THE CASE AND CONTRACTOR OF THE CON	SHL	1.66	.07	16 H	52	AIB	PA 181	
ALL ALCALS (NATIONAL) CONTRACTAL/AZE BOOK				7 H	99	A IB		
Cycle derication of a contract of the contract	SHIL	1.96	. 12	10	5 2	MIR	PAINT	
MICH ASP AND DESCRIPTION OF THE STATE OF MICH.	100	-	00	5	52	AIR	FAINT	
SECH 956 N/B AS 100/58 BU/CARBOLAC/STRUID CZO			3 65				PAINT	
•	b (34.0	ķ	41	PATER	
PINCH BLACK FAINT 663-3-2 FCLYDRYTHAND A/P AS 4/1 BV	<u>ا</u>		2	# 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	. ,	4 1	; ; ;	
				# :	9 (
NA 1/8 37 32 32 32 32 31 A 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	PPC	4.42	8	2 6 H	2		FALFT	
				168	99	AIE		
	Je 4	7.21	8	75	52	AIR	PSINES	
THE MAINTAIN TO THE PARTY OF TH		5	. 02	70	25	NI C	PAINT	
Preser Pinck Clasing 115/111-100/CAEGOLAC/RON/:- 'A			28	5	52	AIR	PAINT	
PLCOMIL BIACK PAINT	2 1	3			5	ATE	FAINT	
PLOSFOCIAL CIEAE V78V221	2	6	•			-		
		,	;	200			100	
PINCECTAL BELLE G79:937	282	9.	.0.		2 2			
				-	9			
A SASS BOARD CONSTRUCTOR BATTL CREW ALKID-SILICONE	BAL	.03	. 02		232	# T #		
A LANCE OF THE STATE OF THE STA	BAL	60.	₹.		232	211		
	BAL	3, 13	1.07	7 F H	22	AIB	LEIVA	
Charles Charles Carrie DESE-5	Che	8.75	. 85	_	52	AIR	ATLAISE	
ON TOST INSULTATION VARIETY PREMELLY)			H	120	AIR		
	نين	6: A7	17.	#2 H	25	A IB	VASHISH	
DE 7031 INSCIPLING WHENISH - PRESCLIC	1	•	•	=	120	AIR		
				728	80	9-1		
		*	2 55	_	125	AIB	COLTING	
GLYPTAL 1201 ALKYD COATING	י ניי ניי				15.0	1	COATING	
GLTPIAL 1201 ALKID COLTING	630	2 1	2		125		COLTEG	
GLYPTAL 1202 ALKID COLTING	פנו		9.6		2 4	1 4	COASTEG	
	GEC	07.6	? ;		2 4		DATES	
CSSC 657-38 SILICOME WHITE PRINT	200	-			3 4	1		
	OS O	1:	6.	֓֞֜֝֓֜֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	Ç, Y		+======================================	
CASO 657-41 SILICOND SAIRS CAIRS	GSC GSC	=	3		Ç		•	
			•		0 0			
SETTER SHOULD STATES	GSC	.21	80.	•	52			
PERSONAL PROPERTY OF THE PROPERTY CARE	6 30	. 15	.00		2	A I K	LETER	
					001	# T #	11 11	
SOLESTIC SERVED SYSTEM SERVED STREET	Id d	9.10	.98		25	#14		
CIPA FROUTEFUL PERSON (APPLIED BRIDE)	BC.	7, 23	.02	••	22	N I W	PALET	
THE CONTRACT OF THE PARTY OF THE PARTY.	BCH	5.43	\$	•	52			
ACTION TO THE PROPERTY OF THE	DEX	18.65	-05	•	52	AIR	1114	
SOUTH TO THE TOTAL CONTROL OF THE STATE OF T	SEX	1.23	2	•	52	AIA	PAINT	
CAMITANA 1-500 481/10C-43 43 1/1 04 FIRCH	1				125	AIR		
	1	11,90	.0	•	52	AIE	PAINT	
Charles a - 500 4683/10C-42 a carried		2, 10		•	52	AIR	PAINT	
LARIERS Y-500 463/10C-45 AS 1/1 BK BLACK	4	•		24 H	125	AIB	•	
		95	10.				LAMINATE	
IN STRACT MENTER GAO GENOR SPORT/FIGURE		1.7		2	25	AIB	PAINT	
	ָבְיבָ בְּבְיבִי	10.82			25	AIR	PAINT	
TEACH 010 FLAT ELUE LACOUM ARROSCLY	1		•		25	VIV	PAINT	
LEACH 013 AS 4/1 BV 5LDS EPOXY FRANKI	1 0	4			2	AIR	PAINT	
LEACH OTE AS 4/1 BW GLOSS BLACK SPORT EMARKE		1.65	. 23		99	AIR	LACOUER	
LOGO 1709/508 LACQUZE/THINNER AS 3/1 BV	3	:		=	163	AIB		
	8	4.82	1.03				LACCORP	
A-152 TROOMER BASECOAT	1	!						

SECTION 13 -- PAINTS LECONERS VARNISHES

AFFLICATION		## #/#FD#			VASE PRINTE															COMPOSITE													Composite		C037		-	•													
16.6					VA SE		PRIME	PRIME	PA INT		PATHT	PATE	2111	1		PAINT		PAINT		PAINT	PAINT	PAINT	PAINT		PAINT			PAINT		74113		2 2 2			CCIIX			PAINT		PRINK	PAINT	PAINT	PA INT	PAINT	PAINT	PAINT	PATES	PAINT		PLINT	PAINT
A TROS			7 T	E-3	AIR	A I B	A I R	AIB	AIR	AIR		ATE	1	172	9-4	AIR	AIR	AIR	AIR	AIR	AIB	E-3	AIR	AIR	AIR	AIR	9	# I E	Ç .	# ·	17	2 4 2	6 T 4	4 F	AIB	11	9-2	AIR	A I R	AIR	AIR	A IR	AIR	AIR	AIR	AIR	AIR	A T B		AIR	AIR
CONT		3	2	121	52	3	52	3 2	80	52	121	110	15.0	, ×	2	121	52	99	52	52	65	6	25	121	121	22	6	171	۲ بر د	ς:	97.	2 5	3 5	90	22	7	7	9	\$2	52	52	100	35	150	150	95	25	100		150	150
CORE		=	28	28	304	Į.	=	=	Ŧ	70	20H	16.88	28 H		H 96	=	9	2	9	55	75	5	2	24 H	308	20	# C C	E :	87/			200	200	24.8	Ħ	28	16 H	H 8 H	50	24.8	24 H	# 8 H	9	#9	6 ff	H9.	30	E 0		2 E	2 9
*CVCB	9.	1.03	:		٠٥.	,	- 23	8	. 24		. 02	. 17	22	=		. 02		- 02		. 12	. 02	.03	80.					70.	ę	•		5	•		.0			.07		. 33	.03	9	. 47	8.	. 35	5.94	- 02	ō		. 22	. 22
KINT	2.43		;		9.61			11.35	1.95		5.02	1	.57	6.02		5.17		2.60		4.82	2.88	2.85	3.09		2.91		;	3. 33		D		37. 6			3.11			3.00		11.66	6.27	. 5	1.04	=	-95	10.90	3.14	2.24		٠.	٠. و
adou da k	200				301	1	1 47	H	E E		I			7 2		28 E		E E		E F	E 50		E F		RY:		1	E	1		•	=======================================			25.2			Y:		200	GSC	gsc	380	GSC	GSC	GSC	GSC	SC		esc	280
AATZETAL	M-152 INCCURE EASECORY W/ DAY NIGHTHDA	5			かいていかの たいべき アボウルの 河泊 アンマ グマ ひとせいてくをひせして		•	THE TAX DESCRIPTION OF THE PROPERTY OF THE PRO	MAN 101-C10 VELVET BIACK ALKYD		101-C10 VLLVET SLACK AL	101-C10 VELVET BLACK	101-C10 VELVET BLACK AL	101-C10 VELVER BLACK PA		MER 301-C10 VZLVZ1 BLACK		AND JOI-CIO WELVET BLACK		ZINC CHE	401-110 A/B AS 3/1 BV 3HTTE	401-110 1/E 43 3/1 6V HRITZ P	3/1 B4		THE TOILUIS TO BY BY BY ALLAND BINCK			122 401-C-0 8/E 80 3/1 00 4014E1 BINCH	SUBJECT AND LANG AND THE WAS SAVE OF CO-COMP STREET			HER 401-C10 VLLVET BLACK OVER E-SOLDEY 1022 LAVID			HHH 403-C10 A/B AS 3.5/1 BV VELVET BIACK			HAM 403-C10 A/6 AS 3/1 BF TELVET PLACE		#S 2402 PFIGEF/FCIL	MS 74 WAITE COLING K2SIO3/1102/2MO/AL203	AS 78 WHITE COLING K2SIO3/1102/2M0/AL203		4Sh folk Green Fairt of 650/CHROMIC CXIDE	102 PLACK PAINT CARBON BLACK			S BLACK COATING	DA GOTE, PATER AT CEASES	R. VINITE FAIRT OF 670/NV	RZ WHITE FAINT OI 650/NA 82 WHITE FAINT OI 650/ZIM

SECTION 13 -- PAINTS LACQUERS VARNISHES

ATROS APPLICATION	AIR PAINT					LALET				AIR PAINT BASE	PATEG					LHTW& SIT		9-12	AIS PAINT			AIR LACOVER						_	_	AIR PRINCE		PETER PETERS	ATR	A I SO PRINKS		PETERS	STRING STA				7 9	and the second	4 4	***	AIR		A I B			AIR		AIR	A I.R		PAINT	A TR PETREE	:
TERP	22 5	2 5	? :	2 4	C i	Ç	121	100		16.3	,	G ;	Ç;	3	52	71	93	3	52	Ľ	6	17.7	9	163	100	22	20	\$2	122	52	87	52	8	25	8	2	ķ	3 %	֝֞֞֞֝֞֞֝֓֞֓֓֓֞֝֓֓֓֓֓֞֟	Ç	9 5	2 %	Ç ;	Ç	\$2	52	23	52	99			52	150			35	3
CORR TI AE	161			8	7	74 H	=	168		=	1	17	2 :	=	2	3	#8#	161	19 19	3 H	24 B	30#	=	Ŧ	16 E	24 E	28	¥	181	78	16 H	28.8	24 H		7	5				2 7	5 6	7	7	2	24 H	24 H	24 H	15.8		1. SH		16 H				7.0	•
ACVCH	8	;	3	Ç	5	8	.32	- 02	9	7		3:	10.	-0-		.23			.07			C .			1.69	. 12	10	1.44	00	50	1	2, 29	:	1 30	•	5		i.	5	?	97 ·	;	7	£.	- 02	60.		.07			90.	30	51.	. 02	6		•
STRE	3.66		7.30	c5	96.	2.16	2.59	. 51				2. 66	65.	1.50		2.04			2.92			.27			6.42	£, 31	20.	17.56			3	5.97	•	-	•				2.7	3.23	2. 32		3.23	5.24	1.01	9. 24		1.87			2.86	2.48	1.51	90			
N P R CO DE	380		080	OS9	72 #	080	ITE	285	0	9 6	# · ·	GSC	6 2C	KOP		CAC			CAC			# C #			8.78	č	ָ ער פי	2 20		, ,) \$	500	י י	0	י ר		1	9 1	023	M Gi	E 7 I		- SH	HS D	ABC	029		PTI			2 2	4)
RATERIAL	SER SINCE PAINT		EAST BANK BUILDING THE STATES		CHIEF COLD HERE SAN MALE CAN CH	AND ALLE MANAGEMENT MANAGEMENT AND AND MANAGEMENT AND		OF SECTION AND ASSESSED TO	OF 650 PESITE PETITE CAPE SEAL	650 RESIE LELIS		JAN PPCTY BEIRE	76.8-12 BRIEF STI		•		ALOY HELES		1	THE SOLD OVER PRINCE AND ADDITION		GABOUT MINTO ADDITE MARKAGES				PALADIA GIACA DATA LACING	PC-5 BLACK CCATIRG	COSO/POTRUSTIN ALLIANTS AND	TERMINATION OF THE TAX TO THE TAX	OCI THIAS STILL	PR 1506 CILLS PRIMES		PR 1531 PCLFCEP122MM PRINTS		PR 420 OMBEGE PRIMES		PR 420 FFIMEL/ACETORE	PARAKOTE	rc 513-102/F	RANDCIPH GRESH ZINC			BOTAUR STEC CHACKATE		D-043-44 35 1/1 PB		CAC/THYEL		THIRD STILL AN I/OL OF LL-H/LOS Jd			100 SILICCHE «	PW 100 SELIC SILICONT-ALKYD	CCEE-4LMY C	THE STREET OF		P415A PEOTY Exibia

SECTION 13 -- PAINTS LACQUERS VARMISHES

	BATERIBI	CODE	Stal	SCVC	TI ES	14 B.T.	ATHOS	AFFLICATION
PROTECT OF STATES OF STATE	PS27 PRIMER RECEIV/POLTAMEDE	ABC	2.16		158	×	111	**************************************
FOIL *** DATECH*** *** DATECH**	•	•			=	11	111	
Name	BICEO SHIELD PAINT) E	8. 54	2. X	310	×	11	PAINT
DEFOIL LOT BRICKS BRICKS GSC GS GSC GS GSC GS GSC GS GS	RICFO SHIRLD PAINT ON	S E	9.58	1.17	Z	ŝ	711	PA185
DEFOLLOI LOS BANCHS SASC 46 00 70 25 ALB DEFOLL LOS BANCHS SASC 45 00 70 25 ALB DEFOLL LOS BANCHS SASC 45 00 70 25 ALB DEFOLL LOS CASS RATCH SASC 13 10 70 25 ALB DEFOLL LOS CASS RATCH SASC 13 10 70 25 ALB DEFOLL LOS CASS RATCH SASC 13 10 70 25 ALB DEFOLL LOS CASS RATCH SASC 13 10 70 25 ALB DEFOLL LOS CASS RATCH SASC 13 10 70 25 ALB ROOM RATER BANCHS RATCH RANGE RATCH SASC 13 10 70 25 ALB ROOM RATER BANCHS RATCH RANGE RANGE RATCH RANGE	602 764-11 BELTE PLIET PR BATCH 9	6 80	=	Ę	70	\$2	111	71107
DEFOLL LOT BASS BATCH 3 GRC6505 70 25 ALR DEFOLL LOT BASS BATCH 3 GRC1910 70 25 ALR DEFOLL LOT BASS BATCH 3 GRC1910 70 25 ALR DEFOLL LOT CRESS BATCH 3 GRC1910 70 25 ALR DEFOLL LOT CRESS BATCH 4 GRC1910 70 25 ALR ENDERLY REAL RESIDENCE TER9010 70 25 ALR DEFOLL LOT CRESS BATCH 2.9012 ALR DEF	602/SPC 05 AS 0.25% CAT DEVOL LOT BA242 BATCH	080	98.	8	2	ş	A I I	PAINT BASE
DEFOIL LOST CREASE RITCH COST C	602/SEC 05 AS 0.25% CAT DEWOL LOT BU252 BATCH	249	- 65	80	70	ž	AIA	PATHE BASE
100 10 10 10 10 10 10 1	602/59C 05 AS 0.254 CAT DETOL IOT CH258 PAPCH	GRC		6	2	2	1	
100/1 Nu VICIORN CSC C	AND JAN OS / LIBELING 1/POTROUS BY LE BITH					ž		
F236C	ACAMER OF SECTIONS OF SECTIONS) () (2 (? :	2 (9 2		
### ### ##############################	604/SEC US/EBU/TULUERE	9		2;	9;	S	11	11174
### ### ##############################	602/SKC 05/Z80/TOLUSBY DEVOL BATCH	380	. 33	8	9	2	111	PAINT
## 1990/1 Nm m/TCLORME 178 .96 .16 .19 .28 .18	SILICORE	IIB	. 42	60	107	25	AIR	PAINT
F236C		; !	1		141	121	4	
100/1 Ne s/TCLOREZ 178			•					
118 178		4 4	7	2 ;		Q y		
100/1 Nu W/TCLUTEE		11	• 0	5.		Q		
NOTITION					76	6	11	
NO PRINCE 17	WEITE PAINT A/B AS	ITE	3 5.	2	2		AIB	
	WHILE PAINT E-127 H	TTP		12				71114
PERMER BATCH E-406	WEITE DATES MINDIAND		2					
PRINKE BATCH E-697 118	TILLS FIRST NOTES TO SELECT STATES ST			.				
	OF-3 80145 BISTS FFOR	111		5				FEIST
PRIMER DATCH E-555 IIB	SOSTE PRINCE	II	2	-05				PAIN
10 AS S/1 BW TMIN COAT 1.19 23 128 143 AIR 18 AS S/1 BW TMIN COAT 1.19 23 128 14 3 AIR 18 AS S/1 BW TMIN COAT 18 AN	4044 PRISE BATCH	III		.03				PATHT
18 POLTURETRANE 19 AND 19 10 24 25 AND 19 POLTURETRANE 19 POLT		E C 6	-		128	-	110	
POLITIFIANE	***************************************			:		,		
BV	MTHT MO I/C CW G/W		70.01	6		Ç	# T W	
BV	2			70.	7	Q:		
BV	BLACK 7X9055	D. 4	9	*	7 E	ĸ	A I B	Palat
DETAILS DETA	BLACK	GIN	86 .	3	308	17.7	A I'H	PAINT
COATING	BIACK 7x933/5744 AS 4/1	GIB	1. 39	-62	30 8	204	ATA	Pater
CONTING	B ATG29 BLACK PATER		ć	8	15.8	616		
COATING	STICOSE 150 DETERMAN		9	2	5	5 6		
I.Ph Prince TS4/F	10.10			ě	2	: ;		
TEM FRINES TS4/F DEX	CARD A-B-33 FEAT SEACH CORTING	1 2 1		\$ 8	0.0	Q I	17	
COATUGE-WHITE SILICONE SPX 3.44 .03 24 100 E-2	CRED 4-P-13 OFFE CAROCIPE PSINES	DEX	. 78	70.	17	Q S		PAIST COMPOSITE
COATING-WHITE SILICONS SPY 3.99 .01 15 M 25 MIR COATING-WHITE SILICONS SPY 2.99 .01 15 M 25 MIR 12 M		1	;	;	E 1	6	# T T	
COATING-WHITE SILICONE SPX 3.44 .03 7D 25 AIR COATING-WHITE SILICONE SPX .29 .01 15M 25 AIR 2	CASE REMDCIFE PRINTE TO	DEL	2.	60.	741	001	Z- Z	PRINT CCHPOSITE
COATURG-RHITE SILICON? SPI .29 .01 158 25 AIR COATURG-RHITE SILICON? SPI .29 .01 158 25 AIR IF PRIME GREEN FEORY? DES 3.97 .13 48H 75 B-6 IF PRIME GREEN FEORY? DES 1.51 .19 72 H 100 AIR IF PRIME GREEN FEORY? DES 1.51 .19 72 H 100 AIR IF PRIME GREEN FOXY? DES 5.03 .29 72 AIR IF PRIME GREEN FOXY? DES 5.03 .29 72 AIR IF ACK COATUR BAL 0.55 .36 5H 93 AIR WHITE EFOXY PAINT 5.96 .79 1H 60 AIR WHITE EFOXY PAINT 5.96 .79 1H 60 AIR IF 653-IBH 25 AIR	BIGH TERP COLTING-URITE	SPX	m.	2	2	\$2	AIR	PAINT
TERMINE GREEN ZEOTY/F DES 3.97 .13 40H 316 AIR	SP-101 WMT MIGH TRES COATING-BRITE	ZáS	. 29	ē	15.1	22	AIR	PAINT
T PRIME GREEN FROXY/F DES 3.97 .13 48H 75 E-6 T PRIME GREEN FROXY/F DES 1.55 .15 48H 75 E-6 T PERME GREEN FROXY/F DES 1.51 .19 72H 100 AIR T PERME GREEN FROXY/F DES 1.51 .19 72H 100 AIR T PACK COATHG BAL 6.55 .36 5H 93 AIR - BLOZ					158	121	AIR	
TERMINE GREEN ZECKY/F DES 3.97 .13 488 75 E-6 TERMINE GREEN EPOXY/F DES 1.55 468 700 AIR TERMINE GREEN EPOXY/F DES 1.55 468 100 AIR TERMINE GREEN EPOXY/F DES 5.03 .21 7D 25 AIR TERMINE GREEN EPOXY/F DES 5.03 .21 7D 25 AIR TERMINE GREEN EPOXY/F DES 5.03 .21 7D 25 AIR TERMINE GREEN EPOXY/F DES 5.03 .30 74 AIR TERMINE GREEN EPOXY/F DES 5.03 .30 AIR WHITE EFOXY PAINT STA 6.08 .09 18 25 AIR T-653-IBH STY 1.653-IBH 190 AIR T-653-IBH STY 70 .02 48 190 AIR T-653-IBH 25 AIR T-653-IBH 25 AIR					=	316	111	
T PRIME GREEN FPOXY 155 155 156 160 AIR 17 PRIME GREEN FPOXY 155 155 157 160 AIR 17 PRIME GREEN FPOXY 155 151 19 72 N 100 AIR 17 AIR 15 AIR	MOSOBOR STRID SESTSTING DETER CD 500	2	1.97	=		×	4-6	
TERINE GREEN FFOAT/F DES 1.51 .19 400 DAIR TERINE GREEN FFOAT/F DES 5.01 .21 70 25 AIR TERINE GREEN FFOAT/F DES 5.01 .21 70 25 AIR TERINE GREEN FFOAT/F DES 5.01 .21 70 25 AIR TERINE GREEN FFOAT/F DES 5.01 .21 70 25 AIR THE FOAT/F PAINT STA 6.06 .09 18 25 AIR THE FOAT/F PAINT STA 1.00 70 25 AIR THE FAILER STA 1.00 70 20 48 10 AIR THE FAILER STA 1.00 70 20 48 10 AIR THE FAILER STA 1.00 70 20 48 10 AIR THE FAILER STA 1.00 70 20 48 10 AIR THE FAILER STA 1.00 70 20 48 10 AIR THE FAILER STA 1.00 70 70 70 AIR THE FAILER STA 1.00 70 70 70 AIR THE FAILER STA 1.00 70 70 70 AIR	THE PARTY OF THE P			: :		3	<u>.</u>	
TRACK CONTING BAL 6.55 .36 54 93 AIR TRACK CONTING BAL 6.55 .36 54 18 18 AIR TRACK CONTING BAL 6.50 AIR TR	MONOTONIA TENTO TENTO TATES OFFICE	200		•	B (2 9		
TRACK CONTING TRACK	MORCEON PICTO PROTOCHEL PRINCE GREEN	DES	<u> </u>	- 1	H 7 /	9	FIT	
TRACK CONTING BAI 0.55 .36 54 93 AIR R - BLUZ - BRCW - BRCW WHITE EFOXY PAINT 5.96 .79 18 60 AIR WHITE EFOXY PAINT 5TA 8.08 .09 18 25 AIR T-653-IBH T-653-IBH STV 1.82 .31 6H 195 AIR T-653-IBH STV 2.96 .01 24H 25 AIR	ROBOLCH FIUID ENSISTANT PUTANT GREEN	DES	5.03	. 21	5	\$	111	
TRACK COATING BAL 6.55 .36 54 93 AIR 12 B - BLUE 12 BAL 13					304	7	A I B	
# - BLOZ DAT .75 .12 1H 125 AIR - BLOZ AIR -	1171-1	BAL	B. 55	36	28	63	ATB	PA 187
- RECWN - RECWN - HITE EFOXY PAINT STA 6.06 .09 18 25 AIR WHITE EFOXY PAINT STA 6.06 .09 18 25 AIR T-653-IBH STY .70 .02 48 180 AIR T-653-IBH STY .70 .02 48 180 AIR BY SPC 6.86 .01 248 25 RIE	287 H 28	740	75	12	=	125	4	
## ## ## ## ## ## ## ## ## ## ## ## ##	!			: 5	!:			
WHITE EFOXE FALM: STA	TOTAL STORY OF THE STORY STORY STORY		6.0	:	B :	2 (
T-653-LBH CPC 10.16 1.08 70 25 AIR T-653-LBH STV .70 .02 4R 180 AIR STV .70 .01 24H 25 E-5	COIE ICOI B/B BS I/I BY WRITE EFULI	STA		5		Q:	ALA	FALST
T-653-IBH . STY 1.82 .31 6H 135 AIR T-653-IBH . STY 70 .02 4H 135 AIR STY 70 .02 4H 135 AIR BY SPC 6.86 .01 24H 25 AIR		,	:		¥7 ;	2 2	¥ 1	
T-653-IBH STV 70 .02 4H 150 AIR T-653-IBH STV .70 .02 4H 25 E-5 BV SPC 6.86 .01 24H 25 AIR	TORGETURE FLUIDENCE: LACOURE	ر د	e :	3	2 :	ç;	# T #	
1-h5J-LBH STV ./O .02 4H 160 AIR 2 BV SPC 6.86 .01 24H 25 R-5	TENERS CITABLES THE CONTROL OF THE C	2:4	79.1	5.	Ē :	135	NI N	
2 BV 2 SPC 6.86 .01 24H 25 AIR	THEAROFOXT	STA	0/.	-02	=	9	T T	A P D I S H
2 BV SPC 6.86 .01 24H 25 AIR					7# H	22	<u>5-2</u>	
100 100 100 100 100 100 100 100 100 100	~	SPC	98.9	<u>.</u>	24 H	52	AIR	
THEERODIE STV 1.27 .24 20H 149 AIR	Y-210 VAFBISH - IMERKODUR	STV	1.27	. 24	20 H	149	AIR	WASHISE

SECTION 13 -- PAINTS IACQUARS VARKISHES

AND STALL GOVERN LINGS AND STALL GOVERN LINGS APPLICA	346	KINI	MPE WINI MCVCM C	Cres	COBE	ATROS	CHRE CUBE ATROS APPLICATION
	CODE			TI 달	1687		
STORESTEE - PRESENCE	ACS	98.	.07	.07 208	6 2 3	AIR A-A	14 14 14 ARE VARIER 18 14 14 14 14 14 14 14 14 14 14 14 14 14
2 93 POLACCICE SILICATO 2MO2 WATTE PAST 2-60m0 SILLER FEIRES	98.F	2.54	1.46	7. E	825	AIR	Palan

SECTION 14 -- POTTING COMPOUNDS

r Athes Application	•		ALE FUILING							_	AIR PCTTING	•					2 IR POTTING		AIR COMP COAT-POT		AIR COSF COAP-POR	PCTTI	•		AIE	# H	_			AIR POSSING	_	116 9047143				9811194			ALE FULLISH PALITY				_	_	_	AIR POTTING		_	_			AIB FCTTING		AIR POTTING POAM	PCT1116		AIR POITING	
Sest Teat	9,		=	į	8	Q	9	×	3 (7.	2	•	\$	2	Ç	3	_	5	X	8	9	X	25	52	100	2	120	9	120	164	17.5	130				ý	9 9	2 6	G 5	2	9	2	S	Ş	8	98	22	8	£	52	9	52	6	X	Š,	150	52	
		5 :	.	:		748	38	38.86		=	Ħ	-			=	-	e:	E	3	# 9 1	161	2	191	19	304	E	2	2.5H	=	=	=	7	!			100				2		0	7 A B	24 H	E 0	12H	24 H	24 H	5	20 R	24 H	30 H	₩	24 H	#91	= :	E :	2
#CVCB		:	?	3 :	9	5	51.		3	3	-0-			3	À.		5	•	.03		5.	68.		.03	.05		. 15			=	2.	90.	. 24	*		3	3	2	5	6	70.	5	70.		6	-02		64.	-02	6.		8	;	2	.0		00 -	
41aL	6					5.	. 57	1.59		2 :	=	76	22		-	;	. 27		. 28		. 26	30.82		2.59	1.46		1.42			. 82	64.	.7.	1.08	1.07			;	9		•	-			8 .	F.	=	!	1. 15	.78	. 32		. 39	•	2.83	2.00			
14 E	714			7 1			CIB	67.0		֓֞֜֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֡֓֓֓֓֓֓֡֓֡֓֡	E I D	E L			5		BAC		33.8		81.K	N CC		C1 8	CIR		C.7 B			CIB	CIB	RVS	CEL	CEL	7	1	2	7	<u> </u>		<u>ئ</u> ز	3 0	2	10 E	00	ROJ		EC)	8	MO2		X 00		YCC.	1 CC) []	
Tersacus	ASL:80MD 731-1 A/B AS 100/47 BE VELLCE PERV			A TO SERVICE OF SEE MARKET COMING MARKET SEE	PTT OF AND THE PERSON OF THE CONTRACTOR OF THE PERSON OF T	STREET TO THE CONTRACT OF THE OWNER OWNER OF THE OWNER OW	X 100/HA100 X	AT AT CTAIN AND DAMANAMENT AS TOOLED BY TROUB	CY 179 906 ,065		S BE SAID ST BORABAGEST	AT ALDITE #1750/H1972/MARBLE FIGUR AS 100/27/100 BU	20/4.6 82	600 A S.18 150			2		SERVE POLICIPATION OF STREET OF STREET		STATE OF DESIGNATION OF STATE	SP 617 4/P as 4/1 BS SPOXY		MS 1 / 1 7 P 7 P 11 / 1 P P	PSI 201 A/B AS 11/1 3W	;	BSI 206 BILCH RECKY			BSI 208 FPCK		C-10T A/T AS 4/5 BE 4/18 E4-3441 BLACK UFOXT	CEBDA 60 FCINCELIMANE	CERTA 70 PCLYLALIBANG	CF 3003 TFOLK FE HUGHES COMMECTOR 138C320 BO1	0 AS 1/1 BV AS PR2P		CHESICK 205/CHEBIOK 220 AS 1/1 BF CH POTI	:	COIRD GRE AVE AS 3/1 BV SHITE CUT KOT BOOVE	A/B AS 3/1 BV	FM-11 3/8 36 100/56	04 07 0 00 1	CORPERSE THIS AND NO TOWNS OF FOLIANTS	10 CC/00/ V B/B V CC/00/ V BE	MATHRADA SECTOR A/O		15 100/17.5 84	EM-5 A/B AS 100/17.5 BW	COMPANIE EM-7 A/B AS 100/17.5 RW POLYDRETHAND			27 001 31 120 313	֟֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֓֓֓	CUSTAL BIJZ AS 100/14.5 H4 RPOTT	CPB 23-21/28 AS 21.4/9.9 BW	ŗ,	

SECTION 14 -- POTTING COMPOUNDS

MATERIAL	# # 80 80 00	STHL	SCVCB		CORP	ATROS	APPLICATION
CREST 7340/7109/7120 EPOXY	CPC	. 35	š,	3 5	2 4	7 7 7	
***********				2 1	<u>.</u>	# T #	
			;	7	Ş		
715-015 SPOX	HYS	5.69	8				
C2-1259/3401	HTS	. 55	5	į	;		
COACLE IS 1/1 ET RPOXY	H 5	99.	. 23	7	Ç	A 1. K	PUTTE
				= ;	^ i		
TION TOOL ST		€.	8	=	= ;	4	
C9-8 183/82-3561/PC-1244 BPOXT	HT S	S.	8	117	Ç	174	
#1046 34 51/00 84 1954-CE/EGE4-61	HTS	. 38	6	5	3		911104
	HTS	94.	8	=	5	AIR	
CALABOTA ACTION TO BE RECOT	BYS	9.	.05	=	S	AIK	
	FAC	13.98	-05	=	6 Z	AIR	
			•	5	121	1- 2	
TO THE THE BENETING SYMPTETIC FORM A/B AS 10/1 BH	သူ	1.25	2	7	2	AIR	POILING FOAM
	DCC	96.	.	300	ĸ	AIR	E WC P W
2440/4 16 104	S	1. 13	Ħ.	300	52	AIR	
3110/3 63 108	DCC	1.46	. 47	=	99	AIR	THEADS
30-08/CH+ 6/1-4 60 44/ 41/4-44 44 44 44 44 44 44 44 44 44 44 44 44	O D	.92	.32				MECAPA
3110 Linking 10.10	DCC.	. 20	.02	2	52	7 18	POTTI DE-MBCES
	DCC	91.	8.	2	52	AIR	POTITION NOT THE PROPERTY OF
93-200 A/B AS	SCO	. 29	8.		ĸ	AIR	POTT I RG-RECAPS
DC 434-000 B/W BU 10/2 BE STITCORE	טט	. 12	00.		32	AIR	POTTI MG-MMC NP S
91-300 A/B AM 10/1 BM SILICOMS	2	11	. 02				POTITIO
93-500 FB 029159 FBB	,		1				PCTII #G
7 ITH 02750 WI 005-E6	֓֞֝֝֝֞֜֜֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֡֓֓֡֓֓֓֓֡֓֞֓֡֓֡֓֡֓֡֓֡֓֡֓֡֓֡֓֡֡֓֡	90	12				PO 111 MG
89-200 PR 068	2 5		9				POTTING
93-500 FR 1281	֝֞֝֝֝֝֝֓֞֝֓֓֓֓֓֓֓֓֓֝֓֓֓֓֓֓֓֓֓֓֓֡֝֓֓֓֓֓֡֝֓֡֓֓֡֓֡֓֡֓֡֓֡֝֓֡֓֡֡֡֓֡֓֡֓֡֡֡֝֡֓֡֡֝֡֡֡֡֡֡		7				POTIT NG
6-052 L/E LS 10/1 BW	3	Y. [;		×	a I V	PO11186
DELTA CAST 153-K-A RPORT KIT 153/BTAZ AS 20/1.5 64	# # #	70.1	-	5 =	2 %	A I B	
			2	•	;		PCTIIG
332/TETA AS 10/1 BW SPOTT	000		3	90	9	A T &	
332/732/1LF/	2		5	3 .	3 4		
A-82 AS 60/40/16/4 EROPS	00	1. 32	2	# 7 C	9 5		
	•			3	2	47.4	
				;:	C 6		
			;	Ξ;	2		
DES 332LC/HV AS 100/18 94 EPOXT	200	. 33			Q	A 1 B	
				= :	2 8		
-		,	•	•	2 4		20 11 10
DCIPHCH CF-1050/EL-2010 AS 20/7 BW	2	2-80	5.	2 :	; ;	4 4	
	USP	1.25	5				
E 676 2POTT	USP	B .			7 9		
9309 1/B AS 100/23 BJ ZPOIT LOT PCLS 90551	HIS	3.27	70.	•	C Y	110	
9309.3 AZE	a y	£.	5		C 7		
	HYS	66.	-02		G ;	# T #	
			;		- :	# C	OR LESSON
AN 4559 BEOLD EFCHY	H S	. 30	00.	7	= 1	414	9871104
THE STATE OF 1/10 BW SILICOME STALLANT	E	1.02	6.		Q ;	4	F0111 E6
STATES AND AND AND STREET SEALERS	E E	₹6.	. 22		\$	NT W	
THE HARDAID BE LIVE TO YAYYOU COLO	EAC	5.78	~		105	# T	
THE PICE OF THE PROPERTY OF TH	ENC	1.69			52	AIR	PC111 MG
COCOMO A A A A A A A A A A A A A A A A A A	ENC	1, 31			52	AIR	POTTING
TOTAL DECIDING TO A PROPERTY OF THE PROPERTY O	CHO	2.21			20	AIR	POTITE
MCCCOBORD #STA/12TA #2 4/1 DB STORY	1 0	5. 18	. 02	168	22	RIR	PC111 MG
582/CA1 9 AS	3	,	,		i		

SECTION 14 -- POTTING COMPOUNDS

TVICALTO	CODE	KIRL	NCVCII	11 8	148	A THOS	AFPLICATION	
RCCOPOLS PP 12-10 A/B AS 100/12 BE PCLYUBEIBLEE FOAR	2	3.54	.05	24 H	9	NI A	POAB	i
FF 12-10 A/8 AS 104/12 B		3.45	ş	23	2 2	YIK.	FOAB	
PCCOPOLN PPH 12-10M A/B AS 4/3 BW POLYGRETHAUS POAK	380	2. 10	.03	348	3 2		POAR	
7	3 30	:	.0	=	3	T T	POAR	
ECCOPOLE PPE/12-26 BOLVGERFELLE SOLE		•	•	121	3 :		1 4	
) E	2	•		3 9	= 1		
ECCOSOLM PRH/12-48 POLTURETRANS POAM	BNC	19.	.12	728	3		20AH	
PPH/12-48	MU	99		181	100		MON	
FPE/12-68		1.39	2	74 II	×	I	POAN	
				76 H	150	111		
ICCOPOLA TO FOLIMONIALIZATION FORM	<u>ا</u>	1. 25	.63	3¢ II	125	11	POAB	
2 14.0 4/0		2.01	- 07				FORE	
24 44/10 27	RHC	. 78	8				FOAH	
にここうでしまって シェンチャンプロ デオ・アンドイのおおおから かいかい かいかいしゅう かっしょうしょう かいしょうしょう かいしょう かいしょう かいしょう かいしょう かいしょう かいしょう かいしょう かいしょう かいかい かいかい かいかい かいかい かいかい かいかい かいかい かい		T. 03	5				TOTE	
THE STATE OF THE STRANG FORM	2	1.33	3				FORE	
うじんじいおおど ユーコンピーカン ニー トン・コロイン・ロー 関係に対し - 上の機能的 関ラリンク・ロー トン・ロートン コン・コンプランション・コンジュート	2 HC	7.38	5	19 E	F :	A I I	POTTI BG	
		17.	5		- [A I B	POTTIBE	
1210 1/		6	ž	= :	177			
640/CAT 25 AS		-	:	17	, ,		2011	
SCCOULT FEFO ALL SO AS 0.34 CAT STATECTIC SOLE	ָ בּ	3.6			Q 3			
	2	:	•	2	3			
3		1.28	.35	191	3 %		B0447 MG	
4850/CAT 25	BAC	1.21	36	28	9	I	POTTI NG	
	•			#	121	T I		
SAC 90 - BIACK	PAC	9.	5.	¥5	150	A I I	POTTIBE	
FPOCLST #4E-053/CLT 9816	FPI	.01	- 02	24.8	\$2	TIT	POTITION	
				78	93	AIR		
SPCCLST 168/995 AS 9/1 BE RPOXE	PPI	1.53	90.	168	S	AIR	POTTIBG	
		,		=	150	AIB		
SPCCEST 202-100	FPI	5.24	5	5	99	=	Pott I be	
202-c0	Had	3.54	8	3	3	111	Potting	
STOCKES AND THE AND TO THE STOCKES STOCKES	Idd	5.69	-02	# 0	52	AIR		
CT 2/V 6170	FPI	2.94	2	= •	52	AIB	POTTING POAM	
				.	2 3	A I I		
815/6		:	•	E .	× ,	411		
		<u>:</u>	į	;	8 ¥	7 1 1	POTTIBE	
	;	:	3	78.6	; =		2011102	
SPC# 815/W 140 AS 65/35 BH SPOXY	SHL	08	- 02	£	ķ		0.1441	
•) •		1 2	:=	II		
=	GSC	- 65	.03	70	25	# I W	CCND FOTTING	
825/V 140 AS	SHL	. 32	. 02	7 H	75	AIR	POTTI MG	
TPCH 826/871/2 AS 100/60/25.4 BW RPONY	ITI	₹9.	.0	7H	90	AIR	POTTING	
				#	130	AIR		
SPON B28/CEL 732/CAB-O-SIL/AEP	SHL	1.46	8	78	*	A I R	POTTI NG	
HZB/EN 308 AS 2/1 BN PPOXT	SHL	.77	8	# 0 H	52	AIR	POTTING	
828/11WIA	SHL	. 38	00.	E	100	A I R	PCTTING	
				H 0 #	2	A 18		
SPOR SECTION STORY OF STREET BY EPCKISING	SHL	ð,	00 -	Ξ.	0 0	A I B	POTTING	
			7	# 9 :	2 ;	N I B		
1/2 68 6/030	1 K	1.03	- 26	7 H	ž	A I B	Pott I &G	

SECTION 14 -- POTTING COMPOUNDS

																																							٠.											
APPITCATION	PCTING	FCTTING	POTTING	PCTIING	FOTTING	POTTING	FC11116	Potti ng	PCTTING	FOTTING	POTTING .	P011116	PCTTIBG		FO111PG	2011100	201110 CA1110				FCTTIBG	POTTING	Poffing	POTTING	POTTING	POIJING	PCTTIES	PCTTING	POTITE	F0111 MG		PCTIIMG	PO11116	PCTTI NG		FCTTING	POTTIE	FOILI MG	POTTING	POTTING	PC11116	POTTING	POTTIBG	POTTING	FOTTING	PC111 MG	24 140	P011 F0		POTTING
ATHCS	AIR	AIR	A I B	AIF	A 18	AIR	AIB	AIR	M I M	A I F	A IR	AIR	A I B	ar.		# T T		116	A I S	AIR	AIR	AIR	AIR	AIR	AIR	AIN		-	AIA		4 F 4	717	PSI	AIR	AIR	AIA	HIR		214		AIE	AIR	AIR	AIR	AIK	A I B	8 F	N T W	9-2	
CUST	25	32	22	52	×	52	25	£	52	52	52	25	52	97	Ç	6 v	9 %	3 2	-	\$2	9	52	52	-	113	121		1	ß	ž	3 5	3 %	17.1	135	150	Š.	% ;	8 5	2 2	2 6	: 2	125	80	121	99	6	111	17.5	111	
CJ RE TI NE	5	2	20	5	70	70	70	10	2	5	5	5	E	90 H	# • :	5 6	2 6	= =	728	9	16 R	5	H9	308	3	E,			24 E		E 2	21.8	H	16#	72 B	24 H	24 H		2 E		24 H	7	16 E	128	9 H	ROL	H 01	10 H	24H	
#CACB	,	0														8	6		}		-02	90	.02	.02	.17	.03	8	8	2.80	-0-	5	50,	00	8		.03	.13	8.	8		90	.03	5	0.	00.	64.	Ş	. 02		. 35
KINL	67.	9	. 55	65.	.7	1.28	. 86	. 86	<u>.</u>	.30	. 26	. 19	.61	i			20.	0.0	:	•	9#	1. 16	£.	. 16.	1.27	.45	. 12	. 59	6.35	.52	• • • • • • • • • • • • • • • • • • • •	1, 12	-	36		16.	1.82	. 12	9	6		16	6.17	4.97	.75	1.12	3	ē.		1. 10
RFB	SHI	3 H.L	5#1	LES	SBL	SHL	SHL	Sut	SAL	SHL	SHI	SHI	GSC		SHI		1 1 0	115	3		SHL	SHL	HYS	EPI	EPC.	IN CO	168	MR.	r 9C	A () (10)		N LA	VZI		HTS	HTS	9 7C) (); 6 E) Q	BAC	HTS	HYS	HYS	GEC		GEC		USE
HACTBIAL	125 15	THE DECOMES AND THE STATE OF TH	#3#/***********************************	BULLY TERESTEE TO 124 BG 64/11 BB	A7A/45: SAFID 125 43 70/13 88	AS 45/55 BP	828/VEESANID 140 AS 50/50 NA	828/VEE SAMID 140 AS 50/50 33	828/VEKSARID 140 AS	828/VELSARID 140 AS 65/35 RK	BZB/VEESANID 140 45	BZB/VEESARID 140 AS 70	828/VELSABID 140/B4		SPCH B28/VEESARID 140/CRREOLAC/8-22A BIBBLES	;	828/VELSARID 14	MPCS 928/VENSEBLE 140/XTESEL/ALSE	BEB/EII/AEF AS		480 # #3# 181 18 #0 /60 /15 5 BU	40/60/15.5		SERVICE CHANGE	SPORTITE 295-1 1/8 AS 1/1 NU EPONT BLTCH 2469	1/2 54	PI. DORIGHTED ACENIATE	.4	>	DA ACLTAL TEFLOW 80/20	CHAMBOLA 180/ACRESTAID 140 AS 3/2 NA ARBENTACKI	4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2	コーニンド・フライ・コード・ファン・コード・アン・アン・アン・アン・アン・アン・アン・アン・アン・アン・アン・アン・アン・		MYSOL 0025 1/8 15 1/1 84		LCAM/ACT RAS A/E AS 100/6 B4 ZPOXT ENCAPSULANT		655/553 AS 5/1 3H S	MARKANT 605/555 AN 100/104 RPDAT	¥9 1/1 C¥	12-007 1/F AS 5/8	12-007 A/E AS 5/4	22 1/P AS 3/1 BW	PD 200-16 POAMED BTV 560		PD 200-16 FUANED BTV 560		POLYZIHYLZBZ PCITING CARTFIDGE

SECTION 14 -- POTTING COMPOUNDS

																															٠																		
APFLICATION	PC11186	POTITION	POT11BG	PC111 MG		POTTING	POTITEG	POTTI NG		PO111 MG	POTTING			POT1166	F0111 86	FULLIBE			PO11160				POTTIBE	PC111B6	PO111 66	POTTING	FCTTIBG		787573		POTITE	PC111 BG		ERCAPS-NOLDING	PoffI MG	PO-1-114		PHCAPS-BOLDING		PO111 BG	MACAPS-MOLDING			encap 5- nolding			PO-1-1 1 15-1 15	POTTIBE-ADR	BUCAP S- NOIDING
ATHOS	118	116	111	111	9-2	AIR	AI G	AIB		AIR		YIE	0	A I I				AIR	AIR	717	# T	ä	E I	AIR	7				7 6	::	118		7 1 2	III	TI.		211	AIR	AIR				I	LIR					711
COKE TEMP	62	82	2	22	51	85	2	52	85	X:	ĸ:	29	79	2 5	2 4	Q (70	3,2	\$2	8	65	25	X.	92	9	22	% :	7 9	2 2	1 5	3 %	3 %	S	150	×:	ž	36	22	135	% :	2 2	2 %	150	\$2	520	C X	3 X	2 2	150
CURB TI RE	108	16H	20	20	72H	20 H	20 H	7¢ E	3 6		248	# :	E 9 .	= :	= ;	2 5	2 2	318	20	5.5	15E	17	=	E 0	308	~	E :		E 7	2 4		2	24 E	24 H	# C	# # C	2 H H	24.11	24 E	24 H	ec :	E 0	24 H	E 6	# F	300		120	2 H
RCVCH	Š	=	. 23	.10		00.	- 02	9	;	6	.03		;	9	5.	5		•	90.				. 27	.03	0	×.	.42		8	5	8	5	<u>}</u>	55.	ķ	22	•	~	,	7	-	9	2	. 12	;	. 3	5	5	. 5
41HL	.82	3	=	. 92		1.06	.97	. 67	į	98.	. 35			*			;	ř.	1.01	٠			1.02	-	1.17	1.97	1.98		3		37.		•	.91	.67		:	.74			2.06	•	:	.11	,	9. 59 5.		6	69.
AP 8 CO 02	Pac	PTC	200	250) (1)) 14	280		PIC	C E			- C	PRC	PRC	,	٠ ٢	PRC				PEC	CIB	CIB	1TT	ALL		:	114	111		:	GEC	229	780	300	080		. C.) 9		ָר פ	229	;	0 20	האיני	ט פ פ	010
HATESTI	1 -	H/25 BY 20	1577 178 AS 173 BU P	2		1518 1/8 AS 32/100	A/B AS 32/100 BU PCLYURETHANE	1546		32 1564 1/B 15 7.7/100 34 2CLTM22TRANZ	1570			1/8 15	1570 L/B 15 1/4 BW 901	1574 A/B AE		PR 1574 A/B A> 18/100 BW POLYUMGTHAMA	PS 1592 A/8 AS 53/100 B4 POLTUETIBLE				PP 1930-2 A/B AS 10/1 BJ SILICONS	9-179 CYCLOALIPHATIC BPOXY OFFILLED	2	BB 10-51 A/B AS 2/3 BW PLEXIBLE TPOXY	_			SECTION TO TOO SECTION OF THE SECTIO	45705 54 574 6611-6	NO TOTAL BY BY TOTAL DE COLLOSSITURES AND BY TOTAL BE TOTAL DE TOTAL BY TOT			BTT 11/T-12 AS 0.6K T-12 WHITE SILICENS		TEA 1/1-1/ 83 100/2 BE STELCHE	ETW 30/1-12 AS 100/0.1 BW STLICOUR		40/T-12 AS 100/0.1 BZ	15 100/0.1		<u>.</u>	RTW 41/T-12 AS 100/0.1 BW SILICONS		511/CLT 9811 AS	STATE ORDER CAN BE CAN WALLOUGH	MINE JOS C.J. DE CAL DILLICORU	THE TOTAL THE PROPERTY OF A LEGISLATION

SECTION 14 -- POTFING COMPOUNDS

1.00 1.00	### ### ##############################	4 44 4	5.0 1.1 1.2 1.2 1.2 1.2 1.2 1.2 1.2	12	5555 5555 5555 5555 5555 5555 5555 5555 5555		POTTING	
602/200 08 50.18 CAT LOT DE Z83 VINGIR RESIR GEC 1.56 .96 16 0 18 0 18 0 18 0 18 0 18 0 18 0 18	602/SEC 04 AS 100/1 BW 602/SEC 05 AS 0.1% CAT LOT DK 263 VINGIM RESIM 602/SEC 05 AS 0.1% CAT LOT DK 263 VINGIM RESIM 602/SEC 05 AS 0.25% CAT DEVOL LOT FF272 BATCH 1 602/SEC 05 AS 0.25% CAT DEVOL LOT FF272 BATCH 1 602/SEC 05 AS 0.25% CAI DEVOL LOT FF272 BATCH 5 610/SEC 05 AS 0.25% CAI DEVOL AT 100 DK 263 VINGIM RESIM 615 A/B AS 10/1 BW CLEAR SILICONE 615 A/B AS 10/1 BW SILICONE 610 A/B AS 10/1 BW CLEAR SILICONE 610 A/B AS 10/1 BW SILICONE 611 A/B	We was a second of	200. 1 100. 1 10	1-56	x	PARTER BEREER BETER BETE	POTTING	
### ### ### ### ### ### ### ### ### ##	### 602/SEC 04 AS 100/1 BW	44.4	3.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		POTITED	
602/57C 05 8 0.25K CAT DOT DE 263 VINCENDES 050 CAT DOT DE 263 AND 100 CAT DOT DE 263 AN	## 602/SHC 04 AS 100/1 BW 602/SHC 04 AS 100/1 BW 602/SHC 05 AS 0.1% CAT LOT DK 263 VINGIN RESIM 602/SHC 05 AS 0.2% CAT LOT DK 263 VINGIN RESIM 602/SHC 05 AS 0.2% CAT LOT DK 263 VINGIN RESIM 602/SHC 05 AS 0.2% CAT	(t.V., .,tett t Vetere	20.00 20.00	5000 00 00 00 00 00 00 00 00 00 00 00 00	6 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	PALIE	PCTING POTING POTING PCTING POTING POTING POTING	
	### 602/3FC 05 AS 0.1% CAT LOT DW 263 FIGHT ## 151.9 ### 602/3FC 05 AS 0.25% CAT LOT DW 263 FIGHT ## 151.9 ### 602/3FC 05 AS 0.25% CAT LOT DW 263 FIGHT ## 151.9 ### 602/3FC 05 AS 0.4% CAT/CABOSIL LCT ## 142.2 BATCH 5 G ### 602/3FC 05 AS 0.4% CAT/CABOSIL LCT ## 142.2 BATCH 5 G ### 615 A/B AS 10.1 BW CLEAR SILICOWE ### 615 A/B AS 10.1 BW BILICOWE ### 615 A/B AS 10.1 BW SILICOWE ### 616 A/B AS 10.1 BW SILICOWE ### 617 A/B AS 10.1 BW SILICOWE ### 618 A/B AS 10.1 BW SILICOWE ### 619 A/B AS 10.1 BW SILICOWE ### 610 A	l'd'' ''ddd d deerer	1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	10000000000000000000000000000000000000	**************************************	PARTE	POTTING POTTING POTTING POTTING POTTING POTTING POTTING POTTING POTTING POTTING POTTING POTTING POTTING	,
### ### ### ### ### ### ### ### ### ##	# 602/SEC 05 AS 0.25% CAT DEVOL 101 FF2// BATCH 5 GO/25% COS AS 0.25% CAT 10T DK 263 VHZGIN PRESIN 6602/SEC 05 AS 0.4% CAT/CABOSTL LCT BATCH 5 GO/25% COS AS 10/1 BH CLEAR SILICONE 615 A/B AS 10/1 BH SILICONE 7 619 A/B AS 10/1 BH SILICONE 7 619 A/B AS 10/1 BH SILICONE 7 610 A/B AS 10/1 BH SILICONE 7 610 A/B AS 10/1 BH CLEAR SILICONE 7 6112/CAT 9858 AS 94/6 BH 7 6112/CAT 9858 AS 94/6 BH 7 6123/CAT 9858 AS 94/7 BH 7 6123/CAT 98/7 BH 7 6123/CAT 9	'N'' ''ddd d Neerer	200. 14. 200. 200. 200. 200. 200. 200. 200. 20	100 100 100 100 100 100 100 100 100 100	2	A PAIR BAIR BAIR BAIR BAIR BAIR BAIR BAIR B	POILING POILING POTTING	,
### ### ### ### ### #### #### #### #####	# 602/SEC 05 AS 0.25% CAI 107 DK 263 VAGIN KESLE 662/SEC 05 AS 0.4% CAI/CABOSIL LCT BR242 BATCH 5 602/SEC 05 AS 0.4% CAI/CABOSIL LCT BR242 BATCH 5 615 A/B AS 10/1 BW CLEAR SILICONE 615 A/B AS 9/1 BW DEVOL AT 100C 615 A/B AS 9/1 BW DEVOL AT 100C 615 A/B AS 10/1 BW BLACK SILICONE 615 A/B AS 10/1 BW CLEAR SILICONE 615 A/B AS 9/4 BW 6172/CAI 9950 AS 9/4 BW 6172/CAI 9050 AS 9/4 BW 6172/CAI 9072/CAI 9072/CAI 9072/CAI 907	· · · · · · · · · · · · · · · · · · ·	1.2 4 5.00 1.2 4 5.00 1.2 4 5.00 1.2 5.	である。 のは、 のは、 のは、 のは、 のは、 のは、 のは、 のは、	55 55 55 55 55 55 55 55 55 55 55 55 55	A PAIR BERRES PAIR PAIR PAIR PAIR PAIR PAIR PAIR PAIR	PCTIIWG POTTING PCTTING ADM-ECTTING	
665 JAN 5 AS A BANK CALLED THE WAY A TANK THE STATE OF TH	# 602/SEC 05 AS 0.4% CAT/CABOSIL LCT #642/SEC 05 AS 0.4% CAT/CABOSIL LCT #645 A/B AS 10/1 BW CLEAR SILICONE # 615 A/B AS 9/1 BW DEVOL AT 100C # 615 A/B AS 10/1 BW BILCONE # 616 A/B AS 10/1 BW SILICONE # 619 A/B AS 10/1 BW SILICONE # 630 A/B AS 10/1 BW SILICONE # 630 A/B AS 10/1 BW SILICONE # 630 A/B AS 10/1 BW CLEAR SILICONE # 630 A/B AS 10/1 BW CLEAR SILICONE # 630 A/B AS 10/1 BW CLEAR SILICONE # 631 A/B AS 10/1 BW CLEAR # 631 A/B AS 10/1 BW CLEAR # 631 A/B AS 10/1 BW CLEAR # 631 A/B AS 10/1 BW BLACK EPOIT # 632 A/B AS 9/A BW # 633 A/B AS 9/A BW # 634 A/B AS 9/A BW # 635 A/B AS 9/A BW # 635 A/B AS 9/A BW # 635 A/B AS 9/A BW # 636 A/B AS 9/A BW # 637 A/B AS 10/A BW # 638 A/B AS 9/A BW # 639 A/B AS 9/A BW # 639 A/B AS 9/A BW # 630 A/B AS 9/A	'' ''dddd d Nederfor	E 1909 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	100円円 日田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田	55 25 25 25 25 25 25 25 25 25 25 25 25 2	A IR BERE	POTTING PCTING PCTING PCTING POTTING POTTING PCTING PCTING PCTING POTTING POTTING POTTING POTTING POTTING	•
## 15 July 18 October 18	# 615 A/B AS 10/1 BM CLEAR SILICORE # 615 A/B AS 9/1 BM DEVOL AT 100C # 615 A/B AS 9/1 BM DEVOL AT 100C # 615 SILICORE # 616 A/B AS 10/1 BW SILICORE # 619 A/B AS 10/1 BW SILICORE # 610 A/B AS 10/1 BW SILICORE # 610 A/B AS 10/1 BW SILICORE # 610 A/B AS 10/1 BW CLEAR SILICORE # 6112/CAI 9858 AS 99/6 BW # 6223/CAI 9858 AS 99/7 BW # 6223/CAI 9858 AS 99/7 BW # 6233/CAI 9858 AS 97/3 BW # 6233/CAI 98/3 AN 98/4 BW # 6233/CAI 98/4 BW # 6233	' ''ddd d Neeeen	140.000 4 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	100 100 100 100 100 100 100 100 100 100	25 25 25 25 25 25 25 25 25 25 25 25 25 2		PCTIING PCTTING PCTTING PCTTING PCTTING PCTTING PCTTING PCTTING PCTTING PCTTING POTTING POTTING POTTING	
615 1/2 5.5 9/1 BM DEFOL AT 100C 615 1/2 1.5 9/1 BM DEFOL AT 100C 615 1/2 1/2 1.5 10/1 BM STITCOME 617 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2	615 A/B AS 9/1 BW DEVOL AT 100C 615 A/B AS 9/1 BW DEVOL AT 100C 615 A/B AS 9/1 BW DEVOL AT 100C 616 A/B AS 10/1 BW BLACK SILICOWE 630 A/B AS 10/1 BW SILICOWE 630 A/B AS 10/1 BW SILICOWE 631 A/B AS 10/1 BW CLEAR SILICOWE 670 A/B AS 10/1 BW CLEAR SILICOWE 673 A/B AS 10/1 BW CLEAR SILICOWE 670 A/B AS 10/1 BW CLEAR SILICOWE 671 A/B AS 10/1 BW CLEAR SILICOWE 671 A/B AS 10/1 BW CLEAR SILICOWE 682 A/CAT 9858 AS 94/6 BW 682 A/CAT 9858 AS	''ddd d Neeeer	1.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2 2.2	100 2000 2000 100 100 100 100 100 100 10	25 25 25 25 25 25 25 25 25 25 25 25 25 2		PCTING PCTING PCTING—NCAPS PCTING PCTING PCTING PCTING POTING POTING POTING POTING ADM—ECTING	
615 A.P. 8. 59.7 B B DEVOL AT 100C 615 A.P. 8. 59.7 B B DEVOL AT 100C 615 A.P. 8. 107 B SILICONE 616 A.P. 8. 107 B SILICONE 616 A.P. 8. 107 B SILICONE 617 A.P. 8. 107 B SILICONE 618 A.P. 8. 107 B SILICONE 618 A.P. 8. 107 B SILICONE 619 A.P. 8. 107 B SILICONE 619 A.P. 8. 107 B SILICONE 619 A.P. 8. 107 B SILICONE 620 A	615 A/B AS 9/1 BN DEVOL AT 100C 615 A/B AS 9/1 BN DEVOL AT 100C 616 A/B AS 10/1 BN BLACK SILICONE 616 A/B AS 10/1 BN SILICONE 630 A/B AS 10/1 BN SILICONE 631 A/B AS 10/1 BN SILICONE 632 A/B AS 10/1 BN CIEAR SILICONE 670 A/B AS 10/1 BN CIEAR SILICONE 671 A/B AS 10/1 BN CIEAR SILICONE 671 A/B AS 10/1 BN CIEAR SILICONE 672 A/B AS 9/4 BN 672 A/B 9858 AS 96/4 BN 672 A/B 96/8 AS 96/4 BN 673 A/B 96/8 AS 96/4 BN 674 A/B 96/4 BN 675 A/B 96/8 AS 96/4 BN 675 A/B	`'dddd d Neseese	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	10 10 10 10 10 10 10 10 10 10 10 10 10 1	25 25 25 25 25 25 25 25 25 25 25 25 25 2	AIR AIR AIR	PCTTING POTTING-RUCAPS PCTTING POTTING PCTTING POTTING POTTING POTTING POTTING ADM-ECTTING	
615 1/10 LOUR 18 1/10 CORR	615 1/6 15 9/1 BN DEVOL 12: 150C 616 5/2 5212CGBE 616 1/2 15 15 10/1 bu BLACK SILICONE 619 1/2 15 10/1 bu BLACK SILICONE 630 1/2 15 10/1 bu SILICONE 630 1/2 15 10/1 bu SILICONE 630 1/2 15 10/1 bu SILICONE 670 1/2 15 10/1 bu CLEAR SILICONE 670 1/2 15 10/1 bu CLEAR SILICONE 670 1/2 15 10/1 bu CLEAR SILICONE 671/CAI 9858 15 94/6 bu 672/CAI 94/6 bu 672/CAI 9858 15 94/	'ddd d Nederle	2. 2. 2. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4.	8 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	25 25 25 25 25 25 25 25 25 25 25 25 25 2	NIN NIN	POTTING PCTTING PCTTING POTTING POTTING POTTING POTTING POTTING ADM-ECTTING	
619 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2	615 SIIICCUE. 616 A/B AS 10/1 BU SILICUE 630 A/B AS 10/1 BU SILICUE 630 A/B AS 10/1 BU SILICUE 631 A/B AS 10/1 BU SILICUE 632 A/B AS 10/1 BU SILICUE 673 A/B AS 10/1 BU CLEAR SILICUE 670 A/B AS 10/1 BU CLEAR SILICUE 670 A/B AS 10/1 BU CLEAR SILICUE 671 A/B AS 10/1 BU CLEAR SILICUE 671 A/B AS 10/1 BU CLEAR SILICUE 671 A/B AS 10/1 BU CLEAR SILICUE 672 A/B AS 10/1 BU CLEAR SILICUE 673 A/B 9858 AS 96/4 BU 672 A/B 9858 AS 96/4 BU 673 A/B 96/4 BU 674 A/B 96/4 BU 675 A/B 96/4 BU 67	idd d Nederlar	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日	25 25 25 25 25 25 25 25 25 25 25 25 25 2	AIR AIR AIR	PCTTIBG POTING POTING POTING POTING POTING POTING ADM-ECTTING	
645 AP AS 10/1 BW SILTCONE GEC 1.30 .81 40 B 25 AIR 150 AIR 15	616 A/B AS 10/1 be BLACK SILICONE 619 A/B AS 10/1 be SILICONE 630 A/B AS 10/1 be SILICONE 632 A/B AS 10/1 be SILICONE 670 A/B AS 10/1 be SILICONE 670 A/B AS 10/1 be CIEAR SILICONE 670 A/B AS 10/1 be CIEAR SILICONE 670 A/B AS 10/1 be CIEAR SILICONE 671 A/B AS 10/1 be CIEAR SILICONE 671 A/B AS 10/1 be CIEAR SILICONE 672 A/B AS 91/3 be 672 3/CAI 9858 AS 94/6 be 673 3/CAI 9858 AS 94/6 be 674 3/CAI 9858 AS 94/6 be 675 3/CAI 9858 AS 94/6 be 675 3/CAI 9858 AS 94/6 be 676 3/CAI 9858 AS 94/6 be 676 3/CAI 9858 AS 94/6 be 677 3/CAI 9858 AS 94/6 be 678 3/CAI 9858 AS 94/	ii i Neerer	5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.	日本日本の日本日日日日日日日日日日日日日日日日日日日日日日日日日日日日日日日	25 25 25 25 25 25 25 25 25 25 25 25 25 2		POTTIBG BOLDING POTTING POTTING POTTING POTTING POTTING ADM-ECTTING	
619 1/0 16 9 5111COME GEC 1.30 .50 .50 .50 .50 .50 .50 .50 .50 .50 .5	619 A/B AS 10/1 BW SILICOWE 630 A/B AS 10/1 BW SILICOWE 632 A/B AS 10/1 BW SILICOWE 655 SILICOWE 670 A/B AS 10/1 BW CLEAS SILICOWE 670 A/B AS 10/1 BW CLEAS SILICOWE 670 A/B AS 10/1 BW CLEAS SILICOWE 671 A/B AS 10/1 BW CLEAS SILICOWE 671 A/B AS 10/1 BW CLEAS SILICOWE 672 A/CAT 9656 AS 94/6 BW 626 A/CAT 9656 AS 96/4 BW 637 A/CAT 9656 AS 96/4 BW 637 A/CAT 9656 AS 96/4 BW 637 A/CAT 9656 AS 96/5 BW 637 A/CAT 9	i i Neeses	2. 4. 1. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.	SERE BEERE PASSES 17 17 17 17 17 17 17 17 17 17 17 17 17 1	25 150 150 125 125 65 65	A RES	PCTTI BG-MOLDI MG POTTI MG-MOLDI MG POTTI MG POTTI MG POTTI MG ADM-ECTTI MG	
635 1/5 45 10/1 BH 5111COME GEC 1.25 .74 24 150 118 65 118	630 A/B AS 10/1 BH SILICONE 632 A/B AS 10/1 BH SILICONE 655 SILICONE 670 A/B AS 10/1 BH CLEAR SILICONE 670 A/B AS 10/1 BH CLEAR SILICONE 671 A/B AS 10/1 BH CLEAR SILICONE 671 A/B AS 10/1 BH CLEAR SILICONE 671 A/B AS 10/1 BH CLEAR SILICONE 672 A/CAT 9858 AS 94/6 BH 622 A/CAT 9858 AS 94/6 BH 622 A/CAT 9858 AS 94/6 BH 622 A/CAT 9858 AS 94/8 BH 637 A/CAT 9858 AS 95/7 BH 637 A/CAT 9858 AS 95/7 BH 637 A/CAT 9858 AS 97/3 BH 637 A/CAT 9858 AN A/CAT 97/4 BH 637 A/CAT 9858 AN A/CAT 97/4 BH 637 A/CAT 97/4 BH 637 A/CAT 97/4 BH 637 A/CAT 97/4 BH 63	f f Nemero	7 7 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	SER SERE	25 25 150 150 125 65 65		POTTING POLDING POTTING POTTING POTTING POTTING ADM-ECTTING	
632 A/B AS 10/1 BU SILICONE 670 A/B AS 10/1 BU CIEAR 670 A/B AS	632 A/B AS 10/1 BW SILICOME 670 A/B AS 10/1 BW CLEAN SILICOME 670 A/B AS 10/1 BW CLEAN SILICOME 670 A/B AS 10/1 BW CLEAN SILICOME 68112/CAT 9858 AS 94/6 BW 6812/CAT 9858 AS 94/6 BW 6223/CAT 9858 AS 94/6 BW 6263/CAT 9858 AS 96/4 BW 6263/CAT 9858 AS 96/4 BW 6363/CAT 9858 AS 96/4 BW 6373/CAT 9858 AS 96/7 BW 6373/CAT 9858 AS 97/3 BW 6383/CAT 9858	e Meneeus	7. 1. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.	日本の日本の日本のでは、124年日 125日 125日 125日 125日 125日 125日 125日 125	25 150 150 125 65 65 65	116	POTTING POTTING POTTING POTTING POTTING POTTING ADM-ECTTING	
COME	AS 10/1 BW SILICONE AS 10/1 BW CLEAR SILICONE BSS AS 94/6 BW 1 9858 AS 94/5 BW 1 9858 AS 94/5 BW 1 9858 AS 97/3 BW 1 9858 AS 97/3 BW 1 9858 AS 97/3 BW 2 9858 AS 97/3 BW 3 904 AS 97/3 BW 3 97/3 B	- Ишшшш		246 mm mm m m m m m m m m m m m m m m m m	150 150 125 65 65 65 65 65 65		POTITION POT	
COME COLEAN SILICONE CPC 1.37 1.27 248 150 ALE 1	COME 45 10/1 BW CLEAR SILICONE 45 10/1 BW CLEAR SILICONE 9891 AS 97/3 BW 1 9858 AS 96/4 BW 1 9858 AS 97/3 BW 2 9858 AS 97/3 BW 2 9858 AS 97/3 BW 3 904 AS 97/3 BW 4 904 AS 97/3 BW 4 904 AB 97/3 BW 4 904	Vienesee.	7.2. 8.8. 8.8. 8.8. 8.8. 8.8. 8.8. 8.8.	75 P P P P P P P P P P P P P P P P P P P	25 25 125 65 65		POTTING POTTING POTTING ADH-FCTTING	
COORTIONE CUT	AS 10/1 BW CLEAR SILICONE AS 10/1 BW CLEAR SILICONE AS 10/1 BW CLEAR SILICONE 1 9858 AS 94/6 BW 1 9858 AS 94/8 BW 1 9858 AS 94/8 BW 1 9858 AS 97/3 BW 2 9858	Vieneene	25.00	25 2 E E E E E E E E E E E E E E E E E E	22 22 22 23 23 23 23 23 23 23 24 24 25 25 25 25 26 26 26 26 27 26 26 26 26 26 26 26 26 26 26 26 26 26		POTTI 16 POTTI 16 ADH-ECTTI 16	
A5 10/1 BW CLEAR SILICONE GEC 1.25 .59 14 125 AIR 1968 AS 91/6 B4 GEC 1.25 .59 14 65 AIR 1968 AS 91/6 B4 GEC 1.12 .20 1618 65 AIR 1968 AS 91/6 B4 GEC 1.12 .20 1618 65 AIR 1968 AS 91/6 B4 GEC 1.12 .20 1618 65 AIR 1968 AS 91/6 B4 GEC 1.12 .20 1618 65 AIR 1968 AS 91/6 B4 GEC 1.12 .20 1618 65 AIR 1968 AS 91/6 B4 GEC 1.12 .20 1618 65 AIR 1968 AS 91/6 B4 GEC 1.13 .20 1618 65 AIR 1968 AS 91/7 B4 GEC 1.13 .20 1618 65 AIR 1968 AS 91/7 B4 GEC 1.22 .20 1618 65 AIR 1968 AS 91/7 B4 GEC 1.22 .20 1618 65 AIR 1968 AS 91/7 B4 GEC 1.22 .20 1618 65 AIR 1968 AS 91/7 B4 GEC 1.22 .20 1618 65 AIR 1968 AS 91/7 B4 GEC 1.22 .20 1618 65 AIR 1968 AS 91/7 B4 GEC 1.22 .20 1618 65 AIR 1968 AS 91/7 B4 GEC 1.22 .20 1618 65 AIR 1968 AS 91/7 B4 GEC 1.22 .20 1618 65 AIR 1968 AS 91/7 B4 GEC 1.22 .20 1618 65 AIR 1968 AS 91/7 B4 GEC 1.22 .20 1618 65 AIR 1968 AS 91/7 B4 GEC 1.22 .20 1618 65 AIR 1968 AS 91/7 B4 GEC 1.22 .20 1618 65 AIR 1968 AS 91/7 B4 GEC 1.22 .20 1618 65 AIR 1968 AS 91/7 B4 GEC 1.22 .20 1618 65 AIR 1968 AS 91/7 B4 GEC 1.22 .20 1618 AS 91/	AS 10/1 BW CLEAN SILICONE AS 10/1 BW CLEAN SILICONE 19858 AS 94/6 BW 19858 AS 94/8 BW 19858			2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	52.58 58.58	111	POTTIBG ADH-ECTTIBG	
1.00.0 Bu CIERA SILICONE GEC 1.05 .25 168 65 AIR 1.05 84/6 Bu	AS 10/1 BH CLEAR SILICONE 19858 AS 94/3 BH 19858 AS 94/6 BH 19858 AS 94/6 BH 19858 AS 94/6 BH 19858 AS 94/6 BH 19858 AS 95/5 BH 19858 AS 97/3 BH 3404 AS 100/11 BH BLACK PPOXY		. 28 . 28 . 28 . 28	25 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	588	1 1 1	ADH-FCTTING	
9858 AS 96/4 BH	9858 AS 94/6 BH 9858 AS 95/5 BH 980KF 9858 AS 97/1 BH 980KF 980K		22.22	2 2 2 2	. S 4			
9858 AS 94/6 BJ 9858 AS 94/7 BJ 9858 AJ BJ 9858	9858 AS 94/6 BU 9858 AS 94/6 BU 9858 AS 94/6 BU 19858 AS 94/6 BU 19858 AS 94/6 BU 19858 AS 94/6 BU 19858 AS 94/5 BU 19858 AS 94/6 BU 19858 AS			16 B	£ \$	1	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
9858 AS 9649 99 9858 AS 9649 99 9858 AS 9649 99 9858 AS 9649 BB 9858 AS 9649 BB 9858 AS 9649 BB 9858 AS 9448 BB 9858 AS 9478 BB 9858 AS 9773 BB 985 AS 978 BB 985 AS 9773 BB 985	9858 AS 96/4 PH 9858 AS 96/4 BH 9858 AS 96/4 BH 9858 AS 96/4 BH 9858 AS 96/5 BH 9858 AS 97/3 BH 9858 AS 97	~ ~	2.2	=		111		
9858 AS 96/4 BN GEC	1 9858 AS 96/4 BH 1 9858 AS 94/6 BH 1 9858 AS 95/5 BH 1 9858 AS 95/5 BH 1 9858 AS 97/3 BH 1 9858 AS 97	-	5.2		0			
9858 AS 9946 BH	1 9858 AS 94/6 BH 1 9858 AS 95/4 BW 1 9858 AS 95/5 BW 1 9858 AS 97/3 BW 1 9858 AS 97/4 BW 1 9858 AS 97/			2 t H	O 4			
9858 AS 9678 BW 920	1 9858 AS 9674 BW 1 9858 AS 9575 BW 1 9858 AS 9773 BW 1 9858 AS 9773 BW 3404 AS 100/11 BW BLACK EPOXY 3404 AS 971 BW TLEAR		17.	248	Ç	HI W		
9858 AS 95/5 94 9858 AS 95/5 94 9858 AS 95/5 94 9858 AS 97/3 BW 9858 AS 97	1 9858 AS 95/5 BU 1 9858 AS 97/3 BU 1 9858 AS 97/3 BU 3 8858 AS 97		4	7	G,	# T #	_	
9858 AS 97/3 B4 9858 AS 87/3 B4 9858 AS 97/3 B4 9858 AS 87/3 B4 9858 AS 87	1 9656 AS 97/3 BW 1 9656 AS 95/5 BW 1 9656 AS 95/5 BW 3 964 AS 100/11 BW BLACK EPONT 3 964 AS 9/1 BW TEONT		.2	24 H	65	# T #		
1 9858 AS 95/5 BW 2007 EPOXT EPOXT EPOXT EPOXT EPOXT EPOXT EPOXT EPOX	1 9858 AS 95/5 BW 1 9858 AS 97/3 BW 3404 AS 100/11 BW CLEAR 3404 AS 9/1 BW TEONT 3404 AS 9/1 BW TEONT		2	16 H	9	II	SILICORE	
1	1 9858 AS 9773 BH 3404 AS 100/11 BH BLACK EPOXY 3404 AS 9/1 BH 720XY 3404 AS 9/1 BH 720XY	•	. 38	•	9	AIR	ACHISPALANT	
1.76 1.0 2 24 25 AIR H 23 AIR H 25 AIR	1 3556 AS 700/11 BW BLACK EPONT 3464 AS 100/11 BW CLEAR 3464 AS 9/1 BW TEONT		. 23		65	AIB	SILICCER	
3404 AS 100/11 94 CLEAR 3404 AS 9/1 84 EPOIT 350 BA AS 2/5 84 EPOIT 360 BA AS 2/5 84 EPOIT 360 BA AS 2/5 84 EPOIT 360 BA AS 2/5 84 EPOIT 371 BA AS 3/5 84 EPOIT 372 BA AS 3/5 84 EPOIT 373 BA AS 3/5 84 EPOIT 374 BA AS 3/5 84 EPOIT 375 BA AS 3/5 84 EPOIT 377 BA AS 3/5 84 EPOIT 378 BA AS 3/5 84 EPOIT 379 BA AS 3/5 84 EPOIT 370 BA AS 3/5 BA EPOIT 370 BA AS 3/5 BA EPOIT 370 BA AS 3/5 BA EPOIT 370 BA AS	3404 AS 9/1 BW MUONT 3404 AS 9/1 BW MUONT		.02		52	AIB	HOLE CPHD	
State Stat	3404 AS 9/1 BW SEONT 3404 AS 9/1 BW SEONT 3404 AS 9/1 BW SEONT				6	AIR		
14-54 AS 9/1 BH 250IT 14-5086 A/B AS 2/5 BH 250IT 15-5086 A/B AS 2/5 BH 250IT 16-5133 EPOIT CASTING POUDEY 16-5133 EPOIT POUT BE POUT 16-513 EPOIT CASTING POUDEY 16-513 EPOIT POUT 16-513 EPOIT POUT 16-513 EPOIT 16-51	3404 AS 9/1 BH 49077		. 12	•	52	AIR	PCTTIEG	
3404 AS 9/1 BH 52011 SE-5088 A/B AS 2/5 BH RPOIT NE-508 A/B AS 2/5 BH RPOIT NE-508 A/B AS 2/5 BH RPOIT NE-508 A/B AS 2/5 BH RPOIT NEE-5133 BPOYT CASTING POUDES NAM	3404 AS 9/1 6W STORY		8		80	AIR	POTTIBG	
XE-5088 A/B AS 2/5 BW EPOXY XE-5133 EPOXY XE-5133 EPOXY XE-5133 EPOXY XE-5133 EPOXY XE-5134 EPOXY XE-5135 EPOXY XE-5136 EPOX CASTHAWE XE A/B AS 5/8 BW POXY EPOXY XE A/B AS 1/2 BW EPOXY XE A/B A A/B AS 1/2 BW EPOXY XE A/B A/B AS 1/2 BW EPOXY XE A/B A A/B AS 1/2 BW EPOXY XE A/B A A/B AS	ALUGA HE S/C SY S/Y GOODS AND	n	}		100	AIR		
XE-5086 A/B AS 2/5 BU EPOXY XE-5133 EPOXY CASTING POUDEN XE-5133 EPOXY CASTING POUDEN XE-5240 ELST BROWN EPOXY XE-5240 ELST BROWN EPOXY XE-5240 ELST BROWN EPOXY XE-513 EPOXY CASTING POUDEN XE-5240 ELST BROWN EPOXY XE-513 EPOXY XE-5	**************************************			100	150	AIR		
XE-5088 A/B AS 2/5 BM EPOXY	TOOL TO TO TO THE SOUTH		2.98		25	AIR	POTTING	
XE-5688 A/B AS 2/5 BW EPOXY XE-5740 ELST PROFILE PUNDZNY XE-5240 ELST CATLEG PUNDZNY NNR 4.20 1.06 3H 65 AIR XZ-1 A/B AS 5/8 BW POLTURZTHANE XZ1 A/B AS 5/8 BW POLTURZTHANE XZ2 A/B AS 1/2 BW POLTURZTHANE XZ3 A/B AS 1/2 BW POXY XZ3 A/B AS 1/2 BW PPOXY XZ3 A/B AS 1/2 BW PPOXY XZ4 A/B A/B AS 1/2 BW PPOXY XZ4 A/B A/B AS 1/2 BW PPOXY XZ4 A/B	11-3000 A/B A3 4/2 B4 B4 C4				Ş	AIR	PCTT1 NG	
XE-513 BPOYT CASTING PONDES BRITE 1.06 34 65 LIR IN-5240 ELSTY BROWN PONDES BRITE 1.06 34 65 LIR IN-5240 ELSTY BROWN POLTURETHAND BRITE 1.06 34 65 724 50 AIR 1.02 24 5.0 AIR 1.05 1.06 1.06 1.06 1.06 1.06 1.06 1.06 1.06	XE-5C88 A/B AS 2/5 BB EPOXY	,	;		-	AIR	POTTING	
XE-5240 ELSTY BROWN PECKY XMR X X X X X X X X X	XE-5133 BPOXY CASTING POWDES	•			, ,	1 1 1	POTITIO	
221 A/B AS 5/8 BW POLTURZIBARE NAM .25 .05 728 25 AIE 226 A/B AS 5/8 BW PCITURETHANE NAM 1.05 .16 728 25 AIE 226 A/B AS 1/2 BW PCITURETHANE NAM 6.20 .31 6K 93 AIE 235 A/B AS 1/2 BW PPOTT NAM 2.78 .06 16H 93 AIE 241 A/B AS 1/2 BW PPOTT NAM 1.93 .05 3H 121 AIE 255 A/B AS 1/1 BW PPOTT NAM 1.93 .05 3H 121 AIE 255 A/B AS 1/1 BW PPOTT NAM 1.93 .05 3H 121 AIE 255 A/B AS 2/1 BW PPOTT NAM 1.93 .05 3H 120 AIE 255 A/B AS 2/1 BW PPOTT NAM 1.93 .05 3H 120 AIE 255 A/B AS 2/1 BW PPOTT NAM 1.93 .05 3H 150 AIE 255 A/B AS 2/1 BW PPOTT NAM 1.95 .05 4H 120 AIE 255 A/B AS 2/1 BW PPOTT NAM 1.95 AIE 255 AIE 255 AIE 255	XE-5240 alstr brown TPCII	•	3 2		3	1 -	PO-1-1-1-0-0	
221 A B AS 5/8 B P PCITURETHAND MAN	221 A/B AS 5/8 BW POLTURETHANK				, k		511100	
226 A/B AS 2/5 BU PCITURITHAND NAM 1.05 .316 72H 23 AIR 23 A/A AS 1/2 BU PCOXT NAM 2.70 .02 16H 93 AIR 235 A/B AS 1/2 BU PCOXT NAM 2.70 .02 16H 93 AIR 241 A/B AS 1/2 BU PCOXT NAM 2.97 .04 6H 95 AIR 251 A/B AS 1/2 BU PCOXT NAM 1.93 .05 3H 121 AIR 255 A/B AS 1/2 BU PCOXT NAM 1.93 .05 3H 12 AIR 255 A/B AS 2/3 BU PCOXT NAM 1.93 .05 3H 12 AIR 255 A/B AS 2/3 BU PCOXT NAM 1.96 .12 20H 92 AIR 1.99 AIR 1.90 AIR 1.	221 A/B AS 5/8 BY PCITUBETHINE				7 7			
235 A/B AS 1/2 BU PPOXY 235 A/B AS 1/2 BU PPOXY 241 A/B AS 1/2 BU PPOXY 250 A/B AS 1/1 BU PPOXY 255 A/B AS 2/1 BU PPOXY 257 A/B AS 2/1 BU PPOXY 258 A/B AS 2/1 BU PPOXY 258 A/B AS 2/1 BU PPOXY 259 A/B AS 2/1 BU PPOXY 250 A/B AS 2/B AS	226 A/B AS 2/5 BW PCIYURITHANS				g g		0 x 1 1 1 0 0	
235 A/B AS 1/2 34 PPOXY 241 A/B AS 1/2 B4 EPOXY 241 A/B AS 1/2 B4 EPOXY 251 A/B AS 1/2 B4 EPOXY 250 A/B AS 1/1 B4 EPOXY 255 A/B AS 2/1 B4 EPOXY	235 1/8 AS 1/2 BW MPOXY				6	4 4	DOPTING	
241 J/B AS 1/2 BH ZPOTY	DAS AVB AS 1/2 BH PROXT				5	4 .	Calabor	
PECAST 241 A/B AS 1/2 BU EPOXY BEGIN HAM .65 .00 24H 75 AIR 2ECAST 250 A/B AS 1/1 BU EPOXY BEGIN HAM .65 .00 24H 75 AIR BU EPOXY BEGIN HAM .96 .12 20H 82 AIR ECAST 255 A/B AS 2/1 BU EPOXY HAM .52 .03 30H 150 AIR HAM .52 .03 30H 150 AIR	23 7/2 E 25 1/2 B 2POT			_	35	¥ 1 4	POINT	
PECAST 250 A/B AS 1/1 BU PPOTT REGIN MAN .65 .00 24H 75 AIR PECAST 250 A/B AS 1/1 BU PPOTT REGIN MAN .96 .12 20H 82 AIR REGINS AND .96 .12 20H 82 AIR RECAST 255 A/B AS 2/1 BU PPOTT MAN .52 .05 4H 120 AIR RECAST 255 A/B AS 2/1 BU PPOTT MAN .52 .03 30M 150 AIR	CALCAST AND ACT AND AC	_			121	Z (
FREAST 255 A/B AS 2/3 BW EPOXT HWW .52 .05 4H 120 AIR FREAST 255 A/B AS 2/3 BW EPOXT HWW .52 .03 30M 150 AIR	CECES: Zel B/D AS 1/4 DE 1407;				75	AIK	I SPENSER T	
FECAST 255 A/B AS 2/3 BW SPOXT HAM .52 .03 30M 150 AIR	CECAS: ASO A/O AS IN THE SECOND SECOND				85		POTTIBE	
CECAST 255 A/8 A5 2/3 BM SF/3A 8	MCMST 233 A/U 43 2/1 04 05/24			_	120		PO111 SG	
	CECAST 255 A/B AS 2/1 BW SPOXY				150		POTTING	

SECTION 14 -- POTTING COMPOUNDS

Ivieriye	200	2.1ET	NC VC II	21	8#	A THOS	APPLICATION	i
SCOTCUCAST 260 A/B AS 2/3 BW PPOIT	=	•	2	7	121	8	POTTIBE	ı
281 4/8 45		**	•	7	155			
15 2/3 88		2	9 6		5 k		POTTIBU	
281 L/B AS	E	35	. 02	12	2			
				72 H	150	AIR		
AS 2/3 BU SEMY RIGIS	## ## ## ## ## ## ## ## ## ## ## ## ##	5.	2	161	96	AIR	POTTING	
282 A/B AS 2/3 BW SENI		.45	Ş	16 8	3	AIA	POTTING	
				2	3	2-2		
5	ľ	7.59	1.40	===	\$2	AIR	POTITION	
9 A/B AS 1/1 BH	E	3.60	į				POTTIBE	
1	SLK	. 32	8.	121	£	AIR	PCTT1 16	
				3	•	AIR		
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				=	121	AIR		
MANAGE - NIOR ROOF WIN HOI-HOUR	318	1. 20	=	12 H	£	AIR	PCT11BG	
				2	65	AIR		
				8.8	121	A III		
NO RPORT PO	318	1.22	8	728	ĸ	AIR	POTITIES	
E A/B AS 10/1 9W	S S	2.08	.71	70	22	ATA	9094T BG	
I A/B AS 10,	280	1.22		5	X			
501/T-12 AS 25/1 BW SILICGUE	000	5.33	Ç) F	; ×		20000	
501/1-12 45 25/1				2 6	3 2		TITO!	
. / /	3	7	-	2 ;	Q.	AIR	POTTIBE	
SILISTIC 69-220 A/B/910 DILURET AS 25/1/1.3 RE	٤	•	4		C 76	# T T		
	š	-	•	9 ;	Q (FOTILING	
#81/CAT AS 100/8 4 BB		•	:		2 :			
	1	C - 7	2	H 17	Q:	TI	POTTI DE	
## P. P. CO. FT 187/100	2			1 5	S.	AIR	Pott I MG	
	•			20 H	125	Y I W		
STEEDING OF THE TAIL AS TOUGHT DAYS OF SILICOMP	ပ္ရ	3. 15	1.07	24 H	\$2	TI	POTTIBE	
881/C41/1-12 48 100/4-6/0.32	ပ္ပ	- 66	9	24 11	52	AIR	POTTI KG	
				248	125	AIR		
SITESTORE STOLLE WOLS AS 100/4 ME SELFE SCHOOLS	RAL	1.58	. 24	9	52	AIR	FOTTIME	
SHF0 432	634	16.	- 15	181	10.0	2	DOT 01 16	
SATO 432 401 MAILES	A 5 5	7	11	•) !	•		
SOLITBLE 113/300	J.	0	60	191	65	ATA	POT 1 10	
SOLITHREE 113/300 AS 100/120 BE FORMULA 6	100		91	5	×			
	1		2		2 %		201116	
SOLITERNE 113/300 AS 100/150 NR PORMILE 7) (3 8		GS	4 L E	7011186	
SOLITEBER 113/300 AS 100/71 NO 116 BICKER	, (2 2	4	21116	
	֝֝֝֝֟֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֓֓֓֓֓֡֓֡֓֡֓֡		5	2	Q ;	N T N	PCTT 1 MG	
CONTRACTOR OF THE CONTRACTOR SECURE ASSESSED.	֝֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	9.	-	H 17	2	AIR	POTTING	
DANASHER TAY TO STRUCK & CARR PRINCES OF CARREST AND THE COMMENT OF CARREST AND THE CARREST AN	TCC	. 72	.00	9	×	AIB	PCTIING	
SOLITIBLE 113/300/CABOSIL 133/ROBABLES B/T-12	100	. 47	8	70	52	A I R	PCTTING	
SOLITHARE 113/300/CABOSIL 425/T-12	ICC	.42	-0	70	25	AIR	POTTING	
SOLITHAME 113/300/CABOSIL 455/T-12/PLUGRESCENT DYE	100	94.	8	70	×	1		
	100	99	ě	2	Ş		000000000000000000000000000000000000000	
SOLITHRER 113/300/2-12 AS 25/18.25/1 DROP BE	1	2	?		3 6		987170	
SOLITHBER 113/300/T:PA/ALDHIM TA) (:		2 :	3 (
SOLITERED 113/300/200 PG 20/15 A/1 Be) 	: :	5.6		2 :		ADBES 1VE	
4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4			5	EC7	6	AIR	POTITIO	
TOP WILL II	100		8	191	9	E I	FCTTIBG	
SOLITERE 113/100/128 AS 100/51/4.5 BW PCRRDIA 10	TCC	#.	8	16 H	20	AIR	PCTIING	
SOLITHANE 113/300/328/B 35A GLASS BREBLES	SCC	.21	8	210	25	6 F 4	POSTING	
SOLITHREE 113/300/326/ECCOSPHERES SI	700	.53	8	16 8	3	4		
STYCAST CPC-21 A/6 AS 5/3 NW PCITURSTHAME	ERC	17, 11	A. 18	± 4	8		0011100	
) :	,	;	;	,		FOILT IN	

SECTION 14 -- POTTING CONFOUNDS

I with the state of the state o	M F P	CINL	KCVCB.	CURE	COBE	ATROS	APPLICATION	Ì
STICAST C2C-21 4/8 AS 5/3 BT PCIVOSSTBANE	EVC	15.32	1.03	#9	95	AIR	POTTING	
				# * *	֓֞֞֞֜֞֜֞֞֜֞֜֞֜֞֜֞֜֞֜֞֜֞֜֞֜֞֜֞֜֞֜֞֜֜֞֜֞֜֜֜֞֜֞	47.		
STREAST CHE-22 A/6 AS 5/3 34 POLYMENTER	U (36 - 67 36 - 67	. v		£ 5	AIR	POTTI NG	
C-C-22 1/8 AS 5/3 34	ָ נ	7 - 07	!	76 H	150	AIR		
9.0	246	99.	=	. 8 . 8	9	4 I B	PCTTIMG	
ひょうしゅうじ しょく・マン・マン・マン・マン・マン・マン・マン・マン・マン・マン・マン・マン・マン・	OF.	. 58	01.	#8#	65	IIB	Poffi MG	
				24 B	150	AIR		
STECRST 1090-51/24LV AS 100/23 BU MPCNT FORM	EAC	¥.	60.	# *	\$2	514	FCAR	
		,	}		5	# # #		
STYCLST 1090/11 AS 100/12 BW EPOYN FCM) E	6.4	8,8	7	2 y	114		
STYCUST 1095/11 AS 100/12 33 EPOYT FCAM	D NA			E 2	15.0		:	
	1	Ę	5		, ×	TE	PCAM-FOTTING	
STICKST 1095/9 LS 100/9 BW BLACK PPOTT FCAM	2 E F	77	5	2 E E	150	II	POTTIBE	
) (E #	12	56	168	101	11	POTTING	
STICHST 1263/31 65 100/3 84 35031	, ,	!	· •	24 H	150	N I B		
1344 1 8 13	SEC	2.80	₹.	# 8 H	۲,	7 T E	POTTIBE	
STACES 1269 A.E. AS 20/11 BE REDAY	ENC	2.02	- 2	16 H	χ:	11	POTTING	
				= :	2 2			
ANOGA RE 107 OF ST	O KA	£.	.05	# 9E	20	N I I	PO11186	
STICEST 1209 4/6 45 40/11 54 STICEST	;			24 H	150	A 1 B		
STACAST 1467/CA1 9 AS 100/7 BW EPOXY	340	=	8.	16 B	2	1 1 E	PCTIING	
		i	1	= ;	= 1	# T #	021.000	
STYCAST 2057/CAT 9 AS 100/6 St TPOXY) E	.72	5.	H 9.7	Ç	474		
	SHC	- :	3		ų	2		
			36	u :	30		201110	
STICEST 2462/CAS 14 AS 4/1 36 BLACK ZPOXY	U (,	-	2 ×	116	PCTTIEG	
) (E 1		-		K	A I B	POTTING	
STICAST 2741/15 AS 2/3 94 2FOTY	2	. 65	•		150	A I B		
		רנ	.08		149	AIR	POTTING	
STACEST 2762/14 AS 25/2 BK BLACK EPOST	7 10	25	6				POTTI KG	
STACKE ZESCHIZE ES TOTZ E FREE ESCH) (9	.0	20 H	20	LIB	PC1115G	
STROBER 2850F2/11 AS 100/3 SH SEACH ATOMS	200	47	6		9	AIR	PCTTIMG	
STACEST ANDURA I AN AU' I BE TEREST LEGG.	:				120	AIR		
				30 H	160	AIR		
					8	TI T		
energe 2850F1/11/9 AS 100/3/1.5 BW BLUE FROXY	SHC	0	00.		9	N I I	F01116	
STICAST 2850KL/24LV AS 25/1 BH BLUE PROIT	CHC	. 55	-02	74 H	9	7	FC111E	
	1	;	•		6 4		0.44.7.80	
STYCAST 2050MI/24LV AS 25/1 BW BLUE FPOXY	CHZ		5	2 4	2 2		POTITE	
2862 A/E AS 1/1 BU	, L		5		נ	TI	FCTIES	
	7 1	9	90		1	AIR	POTII	
STICAST 3050/11 AS 100/9.5 BW EPOIT) (E 9		2	•	52	AIR	FOTTING	
STYCAST 3050/11/840A BICKUSALLUURS	,			90 H	126	118		
A A COCK BE BY COCK BY COCK BY COMPANY	210	1. 10	.01	_	9	AIR	POTTI 16	
80.7 ks 50.1 Bi	BHC	2.26	.3		%	AIR	PCTTIMG	
				2H 7	150	AIR		
:	J	1, 10			00	AIR	SILICONE	
STIGHTO 182 A/B AS 10/1 BE	200	1.09		102	25	AIR	PO11186	
·								

ECTION 14 -- POSTING COMPOUNDS

APPLICATION	STITCHE		POTTIE		SILICON	111111111111111111111111111111111111111	MCIP CERP	SILICCHE	POTTING	POTTIBE		PCTTI NG		POTITIES			POTTIBE	PCTITUE	PCTT IL		PCTTING POIN				POILIBE	Potti 16	PO111 KG	PO111 NG		FOTTIBE	POTTIME		POTTIBG	POTTING		BOTT BG
ATHOS) IE	AIB	AIR	11	AIR		-	AIR	A I B	AIR	AIE	A IS	AIR	AIR	AIR	A I.R	AIE	AIS	TIT	ATA	l l	41.4			AIA	A I P	AIL	A IE	5-2	AIR	1.18	710	118	414	A I R	9 1
CORP	170	9	9	150	100	!	121	99	2	20	2	ş	2	105	14.5	175	£	99	23	3	;	CW	. C	;	C i	X	8	90	99	20	\$2	99	S	22	ş	ş
CU KR	2.E	=	=	24.8	=	!	=	728	304	12H	=	121	=	16H	E	<u>.</u>	24 H	Ξ	Ŧ	5		16.1		:	= •	9	16 H	16 H	.	24.8	¥9	E	24.H	# 8 H	# 0 H	30
KCVCH	97	60	.62		. 59	1.20	-	. 80	=	.42		96,		. 47			-0-	ē.	.02		8	1. 18	*		5	1.5	. 52	.59		.07	6		ē.	. 29		. 12
FIRE.	1.01	1.77	ŧ.		1.80	2.54	1. 25	2.40	1.54	6. 11		3.33		2.29			. J.	09.	. 65		2.06	18, 28	2, 19	2	77.00	17.61	1.29	1. 39		.51	. 67		.83	1.93		1.17
ATE CODE	DCC	226	၁၁ဇ		DOG	300	200	သူ	THE	ARC		A4C		74C			== 61 84	10 Pc &	HYS		PPI	40	486			HIS	2 2 2	# C			HYS		Sil	6. W 20		A V E
THERESEL	į	V6 AS	371G190 184 A/6 AS 9/1 34		STICARD 185 A/B AS 10/1 82	STIGATO 197	SYIGHT 187 A/B AS 10/1 BG SILICONE	STIGATO 51 A/b AS 10/1 PW	THALCO 331/732/AEP/BLACK DYS	CHAILBILL BR 1/00 ST 01/2-bdl		The 1/10 to 100/19 to BOTATION AND INCIDENT		TERMS BY 25/1 RE POLITICAL			TROCKSI 111/901 15 100/1.4 Ju	TRUCAST 1118/ILUCUEE 901 EPORT	TO-0590/TRO-0158 AS 1/1 BU GREEN PCLYCRETHARE		TRALANZ 1723 PCITUESTRANS FORM	GRAINSE 5712 4/8 48 2/1 88	V 357-80 A/B AS 1/1 BW BLACK POLYBRETHANE	YOU-MIND BUY AS 10/4 AS BOTTERSHIP	PROPERTY OF THE PARTY OF THE PA		THE DISCUSSION OF THE PROPERTY	THESIGO NOR TO SAME BECOME SERVED TO SECTION OF THE SERVED SECTION OF THE SECTION OF		TR-5166 N/E AS 2/3 BG PLSTIBLE BLACK EPOYT	TTU-0021/YED-0165 AS 1/1 BW BLACK POLYTRIBLE		TDS-0050 2/8 25 100/36 BW	TABSIET 1100/6/2 POLYCERIBLES PCSANILION		TRESIDE LIOO/6/4/T POLTIBUITHENS FORMULLION CLEAR

SECTION 15 -- RUBBING BLASTONERS

ATHOS APPLICATION					_	AID CAMPED		AIR CARPES									20004	ATR ROBBES	PLASTCH MB	ATH RIASTCHER		9	1 TO DAMPEE			270812		-	ATT DAMPET							FA3542						AIR SEALANT		ATE STAIRS										AIR SEALANT				
			182	121		250	82	250	82									16.0		17.6		100	Ş		2	741			: :		7 7	2	2 :	::		9		;	Q:	2	52	52	X	ž	, ,	3 8	Ç ;	Qì	£	52	\$2	52	2	52	χ.	×		,
CG 22	i		242			24 H	H 91	248	16.0	!									:			; .				;	E .					1	£ ;		E ;	7		į	70	20	400	00	00	-		007	O P.Z	28 D	26 D	26 D	800	28 D	24.8	24 H	2 4		2 4	
SCVCB C				_	. 17			52		11	?	5	2	. 15	1.07	Ç	1			:		• • •	;	50.	7:			2	;	971		;	.58	1	6.	,	2		5	6	39		2			17.	2	- 26	u.	.27	. 24	- 26	.03				•	
KINL K		9	=.	=	. 62		:	2.28	:	•		87	Ξ.	1,34	65.	;	2.5	: ;	3.5	5.5			;	2	7.	2	10.09	4.35	;	- 6		;	3.08	,	1.15		1.16	1. 38	=	750	5	2	:		7	5		9	<u> </u>		82	-	7			•	7.	•
MTB	1000	100	23.5	8				•		4	3	2 01	TOB	101		9 (יר פוני	P 30	0110			CHD			878	BAR		2 2			BYB		878) () TCC	DCC	2	Ž	3 6	,	220	۵۵۵	O O O	D D D	220	000	000	000	ָ נְיַנְיִּ	, (ָ מַנָּי	ביי ביי	200	מטמ	
			AND THE STREET STREET STREET STREET	pas alse silicore spongs	LAS SULLICCEN BURGARIA	PROBED ARCON SILVES FILLED SILICONE	BIR BODBER BL22-31		BIR BURBER BC22-31		日本市 智芸国教教院 ボドンシン・フラーン	nest transfer transfer in a straining stable of		BATE MORBES BEO (J-0330-5-1)/21	BIR POBBUR VIBERICH ISOLATOR MIZ-100	MATT. 218 CULLD	ACTT. 216-B CULED		\$1.00 TO		COTTACT TOTAL TENDE COED SHEET - BRITS SILICORN	100401 FEBRUAR F10470 41		SECOND SECOND DIGITAL DIGITAL STREET SPONGS	CONTRACTOR OF THE CONTRACTOR O	THE STATE OF THE PROPERTY OF STATE OF THE ST	COMPLEASED BESTELL	CT LOSS STATEMENTS OF A COLUMN STATEMENT STATE	*	AND STITCHE BESSE							MEMBERSHOP CONTRACTOR OF A CARL CARL THROUGH CARL	MENERAL PROPERTY OF THE PROPER	CIPECHIES 1660 CLES ASSESSED 15110111111111111111111111111111111111	9-1104	6-1104	6-1104 SARPLE A	6-1104 SAPPLE B	6-1104 SARPLE C	C. TOR SADIL	* * * * * * * * * * * * * * * * * * * *	2-1104 SABELE	0-1104 SABELE	6-1104 SABFLE	6-1104 SABFLE	6-1104	6-1104 SABFLE	6-1104		6-11C# H/15 W-1936 TELLOW PERRO	6-1104 K/15 V-1936 TELLOS FERRO		

SECTION 15 -- PUBBRYS BLASTORMES

																•																																				
APPLICATION					S221.0 PF	ADB-STATANT	STALANT	SEALANT	SZALABT	SIALAST-POTTING	KLAST CHER		BLASTCHER				31110			RI ASTORIA									ELAST CARE	WIA STCHE	MIASTCHE	HOBBER SEALANT	SILICCUR	GASKIT		101106						EL 1.51 CHES	RI AST CHER	CCER INSUI	CORN INSOL	CCBH 185FL		BLASTCHER	ELASTCHER	PLASTCREE	ROBBER	ELASTCHER
ATBOS						AIR.	AIR	111	AIA	AIP	AIA	AIA	AIR	TI I							414				A TA		•		AIR	7 18	AIR			7			4 + 4		!						A I I	AIB	A I B					
	×	3 5	. 5	2	150	25	×	£	×	×	160	17.7	9	777	573	6		5 2	:		X	12	. 52	}	2,6	32	;		150	150	150			200			44	3 %	;						255	2	260					
101	4	21.		200	-	2	20	12 H	Z	70	151	3	151	.	1	5;	;	, <u>,</u>		•	200	=	19)	2	2	:			=	=			3				֓֞֝֞֝֟֝֓֓֓֞֝֟֝֓֓֓֓֞֝	!						7. SH	=	9. SH					
RCVCR	1		- 22		15	. 27	.82	7	3	¥.	7.		8		•	•	•			5	-	28	15	8	2	2	9	8	χ.	25	2	2	.17	ę.	5 8	3 =			00	.03	5	.21	=	Ξ.	8	ē.		.17	8	.03	£ .	6 0.
STHL	90	1, 23	-		5	2.03	2.00	. 95	1.67	2.12	.76		. 15				•		2, 75	1.95	7.16	2, 53	3,6	1.05	Ž,	74		.51	00.	2.	98.	6.90	. 53	:	e S	40.4	12.0	2-82	.05	.	01.	98.	ş.	. 79	. 12	. 13		1.90	1.31	56.	1.22	. 22
EV R CODE	202		000	DCC.	200	204	DCC	S S	ပ္သ	U A	DCC DCC		၁ ၁ ၀		55) (2		308	PSC			2	DEM.	0) P	4 50	E	311.		782	910	946	2 (P)) (7 6		000	GO	30 B	2 00	E d	2 d	DCC)	DCC		BPG	976	916	916	DIIP
HATERIAL	DC 6-1106 A/B AS 10/1 BW SILICOUR	1/8 15 10/1 88	90-031 A/B AS 10/1 BU	90-031 SILICCHE SEALAN	90-031 SILICCHE	90-092 SILICCHE SEALAN	92-016 SILICCER SEALANT	43-006 A/E AS 10/1 BW	93-072 A/B AS 10/1 BH	93-076-2 A/B AS 10/1 BW ARROSPACE SILICORE	DC 955 SILICONE PLASTORER PEROXIDE CAT DI COP 400		DC 433 SILICORS BLASTCHES FEROTIDE CAP DI COP 40C			DE JOO STITCHE BEERLE ON SECTION			DOX SINI	3 515-8 FIRITRE-PROPILERS		BC 3439 MEONY MCAM WHITS ONE PART STATES	EC 3524/PC 3624 AS 100/94 BR RPOXY PCAR BLUE				ECT 006 PUBLICOSCELASTCARE	C 487-90 FIUOSCELASTO	1090		EX 1042 Brill	FLIBRING B5550 CGRED	OZOGNO PENEROLITA	でにこのではなしにこのでは、おうかいのは、 45mmには、 45mmのは、 45mmのは	THE TOTAL TOTAL DESCRIPTION OF THE PROPERTY OF		GBUAC VAC STALANT 1	GEWAC WAS SEALANT 2	PANDER TRFLOI	DOPED 1102/CARB	BO WITH CARBON -	TATIBATE 28-80 SILICOME	CONTRACTOR SITICORE	SO/THROX/BUBBB ADDITIVES BLUE COMMECTOR	SO/WARCZ/EUBBER ADDITIVES BLUE COMMICTOR	ADDITIVES		520-67-108-1 ACEYL		BYCAR 520-67-108-5 ACRYLIC	MITERIA MONOMEN POLICIONO MATERIAL DE MATE	

SECTION 15 -- FURBRES BLESTORMS

S APPLICATION		SIVI		GASKET	GISKI	TOBING				TIASTCREE		SELLANT							はなりてでは、これ	T T T T T T T T T T T T T T T T T T T		0 5116	0 5116		0 1116	CREASI	0-5186	0-1186	0-1116	B 0-9116	0-5116	0-1186	0-11MG	0-5126	9 1 1 1	9874-0	9111-0	9111-0	0-1116	0-1116	9#I#-0						•	ALE SELLAT					
ATROS			AIR	AIR					1 TB			118	=	;	# T															AIR												AIR				=	7			4 -	4 4	i	
TRAF			125	17.7					150			\$	6#	;	125															200												188	177	249	ı	52	22	2	121	52 6	7 6	3	
の記録			258	24 H					16 H			23 H	24 H	1	36 H								•							E												=	28	24 H		70	#8#				•	2	
ECVCH	8		90	2	17.		6.35	=	=	. 39	. 36	1.78		۶.	8 0.	8	8	ť.	23	3;		100	96			25.00	9	9		-03	6	2-24	6.25	. 22	2.40	6	- 02		9	2		10	:		2. 18	. 26	2-89	*0		6.	-02	70.	
THE	90				1.50	91.9	12, 82	11	. 22	1. 19	1. 20	40.24	1		.30	.21	.05	•	. 28	5	•		71.1			. ה הייני		1.21	2, 22		32		14.76	2.58	4.99	. 17	9 ;	֝֟֝֝֝֟֝֟֝֝ ֚	67.			:	•		5.86	. 92	57.38	99.		1,35	-	1. 21	
CODE		M () () (1	1	1 6	801) M	e i	H	N F	:	408	308	ROS	801	808	NOS.	MOX	ICE:	RI I	141	144	150	750	0 0) E	ניים	י ני	2 6	י ני ני		200	PSC	PSC	PSC	28C	PSC	PSC	200	7 0 0	2		8 00	. e	DEC	2 2		PRC	CPT	CPT	
TAIRGALE		INEFIERE TOBIEC STABILITZD FCLYPRCPYLERZ	INTERNACIAL SEAL SILICOMS DC-K-1314	INTERPRETATE SEAL SILICONE DC-K-1374	KIRKELLI SILICONE SPONGS TOBBER	RIMMBILL SITICORN SPORGE STARTS	LATER SUPCICAL TOBING	LD 400 WITHING CAMPER	LIGHT 350 WELL SLEEDENSAME TOBING	TAIL MAN MAN SCRIPTION IN THE TOTAL	44.04.44	19 TO TCE	HAR BOT B/B AS TO/T BU SEALANT		TO DITCH BIDDEST SECRET	AND COUNTY TOUCHT	J7111 051	171 FLOARL FITORCARBON	TAR FILDERL FLUOSOCARBOI		#S-10C02	ENCORRE & GASKET SEAL	SILICONE	VITCE A	09 ELACK MITHILE	60 BLACK BITRILE	108	ER SE	ĭ	HEER OFFIE	KEN C-FIR	SKER O-FIR	FREE C-FIN		HARE OF STREET	TALC STATE	FKEE 0-5 1	EKEN O-FI	HER OFFIEG S-641-5 STLICOMS	11-0-11	FKER O-FI	EKER O-FI	BKER STAL			COMPACT	PIEZOCCHDUCTIVE FIBERE N/B AS	PR 1221 A/B AS 10/1 BW POLISOLFIDE	2011202110	BE 1710 PCLYSULATOR SALANT	796-80	PECSENT 796-60 L/B AS 10/3 BW	

SECTION 15 -- SUBBERS BLASTORERS

MATERIAL	AFE CODE	% TML	RCVCB	C312	CORE	A THOS	APPLICATION
PPP 1050-70 FLCCGSILICORY	odd	5	3				
			3 6				
	. 6						
POTTY WACDUM SEALING		1.87					
ORT HIGH TAC SEALANT SILICCUR IN MILENS	. 6			70	44	:	
BEERS SI 503 EEIMFOLGED SILICON HCSE	ON A	96		8	2	4	
PRITER CAP - SILICOME BABARS	DIE	1, 20	, K				3038
BR 423 SILICCUE EUBBER	200	5.50	1. 37			٠	
32 423 STLICCHE BUBBER	REC	=	. 02	24 H	232	ATE	
	229	. 25	.03	24 H	25	4.4	611 TCM8
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	DFC	1.76	.52	:	}		
SAMEAED	NON	7.23	2.34				
TABEARD &	NON	8.90	3. 10				
SECONTROP SECONT	330	.51	. 12				FLASTCARE
SE SOCIETICOME	SIS	1.71	.73				RIASTCAMP
STREET STREET	SIS	1.40	9	Ħ	200	AIR	RI BST COM
100	SIS	.03	.03	24 H	250	AIR	MIASTCARS
776 001/0	GEC	60.	8				O FING-GASKET
MEDUTATE CONTRACTOR OF) ()	3.05	55.				O SING-GASKET
14000 11 11 11 11 11 11 11 11 11 11 11 11	ב פ פ	· ·	2 (;	į		ZLASTCHER
SE 3713 26/800 STITCORE		21.1	6	=	200	AIR	
TO SERVICE	1	07.	5;				O FIRE-GASKET
STATE STATE OF THE	و د و د	78.					O BING-GASKET
SE 3806 STITCHE	7 6	2.	74	;	;	,	EL ASTCHER
55 3833 24/440 SILICOAR	n (י		=	200	AIR	RIASICARA
CONE) (5				
ST 4503 24/480 SILICONE) () () () () () () () () () (-				O SING-GASKET
SILICOME	י פיני	•	5		;		
SILICONE -) (9 6	2 5	56	# • ;	7.58	AIR	
SILICONE -	י פ		3		107	414	
S TERP SILIC		•		E 8	910		OFFICE CPRD
SE 556 SILICCHE	, C	5	2	# P	6 y C		
SP 557/VATOR AS 100/0.3 BK GRAY SILICOME) (E		2		9 9 9		
	}		;		: ני		
				16#	28.9		
7 SILICCHE)Si	.37	. 15	!			E1 244 CHES
SILESTIC S-6508U/15-50 AS 100/1.4 BW SILICONE	200	. 35	.13	Ħ	250	AIR	
SHOUTING THE STREET	သူ	.27	91.				PLASTCHER
SILESTIC S-8/11 SILICOSS	၁၁၀	. 19	. 05	24 B	125	AIR	BLASTCHER
ç	OUG A	=	90.	8 N	249	AIR	SILICCER
STRUIT 6/3 STITCOR	DCC	7	•	S	116	PSI	SEAL-CASKET
49-110 1.9 10	;	,	-	2	250	A I B	
: =	200	1. 23	- 56	24 H	%	AIR	SIIICCHE
68-120 A/B AS)) (35	15 GH	52	AIR	SILICOUR
68-120 A/B	000	# C	- 25	24 H	2	AIR	SILICCHE
STIC 68-210 1/8 45	. 226	96.	52	1508	X;	AIR	SILICCHE
1/12 CM 0/4 017 07 71/1	DOG :	1.22	- 24	74 H	22	AIP	SILICCEE
STIC 68-220 A/B AS 25/1	2 6	7.		150H	22		SILICCER
STIC 68-220 A/B AS 25/1	2 2		2 9	1107	Q Y	AIR	SILICCER
STIC 68-310 A/B AS 25/1	ָ ער		2 %	5 5	C y	A I E	SILICCER
310 A/B AS 25/1	200	1.24	9.5	15.0	e K	1 T T T	
FIC 68-320 1/B AS	DCC	1.64	.32	24 H	3 2	114	SILICIAN
					ì		

SECTION 15 -- RUBBIRS BLASTGERS

	į				1465	1.7805	AFPLICATION	
MATERIAL		S TRL	אר הר	I	4 1 1 1			i
					×		SILICCER	
	22	1, 29	22.	B 4 6	Ç		ST11CCBK	
66-330 A/B AS	DCC	1.02	7	107	3 7		ATT TOORE	
69-210 A/B AS	ည်င	- -	. 26	100	Ç	1		
IINSTIC 69-210 L/B AS 10/1 00	200	. 80	.27			1	011100	
ILASTIC 69-210 LCI ZU 103007		.02	9.	168	250	7 1 2	TTTO T	
69-210 LOT EU		71	. 28	241	52	AIR	SITTICE	
40-220 A/B AS	ָ הַיִּר		ž	1508	25	AIR	SILICCUR	
24 A/4 0/4-62	200		2	24.1	2	AIR	SEAL NT	
	DCC	1. 39	? :		2	A T B	SEALANT	
731	220	2.50		H • 7	Ç			
732	2	1.76	. 85	248	5 2	7 14	SEALERIA	
732	,	:		24.8	150	AIR		
!		•	35	24.5	25	AIR	SEALANT	
	ပ္ပင္	2.39	2 :		, ,		SELLANT	
77	DCC	1.59	8	H . 7	2			
SILMSTIC 732 CLEAR SILICORD				11.7	2			
	200	2.96	*	24 H	9	1		
HINSTIC 732 BRITE SILICOME		1.73	-93	24 H	52	AIF	SEALAST	
732	2	· •		24 B	150	II		
			7	728	52	AIR	ADR-STALAST	
THE THE THE DATE BOX-COMPOSITE SILICONS	o D	2		!	ì		0-5186	
CHILD AND CARE AND CONTRACTOR OF CONTRACTOR	ပ္ရ	4. T	7.	5	400	ATE	VALVE SEAT	
SILEGIE VS SALLS	ပ္တ	• 29	5			1	STITCHE	
SILLSTIC 75 SILLCUIS	D C C	1.63		•	2		******	
SILKETIC 881/CAT AS 14.2/.33 BE SALLONE	טטפ	9	8	# **	24.9	111		
		4	90				CASK ST.	
	ָ נו	,	•					
10000	BAI	7.0	3		400	a T A	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	
TRESTANCE TO THE PARTY OF THE P	BAI	۶.	֭֭֭֟֞֞֝֞֜֝֟֝֝֟֝֟֝֓֓֟֝֟֝֟	8 * 7	,			
SILICONS RESELVE - TABLELLOS LANGES TO CO ACCUSA DE CO.	6 E E	9.	2.					
	004	1.51	9				4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	
	Ĺ	=	90.	168	200	#1 T	GASET	
- OC SUTHS Z SETT	֓֞֝֜֝֜֜֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֓֓֓֓֡֓֡֓֓֡֓֡֓֡	10.1	. 35				SILICUME	
ATTACHMENT DESCRIPTIONS CANDING	و د ا د	-		24.8	232	A I B	SILICCUR	
	מככ	? (HOLD CPUD	
SELECTION OF THE CALL OF THE CALL OF THE PROPERTY AND THE CALL OF	TAR	. 13			ř	11	SPALAKT	
	BYC	-		2	Ç			
SIS 7127 1 2/8 20 5/1 08 1/10 0111/011	28€	= :			•			
SAND 100(43-3) FILLSD HIDROCARDUM ACEDEM	200	2.46	. 27	•		414		
Crucor cary				1108	-	F-2		
	1	•	9.		001	AIR	018785	
	N 1	7.	•				CAMPIE	
	A 10 10 10 10 10 10 10 10 10 10 10 10 10				ý	ATR	DAMPEF	
MOTEROS TERRESTER - ESTA SERVICIO OFFICE	₽				Š	1	22020	
	ر د د ∙	2.28			3		20011	
SEED 100790 CICLOSKIASK ALSO SEEDS	A Z S	1.39	•			7 6		
SARY 1007-90 ENGLESS STRICTS TO THE STRICTS OF THE	1 CC	.36			Q t	4 1		
SOLITHER 113/300 AS 100/80 FM formath	TCC	. 43		3 70	Q	***	35.85.0	
SOLITERARY 113/300/CABOSIL H7/CARBULAC		1. 36	15.	_				
COLTERNIE 291) L			7 18	9	E-3	COSHICE	
SOLITHREE 291/271/TIPL AS 100/48.5/1.9 BF	,	:		16 H	100	AIA		
	Ċ	•	-	9				
AND SAFEE STITCOME AND 3195 0.0316/CU IN	28.5		•	2 2 2	138	AIE	DARFRE	
ANDREAS STREET STREETS AND 3195 0.0318/CD IN	3.40				177	AIR	CABFEF	
STORES SOLD STATE COLUMN TWO 3195 0.0314/CO IN	SEC	? ·	•	•			CARPES	
SECRET PURPLE SAFETONES TO SECOND STREET	S S S S				17.7	ATE	CAREE	
SPONES RETURN OF THE STREET BY STREET	2 20						FIRSTCHER	
COORDINATION OF THE PROPERTY O	218	2. 39		2 !			FLASTCHES.	
Se 613-17 BLIE	S.: S	- 6		2			CETER	
SP 634-70 bull L	5.15	· •		2.				
634-70	\$18	2.00		3				
Sr 722-70 ETHILENE-PROPILEM								

SECTION 15 -- NUMBERS BLASTORMES

MATRIAL	#400 COD#	KINL	SCVCB		200	AT805	APPLICATION	
SB 722-70 ETRIBUS-PROPURES TH 1006 SILICORE	818 1.819	98	60	26 E	855		211.03 (km) 58.63	
TREPRACOTE 250 THEREAL JOINT CPUD TI-P-300 INSULATION - UNTRED TONE STAL A/B AS 1/1 BV TUBING-STILCCHE-BRD GRADE 60 CL2 SPRC 178765 TUBING-STILCCHE-BRD GRADE 60 CL2 SPRC 178765	100 110 110 110 110 110 110 110 110 110	2.09	2882	; ;	2 28		511111 11501.4710# 408.521447 708184	
RE PCITUSETRANE TURING STRICCHE LEME SEALER STRICCHE LEME SEALER STRICCHE LEME SEALER O PING - RTV 75	中間 日本 日 日 日 日		9-000	24 10 H 24 24 E 24 E	16 93 16 6 100 100 100 100 100 100 100 100 10	NI PIN	144 11 14 14 14 14 14 14 14 14 14 14 14	
VIOUS A VIOUS A VIOUS AVIOUS VIOUS AVIOUS A VIIO A		221 221 321 321 321	555555555555555555555555555555555555555		,	•		
VITOR B DEFCHT VITOR B-525 FOAM EUBBER BLACK CLOSED CELL VITOR C MCSE VITOR C MCSE VITOR C MCSE VITOR PER MIL MASSAB TPR 2 CLASS 1 ER 2702-75 WASHER FCITPHENTISME SOLFIDE 40% GLASS FILLED	Pactor of the pa			=	2	# 1	605117 5131 5131 5031 54 5031 55 5057 5131 615115	

SECTION 16 -- TAPES

APPLICATION	2 SIDED TAPE		2 SIDED TAPE		2 SIDED TIPE		1762	115	TAPE-FILE	7157	1374	2 ginen tabl		MOST CALCAL	2	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4		2	7.87.5			TAPE COMPOSITE	TAPE-FILE	1102	1111		****			101		1111			74.5	1201	TAFK	TAFE	1102	HATE	TAFE	TAPE	TAFE	TAFE	2 SIDED TAPE	TAPE	TAFE	1			201		4 0	9010	1111			
ATROS	! ! !						AIR	AIR	AIR		a T a						,	-				111	AIR	AIR	· ·	٠,						1	AIR			ATE			A I R	A I P	E-2	E-2	2-2		AIR													
CORE							9	9	4	;	99	3					•	125				349	216	216	2	2						;	107			125			121	130	120	120	120		121													
CORE							24 H	24.8	168	:		= 9						E 60				20				u + 7							# 9			¥		•	38	Ë	. 16 B	16.8	16 H		28	}												
RCVC#	=	.21	4.72	2.73	3	=	. 17	24		:	- 1		5	60.	5	. 32	8	87	- 02	.53	8	80	2		2 6	5		71.	1.1	08.	- 70	2.7	2.50	.27	3	.02	. 35	ş	.42	1.04	. 25	50.	. 19	.21		0.	21				5;	-	.03	.02	8:	6.	8.	
3 THI.	49 6	1.2	10, 50	5.77	1.61	. 23	1.57	200	27 :	•		9.		2.30	1.82	- £	.27	96.	1.06	2.84	-	7		• • •	9.	02.	1.50	.62	2.31	2.79	7.06	1. 90	6.26	.5.	16.	38	1.90	2. 16	1, 19	2.96		20			2					ς,	7.67	2.24	=	. 80	. 20	•	.85	
#7.E CODE				010	240	110			n (Acr	APP	A S.E	JeT.	J d Y	FIB	378	175	318	Site	SIS	S E	1 6	7 6	515	618	E E	es L,	1 is 12	E E	N.	E 11	212	E	E		×	¥		. F		1								y. 1	E :	T T	T T	E F	E	E E	E E	E	
HARTEN IN I		E PILM/2 SIDE ACFTLIC AUB/F	/2 SIDED ACTUAL AND A PROPERTY OF THE AND	LIPROPILER: FILV & SIDE AND THE CO.	J/W	A POLITICAL MATERIAL AND	TO THE PIECE PARTY AND THE PROPERTY OF THE PRO	-25 XAFTCH FLM/ACTULL BUNG	1-25 KAPTON PILM/ACPTLIC ACU/F	STALIZED MULARARCHTIC ADM/E	I/ACSYLIC ADR/VINTL CCAT/E	POIL/ACRYLIC NOH/E	SAN PAPER/2 SIDED ACPUIC	CK POLY STREET STREET ADM/F	HOLE CHICK TAKE BOARS		TARGE AND TRACES OF THE	CALADO LATERA STRANGE SES ADM/F	A/MCM MYG A/JACKE EXCEPT P MIA MAN DORLOR C	G #06#04-620 TAND FRETTON/FT BELIEFED 1 100 FF.	C #10010 TEPE ALCELETZEE MARTON/SILLICET NO.	G-400/100 TAFE/S	37 100 tapt sylab composity as wilking 100/Hiles	GT 100 TAPE TEC SIDED HENT SERLING POLYSTER FILM	AND TANK CHE SIDE MARY SERLING POLYBEINE FILM	TABLE OF THE PROPERTY OF THE P	1/2AISSEQUE STOCKING TO SOME BLEET	WALL STATE AND THE PROJECT OF THE PROPERTY OF	ATTACA AND DO STREET, AS /STLICOMS DOM/S	ALBERT 1855 AND STRUCTURES/STITCOMS ADMINISTRATION OF STRUCTURES/STITCOMS ADMINISTRATION OF STRUCTURES/STITCOMS	ALTERIA SAME STORAGE S	THE THE TOTAL PROPERTY OF THE	CANCELLE PERCENTION OF THE PARTY AND THE PERCENTION OF THE PERCENT	AVEC CITATON ACCUMENTS OF A CONTRACT OF A CO	こうはん はく はん こうしょうりょう ファン・フィッショ ションゴマ コン・ファート からばい いままに こうはん はん はん しん・からしょく・トイチ じじじょく マン・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	AAS ABBU Y-JOS COPPES FOLLYBOT TAKE BONY (LOCASON)	STATE CHARLES MADE TO THE STATE OF THE STATE	THE STREET NAMED AND STREET AND ADDRESS OF THE STREET	ATE TASK M-1237 MMLOS PAPES, ACRILLO AUG.	ARE TRUE Y-1242 BOLYSTEE TRUESCORE BONZE	HAR TERS Y-1246 MELAN/HESTRONG ACRES FOR DESCRIPTION	E055	AAR TROM V-1267 ERBOSS AL/ACRYL BERKY URAN CH SCHOOL	AMM TAPE X-1267 EMBOSS AL/ACBTLIC ACB/F DARK AS BULL	ARM TAPE X-1267 EMBOSSED ALTH/ACSTLIC ADM/F CUSINGSO	ANG TAPE Y-562 11SSUE FILM/2 SIDED ALM/F (T-9169)	AMM TAPE T-8437 ALGB/HTLAI/ACT ADM/F (FORREF T-9 580)	MAN TAFR V-9040 2 HIL ALUM POIL/SILTCOME ADH/F (455)	MAN TAPE 1-9050 ALGH FOIL/GLASS CLOTS/SIIICCHE ADR/?	ARE TAPE W-9133 GREEN POLYZSTER PILM/SILICONE ADB/P	MAN TARE W-91844 GOLD LEAF/ACETLIC ADB/F	HAM THE W-SIME GOLD LEAF/SILICONE ADIL'S	THE STATE STORY OF THE PROPERTY OF THE PERSON AND AND AND AND AND AND AND AND AND AN	TARE 1-3224 INITION 137/COLLIC ADB/R TYPE	THE ALTH POIL/ACSTLIC ADB/R TYPE	045 4-6 344 H	0000-1 744: 6	THE MARKET POTTE TO THE PROPERTY OF THE POTTE OTTE OF THE POTTE OTTE OTTE OTTE OTTE OTTE OTTE OT

SECTION 16 -- TAPES

APPLICATION	
ATROS	AIR
CUBE	150 121 121 121 125 125 126 126 150 150
CORR	2
#CAC#	2. 126 - 126
THE S	
CODE	
TRIESLAM	THE TARE THE GENERALLE THE ACCUPTICATION SANDHICK THE TAPE TO GLASS CLOTH/THETOSIT REBERS ACH THETOSIT REBERS ACH TO THE TAPE TO GLASS CLOTH/THETOSIT REBERS ACH THETOSIT REBERS ACH TO THE TAPE TO THE TAPE TO GLASS CLOTH/THETOSIT REBERS TO THE TAPE THE TAPE TO GLASS CLOTH/THETOSIT REBERS TO THE TAPE THE TAPE TO THE TA

SECTION 16 -- TAPES

ATHOS APPLICATION	2014	AIR TAFE	127	2 SIDIO TAPE				1 9 1						1-6 TAPE	E-6 TAPE	-	2 SIDID	2 SIDED		٧,	27076						B-4 TAGE COMPOSITE	1111	1151						MARL AIT	1011	1101	1411			2 SIDED TAPE							F-5 1268	,	AIR TAFE	
		•	•											_					•		•						-						9	•	150									•	·			15.0	>	14.9	;
188		<u>3</u>	-			200			4	9	, t		3 22	150	8	5		8	138	,	2		6	?			12						•											•	-						
ST T		24 H				74			8		;		96	101	# 8 H	H 0 +				1	24 E			,			=						40		248							_			=					308	
RCVCH	.62	. 56	. 05	.67	1.28	E0.	į				5		•	=	11.	60,	1.10	£.	. 32	1.69	67.	5	70.	7	18	3 %	20		1.49	8.	.03	8	2-62			80	7.39	. 89	3.90	1.39	.7	6.	.02	_	F				בם. ברי		•
A TEL	2.63	-	1.1.	3.22	1.90	1.4		7			C7:	- 6	76.	.57	9	.65	4.06	2. 19		4.92	2.99	. 63	59.			• •		.21	2.60	.24	. 25	60.	3.82			21	12, 26	2.31	9.50	2.74	1.94	5#.	17.	3.08	1, 35	1.79		17.7	30		:
MPR CODE	BCR	B C	E (BCR	BCB					200		E 1	2	NC N	E 0	E C	EC.	BCB	BCH																					9.3 2.0										7 C	
41781141		POPPER	01175 1276 1046 11266 (12504) 11317 1274 137 1274 137 1274 137 1274 137 1274 137 1274 137 1274 137 1274 1374 1374 1374 1374 1374 1374 1374 13	47 TE 4152 7100 G	STIR TAPE 7300 P	STIR TAFE 7300 B	STIK TAFE 7321 F	STIR TREE 7341 POLIESTEF/ACRILIC ACR/B	STIR TAFE 1352 POLYESTER FILE/TERENOSET BUBBER	STIR TARE 7352 P	I TAFE 7361 KAPTOM/SILICONE	STI	S11	į	AND AND STATE OF A PROCESS OF A STATE OF A S		ALGERT AND JOSE TRANSPORTER CONTRACTOR SILE	; ;		STI	HYSTIK TAPE 7366 KAPTOS/SILICONE ADR/FOIL SAUDHICH	511	57.1	분	11	211	11		TARTE TENE TARE CONTRE CONTACT TO THE PROPERTY OF THE CONTACT TO THE PROPERTY OF THE PROPERTY			S	MYSTIK TAFE 7455 GLASS CLOTH/ALUM FOIL	E	STATE THE 7503 TERTOSKILICORE AND	MARKET TENEN JOHN TENENS JOHN BUT	CHOCKER SERVE COCO MERCON/STRICOR BOX/S	CHICITATE LING/F	HOW MANDER MANDEN TO THE POST OF THE MANDER OF THE PARTY OF THE POST OF THE PO	DESTRICT PLDS FV-6761 RAPTOM/SILICONN ADS/S	DEFENDED TANK RE-6962 KAPTOM/2 SIDE SILICORE ADM/P	PERMICEL TAPE E1-7240 GIASS CLOIM/RCHIIC ADH/P	PERMICEL TAPE LE-7390 NYLAR FILM/ACRILIC ADH/R	PERMICEL TAPE PE-100 AL FOIL/GLASS FABRIC/SII AJR	PERMACEL TAPE 21 GLASS CLOTH/THERMOSET FUBBER ADR/P.	-	PACEL TAPE 213	=		Ē	7

SECTION 16 -- TAPES

!	!											•																
APPI ICAȚIOU	1171					725	12.5		175	116	1761	175		TAPE	115	1151	115	1168	1751	1111	TAER COMPOSITE		1101	TAPE COMPOSITE	2 SIDED TAPE	1100	1718	1111
ATBOS	AIR			AIR								E-2									1-2			1-1				
ten g	135			2								125									*			3				
CORR	58			HE								161									241			34 II				
SCVCB	3.50		33	.37	.75	5.95	. 24	1. 17	5	¥.	.33	. 05	.17	. 26	=	6	.93	2.	. 02	8	9.	<u>.</u>	.32	×	. 02	=	.53	=
THE.	. % .	\$2	10	.65	1.39	12.69	<u>.</u>	4.56	2.29	2.17	96.	. 25	.38		. 87	.27	1.69	. 22	=	=	1.74	. 78	.08	.8.	.63	1.07	06.	. 35
AFR CODE	22.			P. 2.	ar ar				IOB	818	HOY	KON	111	CHB	CED	CHE	CHO	CHE	CBB	CHR				CHE	CER.	CHP	CHR	111
BATTAL	APE 26	TAFE AUSO AND SALE	TAPE 4220 TEPLOH/S	TAPE 423 TEPLON/SILICONE	TAPE 423 TZPLOH/SI	TAPE 621 PIBERGLAS	TAPE 921		PE PCLYPEG	Sa Tipe	SB 1020 GLASS PRINTOLCED SILICONE BURDER TAPE	SB 1020 GLASS BEIMPOFCED SILICONS BUTBER TAPE	The terica 03641 ter Film/Silicons abs/P	TERP-R-GINS A2005 FIBERGLASS/TRPLOM TFE/SILICONE ADM	TEMP-R-TAPE A-471 TZFLON/FIDTRGLAS/ACRTLIC ADM	TEMP-E-TRUE C-400 TEFLOM PRP/SILICOME ADM/F	•	BH-225 TEPLOW T	-	TRBP-R-19PK RM-650 TEPLOM TFZ/SILICOME ADM/R	KA PT09/2	TERP-R-11FK E-102 KAPTON/ACRILIC ADB/F	PRE-E-TAPE K-250 KAPPOM/SILICONE ADE	TERP-R-12PE K-250 KAPTOM/SILICOME ADR/KAPTOM	TEMP-E-TREE 6-69 MILAR PILM/2 SIDE ACRTLIC ADM/P	÷	TERP-M-TAPE TYPE T TEPLOR TER/SILICORE ADM/S	VALCA TAFE 7910 PTER FILM/SILICONE ARR/F

SECTION 17 -- THEE MAL GREASES

	4 P S CO D B	KINI.	*CVC	CORE TIME	TERP	ATHOS	. AFFIICATION
	910	95	1.33	• • •			HERE CPULSE
RSTALL 032-8 BLAT SLEK GREASE - FLAR	3						FERDE COVERS
LATELL PROTEIN FRAT FIRM GUILSE - WRITE	CAS	7. 70	7.7				
CONTRACTOR OF THE PARTY OF THE COMPANY	080	.57	2				COMD GREASS
SCHWILLS AND STRUKE THERE THEFTS THE STRUKE	000	.05	-05				TREMENT CHRIST
0	000	. 35	=				BEAT STEE
TO PARTY OF BERNING THE STATE OF THE STATE O	776	05	- 12				SEA1 STOK
C 443 UNITED SECTION FLORES AND 437 AN	0 10 10	36. 88	22.20				CCBD GERASE
COMMITTE CONTRACTOR FILE CANADA CANAD	, (8				THERE GERASE
CCCCCCCCCC TC PITTED TIPE STEE STEE STEEL							THEFA GERASE
CCOTERNATE & FILLED BFAT SIBK GREASE	ا د ا م	•	:				PERSONAL CONTRACTOR
CCOTESPH 1C-4 PILLED 42AT SIMK GERASE BICH 10803014	310		•				# 5 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
化二氯甲基苯酚 计自一场 计计算程序 医乙基氏 法计算符 经销售股份额	ZHC	. 50	2				12543 6446
MONTH WILL PARK COLLEGE ALCHOR	SAC	₹.	Ē.				THEFT CHEESE
CHARGE SELECTION CONTRACTOR OF THE CONTRACTOR OF	340	. 37	. 15				THERE CREASE
C-COMMUNICATION OF THE TAXABLE TO TH	(0.0)	.71	. 12				GERASE
はは、		*	6				TRIBUAL GREASS
THREE PROPERTY CONTRACTOR CONTRAC	,						THEFFEL GREASE
THE TEREFERM GERBSJ	2,20	C .					
1. 6. 10 11 11 11 11 11 11 11 11 11 11 11 11	0 13 0	.62	6.				
	AAK	=	. 17				GFLASE

SECTION 18 -- MISCRILLMEOUS

	******							1
Iquoples	4 . B	TAL	KCVCR	CU NE	TERF	ATHOS	APPLICATION	
ADIDERUP 1100/RUCA AS 100/10 BV	4 LO	1. 15	5	20	25	178	CORT COLF	:
DOM # 2				•	:	i !		
THE PROPERTY SERVICES CONCRETED AND WASHINGTON			8				2010	
		:						
ANALOG ST. 101 FLUCTOCAPONS COATSE PLEIANIUS	5		70.				COATE PABLIC	
1/8 AS 6/4 BJ PPOXY	ن • ₹	• 26	3	2H	ç	A I B		
1-91/1 15 10/1 PW	<u>ا ا</u>	2. 30	₹.	28	2	A I B	CCMF COAT	
APRITEORG X-61 EPOXY X-61/A AS 10/1 BH/2FLEX BUSIN	<u>ن</u> م	1.50	.13	2H	7	AIR	COME COAT	
	101		6	:			TREET DE TON	
			:	:	6			
1		•	3	9	707	**	TERRITATION TO THE PROPERTY OF	
	277	40. 10	. T					
A FA1 A	T. T	. 22	Š	24 H	150	AIB	SLEEVING	
80年0年 美国特别工作 一一年天本年 8月8天 安徽8世代第	JCC	. 12	00				AASHIS	
	2	31 02	5	164	3,0	4 7 8	DOTATE	
	0 0				1 5			
	;		3					
		1		871	C 71	¥7.4		
	CYC	3.50	۳. ۲.	20	25	A I E	A DRIES 1V B	
WAER BA	B1.4	8.8¢	3.17				INSULATION	
BETHANS FORM B/O ASH	BL A	1, 93	₹.				INSOLATION	
CONSTRANT CE 1155 A/B/CZLLOSOLWE ACETATE AS 10/7/3	COM	1,30	90 -	30 B	52	AIB	COMP COAT	
				38	99	AIR		
CACTON 11681 COME CLEAN NO DACKYT	970	76.	8	:	;	1	FIRES OPTIC	
1 CCMD. IACKAT	4	2.3	8					
100000000000000000000000000000000000000		; ?	3					
I TELLOR CODE	-	97.	3					
	910	. 26	8				FIBER OFFIC	
# CCEL/JACKET	J.I.P	. 27	ē				FIEFS OPTIC	
CECFCE 5 CCED/JACKET BETTE CODE	0.1P	. 23	. 02				PIBER OPTIC	
STAR ALLCH BOH	A T.C.	19.4	1.1					
SELA SECURI SEVE SUCCESSION FRANCIS AND VENTOR VENTOR		75. 3	: E		36	110		
7427.28 -77 - 13144 - 1444 - 1			•		3 3			
					9 3			
	1	;	;		0	# 		
CIL-1- WELLE EFCIE FALST GATCH 1044 WIGHE ACT	1:5	3.83	3	E :	ς:	414	PAIRT	
				158	9	A I R		
				Œ	99	AIR		
D-241-F3 SILICONE		1.02	.21	3	12	AIR	PAINT BASE	
DC 2106 SILICCES RESID	ည	90.	.02				SILICONE	
DC 325 A/P AS 100/8 BW ABLATIVE SILICONE	သင္က	1.46	36	# C	14.9	AIB	ABLATIVE	
S10 STITCEN SININ	0	7.11	9					
AT ATTACKE THE TO A DO ON	, (9		34.0	d			
OF AN ATTENDED SECTION OF THE TRANSPORT	, (? :		8 8	4 6		
	,	•	•		3 .	7 1		
THE CALCAST STREET STOCKES AND SEC. OF	,		•	•	:	•		
DO SOLECTOR DESCRIPTION TO BORDEN TO BE SOREM TO BE	ر د د	97.7	9 6				170	
THE PROPERTY OF A PROPERTY OF	,	5 6						
EFFERNCE FIRE FRE		-						
		2 .	5 :	1	;			
UZZ/ NAPUBEEK	2		₽.	8 47	Ç ;	# ·	CCEE FORESTAS	
				Į,	Ç	A I A		
		,	;	7	£	AIR		
ECCOFORM FPH 12-10H A/3 AS 4/3 BM POLYUBETHANZ FOAM) F	1.93		7 H	9	AIR	FORE	
				# #	0	2-2		
SCCOPOLS FPB/12-68 AS 4/3 39 POLYUPITHAND FOAR	S	1.43	- 24	24 H	52	A 18	POAR	
				16 H	125	AIR		
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	į		;	7 H	150	A I B	•	
66A LECKY - MOLD AT 1	ENC	64.	9,	Ξ;	18	A I B	STEUCTURAL	
MCCONOMO DE 16 BETHANDI LINKS - 3	13	.51	.05	21H	00	A I R	AESOEEAHT	

SECTION 18 -- HISCHLANKOUS

Colored at 30 accordance Colored at 30 accor	RATESTAL	CODE	Aral	N. A.C.B			6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	AFFLICATION	i
State Stat	RCCOSON'S AN 79 MICEONAVE ABSORBANI/3M ADM 44	BRC	1.16	. 39	3H 21E	\$2 <u>6</u>	A11	arson east	
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	/FEESABID 125/RD AS 100/21/13 BW EPOXY	SRL	.70		=	=		A DRESSA	
1,72 1,68 25 111 1,24 1,17 1,68 25 111 1,18 1,17 1,18	828/WELSERID 140/SR-82/DETA/TOLUERI	1 . S	2.91	8	===	X 2 3	AIR AIR	CCNF COAT	
1, 24 0, 0	EPCH #28/815/140/CARBOLAC/HOVACITE 1250	SHL	1.72	2.	168	1 23	AIR	ADBISIVE	
Column C				٠	# C	3 %			
FROXE FROX	-	281	1.24	.00		. . .	ī	ADRESIVE	
### PROVINCE ### P	TPOIL	SHL	9.	8	=	= 3	AIR	A DEES JVE	
### STATEMENT NAME	F EPO	200	5.84	.02	72H	ያ	9-1	ADKESIVE	
Main	112	390	6. 1.	.03	7 E	25	A I B	INFERGRET	
INTERCATION MAIN	96 53	Z)C	9.15	5	= =	25		CONF COAT	
THE POLY POL		2	36	- 12	•		3	. 42614	
ADM FILE POSEIN AND STREET AND ST		į	2.05	25				970 5112	
NEW COLORS 120 22 108 121 108 121 108 121 108 121 108 121 108 121 108 121 108 121 108 121 108 122 122 108 122 108 121 108 121 108 122 122 108 122 108 122 108 122 108 122 123			1.23		1 20	121	ATA	ACE FILE	
FIGURE 100 1		2	6	22		121	150	ADI TILE	
E COATING 188 3.20 .90 .91 .90 .91 .90	NIEE COATING 105 DEG C	777	. 23	5	:	•	;	BIRE COATING	
A	E COATING	788	4.32	8				PAINT	
INCOME CONTINUED CCC CO CO CO CO CO CO			7. 20	73	24.8	25	AIR	CCMD PAIRT	
ILED VOLATILITY FULDE		מכנ	70,	ō		:		SILICORE PLEID	
Independent	CHISOLIED WCLATILITY PIUID) DC	50	60					
Tube	LED VOLATILITY	ပ္ပ	.00	8				SILICCER FLUID	
### FOLTOWER CAST FOLTOWER STATE OF CAST CER - PRINCISC CER - O1	TED VOLATILITY	200	Ξ.	10.			*	SILICONE PLUID	
### FURE STATE		222	.68	- 02				STEUCTURAL	
\$\$ q-905\$ \$\$ q-905\$ \$\$ \$ q-905\$ \$\$ \$ q-905\$ \$\$ \$ (Gec		104	. 54	.0				STRUCTURAL	
CLR - POLYESTER		STS	.58	6.	•			HEATES	
CER - POLYESTER		249	. 07	8.				DIELECTRIC	
CER - PREMOLIC HEY 1.30 . 20	CCLE	1 1 1 E	. 18	.13				BOBECORB	
**************************************	CCER	HSI	1.30	. 20				HCMETCORB	
HOWENCOMB CCRS - SILICONE	=	H	.37	.37	-	•		BCHETCOND	
RET #GUITILATER	1	1,218	. 50	•				西の世間での日野	
ILECOME		¥	19	.03				INSBLATION	
10-80 12 220 12 220 12 220 12 220 12 220 12 220 12 221 12 220 13 200 12 221 14 125 E-4 15 EME EMULSTON 15 EME EMULSTON 16 2 12 2 1 1 1 125 E-4 16 2 12 2 1 1 1 125 E-4 16 2 12 2 1 1 1 125 E-4 16 2 12 2 1 1 1 125 E-4 17 14 14 14 14 14 14 14 14 14 14 14 14 14		2	5	- 07				ELASTCHES	
TE 200 EMERGE TO THE STORM TO		2.5		8				LANTENAN	
EMERENDIZED IM PLASTIC/ADRESTATE HIR 5.99 .93 SERME EMULSION NAG 2.12 .21 1H 125 E-4 SERME EMULSION NAG 2.12 .21 1H 125 E-4 SERME EMULSION NAG 2.12 .21 1H 125 E-4 SERME CONTINUE HIRD-CENTER AND .67 .49 3H 149 AIR LENGER OCCUPT W/SILICONY BIND-CENTER JOH .29 .09 1H 260 AIR SELLATION SELL	20 C 21 C 20 C 20 C 20 C 20 C 20 C 20 C	177						MARKET	
STRIET PAGENTSTON	CENTRAL DESCRIPTION OF ASTRONOMYSTW	2	66.4	6				HEALT SENSOR	
ESTRIP NGO-1016 THERMOSET POLYESTRASTYPENE COPOLYNYR ANS 9.38 .49 3H 149 AIR THERMOSET POLYESTRASTYPENE COPOLYNYR ANS 9.38 .49 3H 149 AIR TELINBE TABLATION THISTIAN THIST	等性間 医自01.51.0m	N B	2, 12	.21		125	1	COVER	
THERMOSET POLYESTER/STYPENE COPOLYNTE ARS 9.38 .49 3H 149 AIR IMERIAL SELECTION 184	-4		Æ.	.00				RAG HOLD DOWN	
FCLINEE	۳	N HS	9.38	67.		189	AIR	ISFRESIBLES	
AA 0.66 / CO FT W/SILICONY BIND-CENTER JOH	-	IBA	-67	. 16				BAVEGUIDE	
(Y-9360) NYM .20 .00 NYM .1850 JOH .20 .00 INSUITED TARE TARE MAIN 1.25 .00 TARE TARE NO 1.03 .23 FAST NAST .06 NCLD NCLD NCLD NCLD NCLD NCLD NCLD NCLD	١	JOE .	-29	60	Ξ	260	AIR	INSULATION	
108 . 20 . 00 INSUINED INSUINE					=	330	A IR		
(Y-9360) NHM .51 .06 TAPE TAPE TAPE TAPE TAPE TAPE TAPE TAPE	55	308	. 20	0				INSULATION	
(T-9360) NYM .79 .06 TAPE TAPE TAPE TAPE TAPE TAPE TAPE TAPE	-	JOB BCC	.51	90.				INSULATION	
H4H 1.25 .00 TARE H0B 1.03 .23 FAST NSI .37 .06 MCLD IL H3I 10.42 4.72 MCLD DSL 2.26 .03 FAST UN GSC .32 .04 COAT	LUB/HYLAS/ALDM/ACRYLIC ADH/P (Y-9360)	F	. 79	8				TAPE	
HOD 1.03 .23 FAST HSI .37 .06 MCLD HSI 10.42 4.72 HCLD BSI 2.26 .03 FAST UN GSC .32 .04 COAT	9 FOLIESTZE/ACRYLIC ADH/R	Ē	1, 25	8				TAPE	
IL NSI .37 .08 MCLD IL NSI 10.42 4.72 HCID 0SI 2.26 .03 FRSI UN GSC .32 .04 CGAT	M 355L POLYUSTHAME PSTEMER	808	1.03	. 23				FASTERE	
ASE ON FOIL HIST 10.42 4.72 HCIE DSL 2.26 .03 FBST1 ED AITHINGH GSC .32 .04 CGAT.	MCIL SELENS ON POIL	ASI	. 37	90				MCLD FELBASE	
ED ALTHRIBUM GSC .32 .04 CGAT.	ORCCARRCA MOLD PALEASE ON FOIL	121	10.42	4.72				HCIL BELLASE	
ED ALTHRIBUM GSC .32 .04	THE STATE OF	031	2.26	.03				F 25.1 E 2010	
	ACKALLECTAGLESS PLATED ALTHUM	GSC	. 32	3				CCATING	

SECTION 18 -- MISCRILLMEOUS.

: APPLICATION	COLTING				101	71578188	CETECTOR	DETECTOR	1001	P011116	POTTI NG	901110d			101 11 11 1				VASTERED.	SILICCES	TASTER	TREBAL BARRES					· · · · · · · · · · · · · · · · · · ·	INSULATOR	11511						何は日はいると		PAST BER	FASTWEE	FACTORER	PASTREE W		FISTERE				7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
ATHOS					111				AIR	111	AIB					•				AIR		413	4			I-5	8-5	1		T I		,	7-3									AIR				
CORY					5				104	X	52	%	S ;	5 5	2 5	2				201	•	5	000	2		121	121	!		00		•	6									\$2				
CORR					728				10	2	2	2	2		,					Ħ	;		į			88		!		168			2 4 2									100				
SCVCB	8.	Š	5		8	.05	8.	Ş.	.05	5	.02	.02	ē.	.3	ć	36	5	5	2	20	=	7			2	95	10	8	2.04	-0	8.	1. 93	r.	5.5	38	5	ā	8	. 21	-	- 02	1.70	- 02	= :	20.	767
STRL	1.	12	97	17.41	1.13	2,71	2.06	9.87	1.04	.33	£.	98.	.57		•	2.		-		2 5						12			5,33	2, 39	2.97	5.82	3.74	20.		1.08	1.50		25	1.17	10.	5.13	.70	15.	4.77	.03
4 T T C C C C C C C C C C C C C C C C C	630	0.	200	4 F 4 F 4 F	222		081	110	80	0.50	380	650	680	ပ္ထ		9 1					ָ 	1 (ا ر ا و		ا د 4 ا	1 1			4.51	AEL	A E.L.	127	124	7	79.	1 6	7 6		4 2 4	4 3 L	#ZI	16.4	124	GTS	30 6	0 T O
BATEBIAL	MICKEL BOIL BLAIMD ALGRINGS			HOSTCH BLY VIBIATION DARPING FORM	STITIES BOILS	775 775 775	# 14		CONTRACTOR NAME EN	200	AS 0.25% CAT DEVOL PATCH	05 AS 0.25% CAT DEVOL	602/SPC 05 AS 0.254 CAT DEVOL BATCH	890-709 SILICORE JUNCTION CONTING			POLYESTER P	STREET BLTC	233402 MITC	SCOTCHAIR SUB402/SUB401 MTLOM MOCK AND LOOP BLACK			198 757 TIME FRIEDLET SILICOES GREEKS	45-09602 SILICOME	0277	124577 5111	02-1245/1 SILICONE	TMCKWIT 62-1249/1/1/17-6/56/2/67-1249/1 CORFOSTER		AT-176 FASTRMEN	BI-AIS PASTRAGE	MI-AIS HCCK/LOO	MI-AIS 062-066-	MI-GAED HOCKS S		MICTERP PASTBER	BYICH HCCK AND L	MATOR RCCK/FOOL	TOTICES EXILES TOTICES FOR THE STATES AND THE STATES TO SEC.	WELLING FOR TAKEN FOR THE CONTROL TO THE TAKEN FOR THE TAK	07 + 04 × 100 000	100-003-017-03	100-005-012-015		ACID	AT PERFLOOKOSUIFCNIC ACID PRECURSOR TUBING

SECTION B MATERIALS – ALPHABETICAL LISTING

• • · •

AAIDSTAL	DATA	RUR	& CV CM	CORE	CUPE Temp	MENCS	APPLICATION	
	34t - Ja 50		-02	24B	25	AIR	ADERSIVE	i
RECALL I DECIMA OF LANGE OF SECTION		•		304	82	8 I B		
SELE MAN SEC TVACOR MEMBER LE ALE D. AL M. C.C.	38FC9536	.75	0	# 8 H	25	111	ADRESIVE	
COM SER CAC MADER RECORD BY AVE OF STREET	35PC9560	۲.	-05	168	25	AIB	ADBISIVE	
		•		15A	121	AIR		
AAUCC INCHUSED - STO BITCHEFT	3 SFC 9298	1.18	.	=	121	A I R	LOBESIVE	
	GS PC 8300	11.69	.65	Ξ	121	AIR	Position and the second	
AACG	33FC 3451	1.54	ŧo.	75	25	AIF	PORES IVE	
サーフタトルール アイドウ アイドウ アイドウ アイドウ プログライ・ディーカー・ファイト カーカイ・ファイト・ディー・アイ・ファイト・ディー・アイ・ファイト・ディー・アイ・ファイト・ディー・アイ・アイト・アイト・アイト・アイト・アイト・アイト・アイト・アイト・アイト・	S3110910	1.08	(*.				BIRE COATIEG	
CENTROL MARK (SOUTHING SAID BELLINESSON	S7110911	.70	7	24H	150	AIB	SIRE COLTING	
	55 7 109 12	1.27	.55				HINE CONTING	
CENTRAL CONTRACT TOTAL CONTRACT CONTRAC	55710913		5	248	150	AIR	SIRE COATING	
THE TANK THE TANK TO THE TANK THE TANK TO THE TANK THE TA	0C 45 LAC	7.85	1.63	168	25	AIR	ADBESIVE	
A-4000 A/E AS 100/4.5 BW SILICOMS		} } •	1	20H	6	AIR		
	RF 89 38	.85	*0				FOAR COMPOSITE	
THE STREET AND THE STREET STREET, STRE	GS PC 9 39 2	.,	. 15	24 H	52	AIR	COND ADMESTVE	
				16H	65	818		
8/1 4-14	35°C 1078	1.39	80.	28	11	AIR	COND ADMISIVE	
20-1 5:18:5 7	GS PC 55 31	. 19	00-	308	150	BIB	COND ADHESTVE	
MOCE BE 1/1 77 87 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3SFC5250	3.30	. 38	25	9			
224-8 A/8 AS 100/7-3	3SFC3293	. 39	00.	= ;	25	NI T	AUBESTVS	
293-1 A/B AS 25/4 BV	3SPC 5272	1.32	.08	æ :	7		ADRESTVS	
36-2 SILVER PILLED E	35 ¥C 56 93	.30	00.	200	150	AT T	COMP ADMESTAR	
41-5 LECKY	GSFC5635	9	0	E .	250	11		
ABLTBOACH AL-6-COXX	3SFC 56 37	ř.	-0.	308	200	414	AURESTEE	
ABIEBCED 463-1 A/B AS 107H/16DPS SILVER FILLED 2POXY	63 FC9395	.62	-0	5 8	52	M I	COMP ADMISSIVE	
•		;	,	= :	92		***************************************	
ABIRBOND 71-1 SILVE: FILED BROXY	3SC 108 14	• 24	•0•	E 0	5 to	414	COMP PARTY	
		1	•		512	***		
731-1	65 FC 72 50	.92	-	= ;		414	FOILTES	
ALTECHO 826-1 CHE CURPONENT SILVER FILLED	GSPC7862	S .			2 5			
872-3	GS FC 83 4	۲.7		E 6				
		•	•	E :	C	# # # # # # # # # # # # # # # # # # #	THE PERSON NAMED IN	
PFILM SCF 518 CLOT	657:9272	10 C		5.5				
PILN ECP 535 CLUIM	GSEC / 163	7			7	91.0		
BIEFILM 501 ADH GLA	G3FC 23 36	7.07				111		
FILM SOIT GLASS SUPPORT/MOD SPOXT FILM I	GSFC 89 12	70.	9			910		•
ILM 504 CLCIM SUPPORT/TPOXY FILM ADB	GS FC 8 792					TE	MALSON WILL	
ILM 506 CICIE SUPPOST/TPOXY FILE ADH - FIRE	6556673				7.5	PST		
11 506 CICIH	2201 1002				163	AIR		
ILM 507 GLASS	2010303		: .		74	AIF		
-	127125	Ē	00		165	AIE	FILM ADMESIVE	
BLOTO BLC BT	SECRIPE.	15.	0		125	AIR	FILE ADPRSTVE	
5	35707523		. 12	E	125	AIR	FILE ADUBSIVE	
101 C-04C M1	GSFC 1948	=	.07				ADRES IVE	
777 7-067 WII	G3PC5106	.42	* 0.	#9	7.8	AIR	CORP COAT-ADM	
A MOD SPORY PILM ADR	GS PC 68 32	8.	.32	=	100	A 1 B	FILM ADRESIVE	
"" "T" 1 17:37 000 71 -101 WIT				Ξ	175	11B		
MESSIVE GRALLIOUS CHOIN THE ADDRESSIVE OF BEN	G3FC 6896	96.	•	108	00	AIR	FILE ADRESIVE	
				16 H	25	AIB		
		,	•	_	1/3	914		
125TIK 724-14C S	GSFC6872	1.1	7.0	2	150	118	COMP ADHRSIVE	
BLESTIR	GS PC / 346	, ,		Ī	2 5	AIR	I CTT I II G	
BIESTIK 857-1 ECLYUNETHAMS	65 FC 77 55	90.			6	AIR	FOT FOAM	
IESTIK	6351 1011	;			:) 	J	

Preceding page blank

APPLICATION	POT POAM	THERE COMD ADE	TREPA COND ADR	THERM COND ADM	THERM COMP NOR	THERE COMP ADR	TREES PORESIAN	FOAM	COED ADMESTVE	;	S=21	BOLD CPRD	HOLD CPED	STEUCTURAL	FOITING	CCHF COAT	FOTTING			FRED TERM	FOAM ABHRSIVE	PDH-FILM	ADH-PILN	ICBRICANT	IUBRICANT	IDBEICANT	HOLD CPHD	FILM ADRESTVE	FORM	FILM ADMESIVE		CLAUME Column 120		COMP ADMINITED	TESTIATION	1 SOLLATION	FEFLECTOR	CCND PILB	COATING	COMPRETION	CCHRECTOR		FEED TREO	1 B SO LATION		CABLE	CABLE	INSULATION					COMMECTOR
ATHOS	118	AIF	AIR	AIE	A I P	414	AIR		AIS	PIB						# T T	1	17.	1	,	AIF	PSI	1-1	AIR	AIS	AIR			RIK	AIA	¥ 7	9.4	4 7	116	i				AIR														
CUFF	93	7		7	_	7.	93		9	0					ý	Ç.	2		90	1	25	121	17.7	25	9	25		11	121	177	111		- 6	, ,	:				52														
TIME	28	8		II O	æ æ	8 H	90H		3.5	#9					-	2 5		9 0	72H		3	=	=	24 H	24H	2 ¢ B		= :	168	=	=	7.		9 4 6	•				24H														
#CVCH		90.	.35	.31	.35	. 20	00.	.01	.42	4	8.	3.6	.03	.0.	9	- ;			•	00	. 19	.73	- 30	=	0	. 19	.01	7	. 12	.37	.17	9.5		9.5		ō	.00	.09	2. 12	.03	00.	00.	90.	9	.35	÷:	95.	70.	<u>. </u>	?:	= =	,	. 60
THE	08.	96.	. 93	1-03	. 89	6	=	E.	2.54		. 73	. 23	. 22	֖֖֖֖֡֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֡֓֓֓֓֡֓֓֓֡֓֡֓	7.5.	-			•	2.97	1.00	1.72	1.26	1.78	.2.05	16.97	.20	1.46	16.	3.91		9		36		1.30	.13	94.	14.01	1.62	1.30	. 28	99.	1.07	1.39	-	5 ° C	7.04	. 35	04.	0.		1.17
DATA 222338CT	13FC7697	35705605	12109603	G3FC5609	03102601	G5PC7253	G3PC5443	GS FC 40 27	35 PC4504		35FC0#57	35 FC 09 69	33 PC 1041	35FC0915	12519191	63 FC 14 23	2000	100000000000000000000000000000000000000		337C3775	GS PC 3021	55 PC 26 39	3SFC5204	GSFC6464	35 FC 6521	G3FC 64.88	GTFC0930	GS PC 06 89	15FC 3676	33705445	35 PC 5789		- 60 60 7 80	41 20 July 21	E 64 J450	G3FC0403	38FC2755	GSPC 2 1 28	GSFC8180	G3 PC 53 16	33FC5319	GSFC2645	G 3 P.C 26 47	GS PC 2290	GSFC 1339	3SFC 1336	GS PC 1342	6377.8816	GSC 104 22	35C104 54	55 FC 6 3 U 5	65 FUB 506	63PC5206
TATESTAL	ASIZETIK 861-2/10032H9335 SI A3 55/45 PW - WHIP3	7-2 A/B AS	HT 1-2 8/E AS	FILM 7-3 A/E AS	1284 7-3 A/B AS	Iten 7-5 A/E AS	10 H 8-2 F/F 45	S1FTL F1200/20 F03	PR 1/01 SY 6/1			ACTVENTED G4 //20 STY:/ACMVENTED ALL:/FIB GEA AS GU/20	PUBLISHED STONES STREETS - PUBLICATION IN A STREET			PETERBORN FIGURATION TO THE PETER OF THE PETER OF THE PETERS OF THE PETE	POST SELECT TOO VACINES TO SELECT AND TOO VALUE OF THE SELECT TO S	THE PROPERTY OF THE PROPERTY O		ADCLET SEN-2 ALECTRICAL FRED THRE AN GRADE 550	7-372 09 EA-9309 FCA	31 3041-10 AP	0		46	ASSOCIAC P CCILCIDAL NOSZ/ESOPFOPUL AICOHOL	=	AP 110 PILE AGE		AP 42 PIL ACELSIVE EPOXY JESTPOSTEE JEBEROSETTIES	AP 55 NETTO WEIND REDNY NOTED THE ENGLOS	Minister Ministe	AF 1913/CICAGO SOLI TARO FUARRO ENTRE BENERA	きこうごうかいじゅうしょう しんしゅう しゅうりじょうじゅうじゅうじゅうじゅうじゅうじゅうじゅうしょうしょうしょうしょうしょうしょうしょうしょうしょうしょうしょうしょうしょう	MINERAL TEN AGO TOTANDE TOTANDE CONTRACTOR CONTRACTOR OF THE MAGNETIC CONTRACTOR CONTRAC	ALTHUS BIRT 221-3-64 LESSIE ICE	ALBRITET NYLA: 100M42	ALUMINIZED HYLAS/CACEON OFFONT ADM 46960	ANIGHAND COLECSION PROTECTIVE COATING/P	AMP COMMECTUE 205-207-1 MYLCH/GLASS FIBER	ARE CCHRECTOR 205-289-1 PHENOLIC/GLASS FIREE	204307-6-70-19 EPOTY	NAT PUTD THEO 1458 BLOCK 204307-6-70-39 SILICONS	AMP NV SILICCHE CABLE TASFIL PEP	ANT DE BITH SETTING CABLE BILECTI SETIEL	PER DESCRIPTION OF THE STREET PROBLEM TO SEE SEE	W WILE SILASTIC	F 22-16 (1-4) SCLUBE	THE COMMECTOR WIT	FREWOL CCN	NAC	MACE COMPACTOR SERVICES	O 00

MATERIAL	DATA REFERENCE	STAL	SCVCH	CURR 1188	CORE	11808	application	Ì
	GC\$745	36	-22				COBRECTOR	
TRACO COM	04976326		03	248	182	AIR	CO SRION	
SILICOME	AL B. 17 P. C.	=	0	E 8 7	121	7	COSHION	
# 0 0 0 F	5045 7890	8		9	25	118	FAIDT	
PERSONA DECEMBER AND A PRINCIPAL PRI			¥		Ķ	A.T.	FAIRT	
EPOXY		•	:	; 5	189	# L)	
	-	40.0	=	5	?	:	FOAR STPE	
EATH ROOM WIPE				140	905	47.4	POAR RIPE	
17.7	GSFCB6 1/	<u> </u>			2			
AN AOS OPTICAL CEMBET BUTTL METHACHTIATE	GS PC 0566	5.6	2.55	1	į	:		
FRA	GS PC 06 19	15.04	2.96	=	5		OFT CERET	
2017 13 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	GS PC 2677	9 9	-02	2 4 E	52	TI	COMP COAT	
. / /				28	11	118		
1/1 24 8/4 3301	GS PC 1207	18.35	.02	106	90	A I I	CONF COAT	
POCO 1044 P.S. P.S. N. D. CONTROLLER CYCLED	GS PC 14 20	17.06	*0 :	906	90	A I B	PAINT	
. / /				241	0	-2		
				248	65	9-2		
THOSE REPORT OF THE PARTY RECORDS	6SC10553	1.80	.05	=	99	AIB	LDBKSIVE	
1000	GS PC 46 96	. 25	-02				CR EL SE	
1 658157	GSFC 6320	6	ē.				CRITICA	
	GSFC 6 380	•	00.				CHANN	
•	GSPC5813	3 ′.	. 12		,	į	CE EL SE	
ST CALL ROOM ACH-PAR	GSFC 7079	2.91	. 22	24	52	717	MAISHES	
	GS PC 7 130	3.90	.21	24E	52	AIR	ADBESTVE	
٤	GSPC 1123	.57	.15	E	09	418	ADI POTTING	
	GS PC 1126	.78	2.	70	52	AIR	ADE POTTING	
	GSPC 44.32	1.01	.20				BURSIVE	
/	00000000	. 97	50	70	25	AIR	ADBREIVE	
705171	PUL - 125			24B	25	AIR	FOTTING	
THE PERSON NAMED AND A STREET OF THE PERSON NAMED AND A STREET	62867890	**	00	168	6	AIR	FOTTING	•
CX179/9		•			2 5	1	POT-1116	
C1236/BV	65669399						11111	
MY750/HT		97.			9 6		LANIMATE	
NT750/HY	62 57 57 59				15		DEL POOL HOL	
H1750/HI	GSFC 11.35		5.6		3		CHILLIAN BOL	
NY750/HT	GSFC 11.38	17.			9 4		ACERATER	
ALDITE 106/HV95	62 FC 63 78		9	2 7 6	3 6			
DITE 502/951	GS FC 3043	9 0	3.0		0 0		PACC ARCO	
ARALDITE 502/951/PC-1244 EPOIT	GS FC 47 78	20.7	-		7 4			
			•		•			
LEALDITE 508/EPCN 828/ABALDITE 951/PC-1244 EPOXI	GS PC 4768	7.31	7.	- F	C 4	411		
		,	-		•	4 4	5000	
LARLDITE 6004/508/CABG31L/DP-138/951/PC-1244 3POXY	38FC4770		•		Ç Ç			
	CE 36 12		40		3		ADRESTVE	
APPLICO-BOND SAV HEGERAL CONDUCTIVE SPOKE - BLACK	10101010101010101010101010101010101010	8.57	2.41				IN SULATION	
CLOSEN CONTRACTOR TENNETTON OF THE STATE OF	65805567	60	.0.				ERAT DARRIER	
2001 1111	625025	.05	.01				BEAT BARBIER	
FILE 1640	S3T 7201		-02				COATED PABRIC	
Weilel Floorecamon Coarse	GS PC B40R	. 85	[.				HIRE COATING	
MANGRAD FOLLMENSESSES 2000 GROSS TILL FIGURE	GS PC 90 80	. 42	.17				GASKET	
	GSPC6739	1.1	10.	248	25	AIR	ADBESIVE	
1/1 CV 8/4 71-4 18041CU	GS PC 6762	1.25	.01		\$	AIR	ADRESIVE	
ALICA STORY IN THE SECURITY OF STORY	GS PC 44 10	1.24	0		93	A 1 B	ADERSIVE	
ACTION OF STREET	65706764	1.95			52	AIR	ADBESIVE	
THOUSE BE CALC AND ALL CALL OF CHARACTER	33 PC 6766	1.94			7	AIR	ADRESIVE	
MANAGERIA / C V C V C V C V C V C V C V C V C V C	GS PC 6768	1.87			28	AIR	ADHESIVE	
MONTHORG B-17 A/O Aン Z/3 DM むのくの M montena	GSFC6712	.87			52	111	ADBESTVE	
1-12 1/8 15 3/2 Bu ERONA	,	•	l					

ATROS APPLICATION	AIR ADÚRSIVE AIR ADURSIVE	ATA ADERSIVE						ATP ADRESTOR		AIR ADBREITE				AIR ADRESIVE	AIR ADRESIVE	DIR PORESIAN		AIR COATING	200		AIS ADBESIVE		AIR INFREG ADERSIVE					-			ATE COATING	AIL COATING		1850LATIOR	AIR INSULATION	AIR ECTTING	711	AIR COMP COAT-POT	AIR	AIR CONF COAT-POT	RISES	CABLE TIE	ALR ADPRIVE	IRES	AIR VASHISH	AIR VARRISH		BIRE COLTING	SIBE COVIER		POTOS WINDING	(APLS TASH).
CUBE	25	7 M	e x	95	52	9	25	25	9	2	9	65	52	52	25	25	3	9	7	7	25		= :	Ď		;	0	7		20	 	95.0	150		482	11	100	25	9	9			99		135	135						
O TEN	= 3	# 2 m	748		5	28	2	20	=	248	248	78	5	70	2 10	2	Ē	Ħ	5	7	20			=		;		= =	= C	E :	e =		=		=	=	E	=	16H	16H			308		Ξ	E 9						
SCVCB	000	.03	e c	700	9		-	90	00	. 24	0	5	-02	. 28	.02	.09	-0.	-	. 19	.13		.03	.27		70-	90.	0 6				90.5	1, 15	?	<u>.</u>	00.	-0.		.03		ē.	4.15	<u>.</u>	.05	00.	04.	1.02	.02	.75	00	10.03	.02	8.72
1845		, 26				95	7.	1.51	2.44	3.14	1.97	1.23	1.13	2.09	.35	=	1.68	2.13	2.30	1.50	9.21	.36	9.								66.0	3.52		.21	.00	.27		. 28		. 26	20.36	5.69	1.20	. 59	6.01	3.31	.05	06.	.02	15.49	0.05	24.03
DATA REPRESENCE	GSPC6736 SRI 6401	SBI 6402	GS PC 34 39		02 86 36	GS PC 1117	GSPC 4288	GSPCB768	GS FC 4944	S31 6405	GSC10649	GS PC8492	GSFC8840	GSPC 6643	65703001	0SPC3391	GS FC 4480	GSPC4482	68 PC 0089	65PC 0095	GSPC6834	GS PC 1873	GS PC 45 36	40.00	65FC 19.24	6201029	152FC 0489			62564	10001780	SR I 10808		GSPC6784	35 PC 6786	GS7C4624		63 PC 47 20.		GSFC4722	GSPC 6046	GSFC5837	GSPC 3986	GS PC 0454	4S PC 1306	GSFC8060	GSC10781	GS FC4442	GSPC 2803	GSFC 2149	GSFC3181	62 90 0 62 9
HITRIAL	ARSTRONG A-12 A/B AS 3/2 BW BROWN RROLT APRSTRONG A-2/A AS 25/1 BW	A-2/8 AS 50/3 BW	MSTFORG A-Z/6 AS 3/2 BW I		A-31 A/B AS 3/1.6	A-31 A/B AS 6/8	A-31 A/8 AS 6/4 58	-31 A/B AS 6/4 BB	A-32 A/B AS 10/6 BB EPOTT	A-32 A/B AS 10/6	C-1/ACT A 48 25/2 B	C-1/ACT A AS 25/2	C-4/ACT B AS 1/1 BB E	RSTECEG	C-7/1CT N 15 1/1 BB		C-7/1CT N/CABOSIL	MSTSONG C-7/ACT W/CI	EPOIY I-81/A AS 10/1 BW	ARESTPONG X-81 PPOXY X-81/A AS 10/1 BH/2FLEX RESIM	ARCH ALPHA 201 CHAMOACHTIC/POIL SABINICH	TLOK T POLYAEYL	13-4318/#-3466 15 10/3 9# IMPREG 10H		MONTHLY DAG FOLIABLE DELFORM	THE HEALTH TO THE PRINCIPLE OF THE PRINC	DELICATED AND TO TOO IN THE SPORT	よしのこ はでした おくまたえくしろり トラス	TO THE PROPERTY COSTS AND THE PROPERTY OF THE	S 225-3 STREET COLUMN COLUMN S	nert Athle Contact	B 276 EPCT	•	B-010 PERCEDEU B FIRES		BACOT IND IMPLESSMENT NO 2		BATTH PCLYUETHERE SYSTEM 65		BARDE FOLVORITHAND SYSTEM 65	SIGNA SIGNAS	BAY LCK CABLE SIE MYLOM 66	BANCO BCHE ME-2 A/B AS 2/1 BV BPOXY	EAVICK II METHEL METHACHTLATE - HODIFIED	340 VAFAISH FOLYZSTER/XYLEN	BC 346-B PHEKOLIC VABNISH	BC 5007 SUFFILT-SILVEFILEY SLEBVING		MIL 4583C PO	BELLORY DAY ARERECPLASTIC WIRE INSCIENTION	BRIDES SAL ELE WALLES INCIDES AT OF SIDE	MSDIATION

	11.10	STRL	KCVCB	COBE	CURE	LTNCS	application
	B SPERENCE						
	GAPCERE	.24	.12				CIME COLTING
367-1	COTT TROB	6	-05				
ACETL A FAI	50 T 1 T 100	. 22	.	24H	150) IE	
	GP 1 18 10	.33	<u>.</u>				
ASSE-SAR ACPYL (-2 ACEVIIC-GIASS FISEs	S9113401	9.	=	2 4 H	150	# 1 E	TARALLA CARA
BEB-MAR ET-TIEN 1500 COLTED GLASS FLEEK	SET13407	60.	60.	24H	150	AIR	
IICTCh E ACB	59113402	.23	. 20		,	;	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	SET 1 3403	.13		2 4 H	150	11	SLEDVING CI BPUTHG
FYEC-51 FEVE	32113411	.31	. 23	;	,		
1062 BA-1 S	53113412	.29	. 13	24H	150	# C	
1062 HA-1 S	SP 1130 15	.54	. 12	24H	150	AIK	
1151	SRI13413	.57	58.		0.50		
	SPI134.14	.42	- 24	2 d H	001	411	
CARLES OF THE CONTRACT OF THE	59113417	.31		2 4H	061	4 6	
のでは、このでは、このでは、このでは、このでは、このでは、このでは、このでは、こ	SHI 14 16	94.	7	7	000		1 RF VING
ARMINISTRATION OF THE OPENING THE PROPERTY OF	SFI13404	95.		U . 7	200	4	SLEBVING
	32113405		75.		45.0	113	SLREVING
	Sp113406		7.	7	9 6	1 4	COME THE UT
263 6-3 642	G57C8309	1.71	9.6	847	250	11	
YIGH	G: FC84 14	2		E 3	,,,	4	
Maria Committee 9-	GSFC8417	.00	900		7 7	•	INSULATION
	65PC 7094	50.	9.0	071	36	A T &	COMP COAT
• •	45 PC 00 30	7. 18		9 4	12	T	
		4	Š		•		HOLD CPMB
STICHTER ACTION ACTIONS	GS #C 09 33	*7.					TOSHI SHIR
B/8 5636-1-620	35 FC45 Z8			HWC	204	AIL	HIR INSOL
BAR SESSENT CON HITE SILICONE HIRE	0550000		22		1		
0/8 85639-1-622	6 STC US 4 U			248	232	AIR	CABLE INSUL
P/H 15639-1-G22	GSFC U645		116				CABLE
``	GS FC 06 28		0	248	232	AIR	
5/H F5639-1-622 ENTIRE	2000000	2	. 12				
P/H P5639-1-622 INN 2P	65800037	,	5				
P/8 F5639-L-622	6280000	2	0.	24H	232	AIR	
NIE P/E P5639-1-622 OUT2E SACRET	52 FC 06 92	0	00		332	ZIT	
PAR PS639-1-622 KHITE MIDDLE CCRE	0.0000000000000000000000000000000000000	.74	-24				CABLE INSUL
563		-	.02		204	817	CABLE INSUL
5639-1-622 UNSHIELDED CRELE WHITE SALLORE		- 27	-02	24H	25	LI	
BIACK HAGIC MOIN SPRAY/FOIL - ARROND ADDAY	GSPC8495	7	•		125	# F	CONTING
BLUS CORTING II 00105/META TEGLISLE NO EFOR.					200	11.	***************************************
34.4.343.	GSFC7529	89	Ö	=:	5 5	11	ADERSIAN
	GSFC#554	.50	•	_	2 2	7-1	
			15		171	PSI	ADRESIVE
845 A/8 AS 10/3 BW	G37C46 /2	•			52	AIR	ADRESIVE
SCHOOLSTEE EGGS A/B AS 10/3 BW THERROSST EPONY	GSFCSFFF			=	2	AIR	
				=	2	AIR	
		٠		181	130	AIR	
	GSPC0155		.21	~		H I	
BORDERSTRY N688/Cd-16 AS 100/32 DH EFOAT	35 FC44 12				52	***	AURESI 4B
H688/CH-10 A3 100/32 5"				25 2 80 6	121	118	
		,	ď		25	AIR	ADRESIVE
R688/CH-8 AS 100/13	GSPC 1390	06.2				AIR	ADHESIVE
BORDHASTET HEUB/CH-8 AS 100/13 BW PPOIT	65 PC 3963	•		. .	9	AIR	

HATEBIAL	DATA	STAL	SCVCH	CUSE	CUNE	ATHCS	APPLICATION
BOHDHASTER H773 A/B AS 1/1 NW FROXT	GSFC3959	2.50	60.	=	2	AIS	100 Hall 100
BOTOR BE 1/1 SE S/E EZE STYNER BOOK		į	•	2.E	9	414	
8773 4/8 AS 1/1 88	68 FC5 180	3.63	=:	3 1	9	117	ADRESIVE
		16.3	?	200	0 C	i i	Porsive
PROPERTY BY 1/1 BY BY 1/1 BE TRUE TO THE STREET	GS PC 3961	1.62	• 00		2 2		
M777 248 38 343				7.	9	AIF	
	GSPC5.182	2.41	.13	=	9	AIE	ADERSIAN
	63 FC 39 36	.7.	.02	2 H	90	AIR	
•				=	150	AIS	
HOFOR SITCIDI - ERAS STEE SACETA		,		5B	200	AIF	
C PURCH AND AND AN AND AN AND AND AND AND AND A	13 PC 67 88	. 12	00-				
	GSFC#396	7.05	. 15	30	52	AIR	FAIRT
EINER DE MELLE FLLIOREIGENE EINER DE MELLE FLLIOREIGEN	G 57 7 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	4.67	. 15	2	52	AIR	EAINT
	22 FC 80 38	4.29	0	8	22	AIR	
	00/57360	ÇĐ.	00	B 0	52	PIF	ADDRESIVE
					0	AIB	
BE 16 SPOY AUGISTUZ	GSPC 3702	*	6		171	II.	
		•	•		Q 3		PORTAL
				E 0	2 2		
200 100 174				H06	268		
27 27 21 3	39.I.1 1601	31.02	.91	# 0 *	25	118	2011110
	S3111602	30.82	. 89	# 8 #	\$2	AIR	FOTTIBE
PP-127 PRIMER/P				168	52	AIA	
SE-610 PEOLY ATTRANTOCOPORATE /P	GSC10164	9	.03	H06	127	AIA	
PROIT A LTE ANY DECOME	GS PC 7988	1 -1	-0	308	9	AIR	ADERSIVE
	GSFC7991	66.	-02	304	9	AIR	ADMISITAL
FILF 1363-014/51	4,500000	,		304	150	AIR	
PILE 1363-81A/SI		1.17	-47				IABRL PILS
DEADY FILE 1363-818/SILICONE ADSESSES	62708365	# (- 30	24E	150	AIA	LABEL PILA
FILM 1363-018/SI	6210838	1.62	.				LABEL FILM
MI-TENF LABRES OF	65 FC 65 70	9	. 34	248	150	AIR	IABEL PILM
HARRES AF-A-2-CI		2.	1.37				LABRI
RAMKEES B-400 TDS-4		5.	=:				UIDE HARKER
BARDA MERKERS 6-600	GSPCKAR	200	3				ea ek er
PERSON SERVICES B-700 VEN 0-49	68 77 56 11	29.	97.				
DALDT PARKES 6-700 VER 1-33	0.5 PC 8.0 GB						
MARKELS B-953 HT-2	GSFC 3542						
BEAUT RESERVE 6-953 ST-200/P	GSFC86 15	-			4		
DELICY PURPLE CODE LABELS SPECIAL	GS PC 52 52	Ç		8	2	X T W	
STEP AND THE OR STREET BOTTO	35 PC 56 39						
BRAYCO 613 CIER OIL BATCH BIA	GSPC9632	7.					14271
CRAICO FINZ CLEAR OIL BATCH DINJ	GSPC9635	60					TOBETCANT
	65779566	0.0					TOBE ICART
BATCH DLG1	GSFC9488		9				
ST. 38-AP GERASS BATCH	GSPC9512	60					
	28.9074.20	:					CHEASE
FCOTE 803 GERASE SATCH BIJ12	GSPC 9891	70.	•				LUBRICANT
201 A/B AS 11/1	GSPC 114.1	2.59		876	ž		
851 201 1/8 15 11/1 8F	GS PC 1144	1.46			ָרָ בָּ		FOTTIEG
100 to 10)		; ×	110	
	GSPC8726	1.12	.15	=	120	118	90. ** *****
				2.5H	9	AIR) 1
				=	120	A 12	

APPLICATION	POTTING	TOU FILM	FOTTING	ADM PILM	経営の でし								CPT CHEMIT		509818	5U BB 22		THREED	FOLLIEG	PLASTORER		A STORE THEFE			CARTE TERM.								CABLE INSUL				COLUMN TEST			CONTROL	COMMECTOR		COMB INSOL	CCRR INSOL	CONNECTOR	ADRESI VE	XXI	ADRESIVE	ADBESTAE		-	一人とは、 これの	
ATHOS	AIR	111	AIR	AIB	AIA	ai i		•					LIB	ì			717		PIR				4		•																			9-1		AIR	AIB	AIR	N I I	2 I	AIR		
CUBE	164	170	175	120	250	82	220		.••		•		100	2			9		130	•	7 8		•	2 6	6																			100		52	25	65	52	9	125		
CORE	=	=	=	308	248	16H	2 de 2	8 0 -					3				38		=		708		ţ													_							_	H 9 9		-					= =		
SCVCH	=	60	2.	. 07	.09		.52	:	-	֖֚֚֚֚֚֚֚֚֚֚֚֚֓֞֞֝֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	7			1.07	57	98	1.15	9 0-	•0.	1.72	.00	* .	12.	7	7	• • •	2		?					00.	-02	.13	-	ָבָּי [ָ]	-		0	.0.	.28	90.	00.	3.30	.30	00.	. 13	.07	.0.	3.33	-
STR1.	. 102	10	61.	.62	.39		2.28		66.	B 7 -				. 63	2,00	3.17	3.20	3.95	.74	3.01	12	1.54	1.24	79.		76.0	7.93			70.0				00	2.24	=	*S.	•	<u>.</u>		-	80	79.	.31	.24	3.50	88.60	.51	2.65	1.25	.28	9.58	2::
DATA BEFERENCE	GSVC 1132	GSPC8108	6SFC 1129	GSPC8135	GSPC 4896		GSFC5034	9966	02/70/20	GSFC2785	GS FC / 35 2	61 (80 459	65 FC 85 72	62500012		0.7 FC 0.1466	GSFC0122	GSFC8474	GS FC 9 182	SBI 125 19	GSPC7517	65 24 50 58	GSFC 5061	GS PC 44 56		GS PC 37 60	68 FC 36 06			#07#D159		50 FC C C C C C C C C C C C C C C C C C C	65867721	G9 PC 8138	GSFC77.15	GSC10438	GS PC 8279	GS PC 8276	GSPC5573	GSFC-144	1971 Jan	GSPC 5575	GS PC 66 70	65766718	GSFC 2334	GS FC0002	SRI 10602	GSC 100 41	GSPC 7034	38 PC 66 05	GSC 10044	GSC10556	3SC10559
BATBILL		ZOS PPOIN	308 BLACK EPOLS US		JIZ GREI BECKE UKJ	-C-7778 MERCIN MIC	Die entber 2022-31		oth probbt at 222-22-2	BTR ROBBER HE222-22-2 IN ALUNIUM SABDVICH	BTB BBBBB N10 (J-9330-5-1)/21	1801	NG TTPE AFE AIL M		28	218-8	HOTEL AND CECUES	CAMBEL LABOR CORON TABLET CO-SOL	CLASS NAME OF STREET,	こうない 一番ののなながら	C-68/C1 A AS 100/5.3 BW GRAY EPOXY/70% SANDFILLED	•	C-727 TAPE PUC FILM/2 SIDED ACPTLIC ADM/F	C-99/DETA AS 25/1 BH BPOIT FILM		MIR BRIDEN 16-58 C/U 8262	DRIDEN EG-58 C/D	BEIDER 8404 - 30	1 CO6CO72 9551 COA	BG-316/U COAX TA	1/C 6-61 BY OKOM	2024 INSUIATION		CHANGE ANALYS OF THE TOTAL BOT COLLIS OF THE TANK THE TAN	0-716147	COMMERCICS MIL C	CCHNECTOR BS347	HS347	CCHNECACS PINK	COMMECTOR PARE	CCMMECTOR PV6G24831/SUC 16	S CCHRECTOR	M COMMECTOR BED	TILLER FIE COMM	PILITIES FAIR CORM DUNINGERS AND SECURE	DATES AN ACA CLARECTO	MACHE ACT ATTOCKET AND MACHEN AND ACT	MINI	ONICK CLES PP	STATE 0710# CORD STATE 1520/E1-7 AS	STALL 490/ET91 AS 1	832-M HEAT S	832-NJ HEA

. AATEBLAL	DATA BRFESSICE	KTHL	RCVCR	CORR	CORR	ATHOS	APPLICATION	
CAT-A-LAC FLAT BLACK BPOXT COATING	GSPC 2527	3.03	90.	728	25	111	FILL	
CAI-1-LAC BHITE EPOXI A/B AS 3/1 BV	GSFC2041	3.94	. 13	2	, 		PAIST	
47 4 40044	AC 05 75 80	13.00	=		, , ,		E1 T##	
	SNI 14009	15.79	9.	248	.52	AIR	PAINT	
443-1-500 GLOSS #1	SEI 140 10	98.	.52	248	2		PAINT	
463-1-8 FLAT BLACK	SRI 14007	13.00	1.52	24E	2			
463-1-8 FLAT BLACK EPOXI */3-3-100 f.m to 3.4 to methy brove		. 36		77	, 5 ×			
463-3-100 A/8 AS 3/1	64 70 07 9 1				3			
463-3-100/CL-116 AS 3/1 BV BRITE PA	GSPC 69 16	1.16	.02	168	8	AIN	-	
•			•	248	2 ;	AIB	•	
Cht-1-Lic 463-3-100/Ch-118 as 3/1 BV/PRIMER 463-6-5	GSFC8921	=	-02	248	25	AIR	•	
CAT-1-13C 463-3-8 BLACK OFER PFIMER 463-12-13	GSPC 1147	.35	.17	24 H	52	111	PAINT	
	ě			# C	9 [
CAT-1-LAC 463-3-8 BLACK OVER PRINER 463-12-18	68FC1150	4.50	. 12	7	52		FAINT	
CAS-A-LAC 463-3-8 BLACK OVER PRIBER 463-12-12	65PC1165	1.10	.21	248	2 %	=======================================	PAINT	
				# 0 #	121	AIR		
CAI-1-LLC 463-3-8 BLACK OVER PRINKR 463-12-11	08PC1168	. 55	-22	# # # # # # # # # # # # # # # # # # #	22 [2]	# T	FAIRT	
CAT-1-LAC 463-3-8 BLACK OVER PRIMER 463-6-2 GREEN/F	65FC8156	.70	.03	248	52	II	PAINT CORPOSITE	
		;	;	# C	121	ai e	1	
Chilabeline assuement alter belance appears to an extension of the contract of	GSFC2164	1.93		= =	2 ×			
			•	=	3	11		
	•			308	135	71		
CAT-1-LEC 463-3-6/CA-116 AS 3/1 BY BIACK SPOXY PLINT	GSPC4198	• 05	.03	==	3 52	AIL	FAIRT	
		,	;	3	9;	AIR		
CRI-1-11C 463-6-14/CA-97 25 3/1 54 727CB - 657C	GS PC SA & A	7.91	. 25	# Y	. 5	110	CORD PAINT	
CAT-1-12C 463-6-14/CA-97 AS 3/1 BV BATCH - TEN	GSFC9485	3-96	. 17	28	9	118	COND PAINT	
4000				6.58	<u>.</u>	1		
DLE DLE	GSFC9176		3.	3 F E	2 2	=======================================	COND PAINT	
		;	:	= ;	9	1		
CET-1-12C 463-6-14/CE-97 BS 3/1 BV CCED BIR PLIET/P	GSPC9179	2.17	c.	# # # # # # # # # # # # # # # # # # #	25 10 10		COMP PAINT	
CAT-1-LAC 463-6-14/CA-97 AS 3/1 BV CORD BLK PAINT/P	GSFC9275	1.47	ě.	24B	52	MIN	CORD PATER	
	4040	36		16E	ě Š	a i	Suretus	-
CBA-B-184 474-1 CEEB EFORT	Sat 108 10	1.09	.82		55	VI V	COATIBG	
Chr-1-Lac 473-3-1 A/B as 3/1 BV CLEAR SPORY	45 FC 7178	9.02	64.	=	22	AIA	COATING	
			•	16H	9	811		
Charles of the Carles Alexandra Deleter	45 FC 3580	2.35		100H	t Š	# 1 # 1 # 1 # 1 # 1 # 1 # 1 # 1 # 1 # 1	FAIST	
METATL NE	G 2 FC 33 7 1		40.	2 %	3 %	116	ADERS TAX	
CP-1-2-3 FOLLOWINGER	GSFC 2083	1.08	.2	ì	:	:	FOTTING	
	GSPC 2068	1.07	.36				SCTTING	
426 . 10400	GSFC9224	19-	10.				BOLD CPND	
COPOLYRE	GSFC9227	-57	.03				FOLD CPUD	
CELLUIOSE ACETATE BUTTRATE 200 MICHOM FILM PURPLE	GSECSUSE		-					

	DATA	KTHL	4CVCH	CORR	CURE	LINOS	APPLICATION	
	FAFEFEE			a L	****			ŀ
	GSPC6780	10,70	1.19					
THICS' ACELAIR BILL	GSTC9497	1.28	00.				FILM	
CETTATIONA TELEVISION 200 ALCOUR TELEVISION OF THE STATE OF	33 PC#772	00.	00.					
TARANGE OF MOTORNEY OF THE CANADA SAN FOLLOW O	GSFC4774	0	0					
27 441 /647	GSFC80 39	8.50	5.51				CP1 ADMENTED	
AND ARREST CRECOTED, SATISFIED WORLDS FELD	GS FC 8063	9.6	6.30				OPT ADRESTVE	
NEW ICOIDS CCORLING COMPOND BLTRE 14/7	GS PC 0942	٥.	•				BOLD CPE	
1006 STYLEMENT TERMS AS 10/30 NO.	GS PC 7385		*0				FOTTING	
THE STATE OF THE METERS CONTRACTOR AND AND AN ACCOUNT	TIL BUILD	7.07	.05	728	99	AIR		
14-pol 30-1961/2023 ES 1/1 B3 PCLY08:TBXES FORG	10 14 15 15 15 15 15 15 15 15 15 15 15 15 15	0	00	2.5	325	AIE	SHEEK TORING	
EMPLHOR SAFICE TP			5	40	25	111	EAIBT	
SACIAL 1276 BIGB GLOSS	6250000		: 6	, ,	2	AIR	FAINT	
SERVICE CLOSE GROUP AGENT SECT ENGINEERS	GSFC9542	(7.7	•	. 3	· «	AIB		
		•	•		, c	11	FAIRT	
PAGE 1979 1976 EIGH GLOSS	33109984	7.3	?	2	3,0			
Lor	6880987	•	?	3 4) (E	112		
		•	•		121	116	COND PAINT	
MANAGE HASS STACK	35108066	1.92	9	E 0 7		41	CORD PATRI	
TOTAL BARK STACK	GSPC 8069			200	- 20		COMP PATER	
NOTES TOTAL TOTAL	35 FC 9467	1.57	9 9	2	9 6			
TOTAL SECTION OF THE PARTY OF T	GSFC7256	7°.	2 (3 6	944		
CHANGE OF THE CONTRACT OF THE FOLYORSTHAMES	GSFC7328	96.	77.		121	214		
		•	•	5 :		1	BATHT	
TOTAL AND STREET		1. 30	70.		3 6	4 4	***	
1015 21 345701	-	1.31	70.		0 4			
	_	1,35	70.		Ç	4 F		
	_	2.15	. 26	140	57	4		
7000 01	_	1.23	.02	9	9			
7605 31		2.13	.17	2	52			
CETTO PLEASURE TO STATE TO STATE TO STATE TO STATE TO STATE THE TOTAL THE TO		6.03	. 17	2	52	# C	FA 181	
0 C C / 00 7 A		1.42	•		2		CORF COAT	
917 L002		1.18	.02		52	HIT		
	80965455	1.50			52	N I B		
2001 CLEAS	SET ROTO	1,35	.01		52	AIR	COND PAINT	
	2000000	06	ó	5	25	AIR	CCHD PAINT	
TOOK ETYCK COND DAINE		•			70	AIR		
		. 5.1	.01	91	25	AIR	COMP COAT	
*002 a	1 0 7 7 50		0	•	25	AIR	CCBF COAT	
7 2004 CLEAR	00 FC 10 FG				25	AIR	COMP COLT	
IR ZOON CLEAK	55 FC 37 76		3.20		52	AIB	BABKING INK	
201 /4 NOOZ 22			֚֚֓֞֞֞֜֜֞֜֜֝֜֜֓֓֓֓֜֜֜֜֓֓֓֓֜֜֜֜֓֓֓֓֓֓֓֜֜֜֜֓֓֓֡֓֜֜֜֜֓֡֓֜֜֡֓֡֓֡		52	AIR	EARKING INK	
Z ZOO4 P/SK CHRONIC ONIDE		=	0		25	AIR	HABETHG INE	
1/5% C	1000		•	188	9	AIR		
	24000		-		25	RIN	CCND PAINT	
PHGL12E 2004/1C-721/9924	15 PC 00 40			: =	25	AIR	COND PAINT	
FAGIRZE 2004/9924 PRIMEE	G S F C 8 U 7 S				. 52	AIR	CCED PAINT	
ZE Z004/9924 FR74EE	CSZEC#585	-7-1			20,2	AIR		
			2		52	AIR	COMP COAT	
ZOS3 CLEA	65776950	77.7	5 6		5	AIR	FAINT	
1 7	35FC 26 13	-	,		3 5	AIR	18143	
2255 WHIT	GS PC 3109	7-62			3	AIR	PAINT	
7302 6165	GSFC3345				ž	ATR	EAINT	
2306 ICT LBC	GS FC 38 27	•			3 3	ATB		
	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4				25	AIL	FAINT	
CHPEGIAZE 2306 LOT 1.BC	GSFC 3841	75.			3 %	AIB	PAINT	
REMGIAZE Z306 ICT	GS FC 3887			_	25	AIB	FAINT	
PHGL122 23C6 101	3S PC 4 3 16	9.2		-	5 2	FIR	PAINT	
CHRESCIAZE Z306 LCT MHA	GSPC4314	76.		•	;	1		

į																																																	
APPLICATION	68784		PATAT		FAINT	PA INT	FAIRT	FAINT	FAINT		FAIRT COMPOSITE	11 11 11 11 11 11 11 11 11 11 11 11 11	PAINT COMPOSITE		PAINT			FAINT COMPOSITE	PAINT CORPOSITE	FAINT COMPOSITE	FAINT COMPOSITE	FAIRT COMPOSITE		FALRY CORPOSITE	EATES COMPOSITE		FAINT COMPOSITE		FAIRT					ADE FULHER		FCITIES PRINTS	ECTTING PRIMER			ADBESTAR	ADRESIVE		ADBREIVE	ADDRES IVE	PORESIAN	ADRESIVE	_	CONT. ADMISSIVE	COND ADRESIVE
ATROS		AIR	AIR	AIR	AIA	AIA	AIA	AIR	AIB	AIR	2	4 F	II	AIA	113			AIR	AIE	118	AIR		114	# E	11		AIB	AIR	ai d	N I W	1		A 118	AIR	AIA AIA		111	AIF	NI C) I E	AIR	ATR	AIB	8 I G	H I H	A I E	21	× .	AIR
CORE	7	: %	25	25	52	52	52	52	52	52	<u>د</u> د	C 40	90	52	52	- 4	32	\$2	25	52	25	125	Ç ;	ű X	25	: 52	52	=	52 1	2 2	C X) V	: :	52	9 2	Ç Ş	25	9	2 2	C 92	52	1	\$2	25	52	2 :	= :		25
CORR	4	2	=	2	=	2	3	2	2	2	ZH.	7 4	28	350	154		308	300	300	4 20	420	7 t		===	28	=	2	. O	= ;	2 :		2 =	2	304	E 0.		E 0	304	H 7	101	304	308	24H	36	7 A B	24H	E .	= = = = = = = = = = = = = = = = = = =	20
SCVCB	-6	0	0	0.	.03	-	00.	.03	5	0			25		.36			90.	-05	90.	60.	60.	:	71.	.08		.03	1	-07	50.0		-	. 29	00-	. :	.0.	٥.	9		•	91.	•	8 .0	.02	١. 02	95.		3.	==
KTHL	1.01	6	.87	. 76	1.64	1.04	1.10	-6,		9.10	E 9 - L	•	1.08		1.81			1.85	.76	1.00	16.		1 75	-	1.67	• •	2.80	•	9.		2.57	1.58	6.88	¥E.		66.0	6.89		ירן פנ		15.54	1	51_85	16-1	12.62	2.95		20.	
DATA R. S. P. E. P. B. B. C. E.	GS PC 46 26	34640F23	35FC5228	GS PC 5 109	75PC6020	33706626	GS PC 66 29	GS FC 94 40	3SFC9617	65010721	35 PC 70 37	1867675	63 FC 37 54		38FC 3882			GS PC4 124	GSFC7841	GSFC 37 77	GS PC 37 79	GSFC 3781	0001725		GS FC 90 56		GSFC9680		65704674	10111111111111111111111111111111111111	65 PC 6 191	GSPC7976	GSFC 4098	GSTC#836	-	920 73cm	GSFC7043	.00000	70687450		GSPC3061		65806673	65 PC 48 18		391 14804	5501057	25 PC 8 3 8 B	GSFC#776
HICBBIAL		101	2 3 0e	2306 ICI NCA	2306 LCS	ZJCK IC1 OGB cp: N	Tack FIO IOI 90EZ	2271662	CHMRSSINER ZUCO ICO TOP	CALLES AND TOTAL AND STATES	ETULATE 4300/EROLLIE FEL	CHUNGING 2306/8400 AICTORNITORS/1014BE	CREMGIAZE Z3C6/CAI 9986 AS 100/1 BU/FUSZ TILM		CHEMITALE ZJUG/LLT 9986 AS 100/1 TWO COLIS			2306/CHENGLAZE 99	2306/CHERLOK	ENGLATE Z306/KAPTOM H	E 2300/AAF10F H 3E1		CHEMCINE 2306/FRIMEN DESCHOOMS 11-102/F		CHEMCLAST 2306/FANDOLPH SPOTT/POLTANIDS PSINER/P		CHARTEL T306/SUPER KOPOPCE PRIADRY		CHRISTIAN SECT ALCO PARTICO SCINCISMAN ICH RND Christian experiore compared to the scincisman ich rese	26.50 44.2 Grees a	2853 BED TELLOW G	9922 AFOXY PRIMES FOR	9924 LASH PATHTR N/B A	CHEMICK 205 ADEKSIVE PUINTE GUTT	This sade of Me fit of OCC MOINTHON SOC MOINTED	EW 16 1/1 EW	CHRYLCK 205/CERMLOK 220 AS 1/1 BW ON FOIL		TOTAL OF THE STATE		CBRAICK 234		CHROLLA Zade Elebricate Scholes Achel - Glack	467 6111// BB		D 1024 CONDUCTIVE	7 5	1029 CCMCDCTIVE ST	1030/FEIRZE 1010 S

APPLICATION .	COMP. DERISTAR			ADRESTVE	EP SEITLE	EF SHIRLD	COMP ADSISTER	COMP ADRIESTVE			PILLER	SETTED			GASKET	GA SK KT	SHIRLD			SHIRLD		SEIRLD		911150		SHIRLS		SHIRLD				41110			SEAL	SHIRLD	-	SHIBLD		•		CHICAGE STEAM	CHARLE REPORT				# # # # # # # # # # # # # # # # # # #	6 DA B 1		11212111		COMD GREENSE	COND ADMISIVE	CABLE 1856L
11808	=	:	ATB	118	AIR	314				Ē	i	AIR	4	AIA)	AIR	AIR	AIR	AIR	AIR	AIR	AIR	111		11	1 4		AIR	AIR		AIR			7		AIR	AIR	AIB	AIR	AIR				4 4	114	:		:	N T W		AIR	:	AIR	
CUBE	,	Ç	113	9	000			2 4	9 4	3 5	2	171		17.7		17.7	171	177	7.11	171	177	17	177	5	171	25	17	12	177	177	5	<u>:</u>	177	11	•	171	177	17	177	111			•		171	:					175	;	52	
CUER		2	36.			,					8	15.				248		-	248	158	=	_	38	_		2 .				248				248		158	_	15g	3	7 f E	۰.	~			F. 0		2 . Z4B		2 248		1 24H		6 24H	•
RCVCH	1		? =	:	: :	:		5 1		-	•		•		4	5	0.0	!		70	,	5		8.		•		-02			ë.		9		.12	90		.02			. 16	-22	2	6	=	-22								
KENT		10.0	-	-		7.		2:	1.12	- 30 - 1	:				ž		;	3		71		. 29		.03			-	50.			.30	;	.0.		96)	0			.71	.98	. 70	.61	.65	1.16	• 05	1.03	90.	\$4.	10.	.57	99.	.24
DATA		GS FC6299	65 FC 7928	65 FC 3 2 10	68 FC 9500	68103283	GS PC 95 93	GSPC5212	68704584	GS PC 46 28		GSFC 3023	GSFC 3745			700000000000000000000000000000000000000		10767469		FACE DESC	2017	GSPC3163	•	GSFC 3165		•	GSFC 3143	3115			GSFC3101		GSFC3103	•	40667400	62116203		101107			GSFC2140	GSFC#746	GSC10170	GSPC4606	GSPC#968	GSPC 3704	GSFC3706	GSPC 2981	GSFC3708	GSPC7334	65 FC 96 56	GS PC4744	GS PC 9683	GSEC 1345
MATERIAL		CHO-BOND 1035 CMA PART SILVER FILIRD SILICCUE	109.2	18 1/8 15 40/1 BW COM	4041-0402 A/B AS 1.5/5.5 BB	4041-0402 1/8 15 1.5/5.5 BH	4041-0402 A/B AS 1.5/5.5	584-29 A/B AS 100/6.3 BH CO	S68-29 CCMDDCTIVE SPOXY	CHO-BOMD 586-29 A/B AS 100/4.2 BW SIIVER EPOIT		O-SELL 1212 SILVER PILLEY SILICONE	CHO-STAL 1212 SILVER FILLED SILICONE 125 GRADE			1214 SILVER FILLED	SILICCES	1215			CHO-SIRI 1215 SILEER FILLED SILICORE 123 GRALE			SEADE 125 CTIMES STITES THOSE 125 GRADE			CHO-SERT 1220 SILVER FILLED SILICONE 200C GRADE		CHO-SEAL 1220 SILVED FILLED SILICORE 2000 GRADE		CHA-CTR. 1221 SILVER FILLED SILICONE AEBOSPACE 200		CHO-SERT 1221 SILVER FILLED SILICONE AEROSPACE 200			CHO-SEAL 1224 SILVEN FILLED SILICONE	1224 SILVER FILLED SILICONE		CHO-SELL 1224 SILVER FILLES SILICORE ABROSTACE FOR		113 6364	CRD INNER	THE SHEET THE THE STATE OF THE STATE OF THE SHEET STATE SHEET		MUNICIPAL CALL OFFICE CAPACE PARTIES (III	CHC-CHTAIN ICELES SIETES COMPANIES CONTRACTOR COMPANIES CONTRACTOR		CALLE GRAFIE SOFT	1111	3	PARTY CHOCK THEFT SCAL	16/1 Theks Coad State .	#220 SiLVEF FILLED SILL	CHCRESICS DO-01 SILVER TILLED BESTAL

ATRCS APPLICATION		CINCULT BOARD			AIR FOAM						178	ATP TANTESTE	ATE SATE COMPOSTS				•					COII PORM	200	COII. PORM							PARSTAR TORACTAR	AIR .		COM	III	AIR CORF COAT		AIR COUP COAT			AIR COMP COAT	AIR COMP COAT		AIR POTTING			TTP BOTTER		270 1286.108		_			AIR FOTTING			ATE COMP COAT	
COBB			340	111	90		165	163	163	149	204	163	25	2	; ×			3	5 :	2						901	3 5	2		,	0.0	92	٠	52	99	52	9	52	6	9	25	9	52	55	20	05	8) v	; <u> </u>	15	2 6	2 (S t	52	9 2	Ç	150	-
CORM			=	248	24E		30	5	28	=	28	1658	5	7.	7	;										168		9		į	Z .	308		308	=	308	.		151	38	24H	Ē	1	248	248	HW W	124	24.8		24.0		E - 7	9.0	20H	# 6 F	E 6	204	
#CAC#	4.72			60	.03	.27	.03	.12	ē.			. 0	200	25	=		:			-	80.	90.	00.	. 68	.02	-			;		.05		2	5		90.	1	.05		•	00.	-07		.02	10,	101	.02	† 1 1	90		? •		70.	.01	6		01,	:
L FRL	10.50		96	=	.05	=	1.02	99	94.			- 29	6.9	7.51	2.11		:	•		97.	06.	.63	.52	4.76	1.19	•	4			56.	.75	i	11.73	1.60		1.30	1	.			7.26	1.95			. 38		=	•	.53		36.1	-	9 (- 32	2		1.09	:
DATA	GSPC 50 32	65FC3978	GS PC 8576	GSFC8618	GS PC 8984	GS PC 6273	GSPC2943	GS PC 3191	GSPC3189			GSPC3323	GSPC 1204	GS PC 1201	GS PC 27 17	65700125		AC CANADA	90001000	6301160	0646.000	6S FC 58 15	GSPC5017	GSPC5791	GSFC8519	GS PC 8522	4000 JA 50		6250333	62 10334	68103369		GSPC4148	GS PC 3689	;	GSFC 3891		GSFC 2681			GSFC7082	6S PC7133		GSPC7571	GS PC 7973	GS PC 7904	GSPC7547		GSC108 38	1401725	2001000	2255 7355	GS PC 5247	GSFC /B44	66 6 8 7 8 9 5 7	431101169	GS PC 17 29	
MATERIAL	CINCIR NOS TAPE POLYPROPILEME FILM/2 SIDE ACE ADB/P	CLECKI BUREL CCBROSLIS MEDA GIG BICA/CR -135 CLEAP BIRT BURDIS TA 11067 5040 PIREDIAGRASSISCORE	CIPAR MINE BORDIE TA 11062 RD10 FIRESCLASS/SILICONS	CLAMP WIRE BUNDLE IN 11062 AD10 PIBERGIASS/SILICORE	CLAPK FORM 1234 FCIYLESTERMS - WEXTE ALCOHOL MASS	CLCTH TPP COLTED PIBERGLES STYLM 16781 TYPE S	CAC 40 BERESTAN FILE HEIBEOSETTIES	POIX	COAST STOYT FAEPFAG F161-83-108-8			COAST SPCCY/GLASS PERPING F161-43-1PCB/20	COLTING 5459 CVER PRINKS 6362	COATING 5859/CAT 6201 AS 1/1 BV PLAT BLACK REDAY		COMPLESSIO PUBBLE B10470 #1		SERVICE CERTE GRADE CANADA CANADA CONTRACT	a		COBSTRAIL SOC STRICTS IN SCHOOL SERVER	COIL FORM - CLESS	COLL PORM BLSK - BEITH	FORM PREMOLIC	3 984 A/E AS 3/1 BV	BY SRITE OUTCE SET	KTRABS POAM AZCENDI	COL VIEW 1441	100 100	PCETURE FOR	COMPLETE AND AND AND SHAFT BROIL		CE 1133	CONATRANZ CE 1155 A/6 AS 10/7 RG	1	CONSTRANT CE 1155 A/B/CELLO30LV2 ACETATE AS 10/7/3	;	CORRIGAN CE 1155/CELLOSOLVI ACETATE MULTICUES			1164 HIL I 465CBC 17PE	CE 1164 MIL I 46508C TYPE UP			EN-11 A/B AS		EN-12 A/B AS				はらばこうけい こうしょう イン・コン・コン・コン・コン・コン・コン・コン・コン・コン・コン・コン・コン・コン	NAME OF THE PROPERTY OF THE PR	COMPANIES OF TAXABLE AND TAXABLE OF TAXABLE		新年代表示的 10 € 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		CONATHANT EN 1510/CONACORE ANTO AS 5/2 BU	The same of the sa

S APPLICATION	10551 25CC	CCMM INSOL	COMMECTOR	CCMMECTOR	1C CCHBECTOR	SHIELD	SHIELD	SHIELD	SHIELD	CHIRID	COMPOSITE	COMPOSITY	LUBRICART	FOTTING FORM	FOTTING FOAM	FOTTING POAM	!		PATHT											CARFER												FOAR			FOAM		POAR	200	B , COMP COAT			PUBLICATION OF THE PUBLICATION O	
ATRCS						1-3	•	AIF	1-3					AIE	AIR	AIL	TI	YIB	AIF	AIR	•	7-7	7		774	416	I	I	AIR	AIR	AIR	# I B	# I F	11	A 1 K	¥ 7		110	11	414	118			1	AIR		_		A I B	AI C	110		TIB
CUBE TERE			•	.•.	•	115	:	177	115	!				25	99	20	150	25	150	52	,	2	52					1	166	=	177	=	177	99	120	2 (?	C 4	6 4	, K	2 6			125	00		9		52	9 6	2 1	Ç	125
CORE						3.88		711	248	:				24H	E	168	Ξ	728	24B	=		24H	728	20H	204	15	9 -	- 7	24 H	158	#	158	=	••		9	9	# 0 :	5 4		_	!			72H		24B		•		2 4 H		3D 2♣H
SCVCB		-							10	12			00.00	10		.07		1.28	1.28	15.90	4.78	.05	.02	06.	7. 7	1. 16	76			.58		.35		,	2.	0.	60	60.	5			.21	1.06	.03	.03	0 *	9	60.	Ξ.	•	.0.	.0.	5
YTHE		? :			7 1		9 6						0 4 4	2.8	2-03	2.00		8.58	2.38	09.84	7.84	==	96.	1.13	10.09	4.35	•	5		3.08		1.15			.87	- 24	1.31	.97	1.26		-	1.81	7.34	2 26	2.10	7.24	1.23	13.63	11.93		L # .	2.41	1.38
DATA REFERENCE		63 205793	68610443	Garcecon	5 00 C J S 5	68 70 30 13	651763712	62 FC 3655	000000000000000000000000000000000000000	01/17/109	E 70C 24 20	65 57 57 65	6376201	20101110	0.0000000000000000000000000000000000000	5011160)) t	SRI14011	SET14012	Sal 10608	GS PC 0252	G3FC 0372	GSFC8399	GSPC 1900	GS FC 4808	35PC48 10		GS FC 4868		GS PC 48 12		GSFC 4870		•	GSFC 3951	GS FC 3954	GSFC4053	GSFC.4096	GSFC#120	GSPC4122	GS FC 26 25	LANC TRAIL	08 F J J S S	かた かまじんびじ	GS PC 50 37	GSFC5577	GSPC5579	65 PC 5 160	65 PC 52 30		GSPC5184	GS FC 8594	GSFC 9089
NATURE			WESCTON HIL C38999		18.163/402	N	D SILICONE	E	ES FILLED	CONSIL P SILVLE FILLED SILICONE	CORRIL SILVE FILLED SILICGAS SERVI		COMPAIR GEAPRITA/EPOZY/SI203/ALTHINA	COMPLEX-10 0-061 POLIPHENTE ETHER	615/DIA AS 100/7	COSPIL 615/DIA AS 100/7 BF ZPORT	COSFIL 615/2 AS 100/14.5 64 EPUAT		COMPLE SES BLACK APOXI	383 BIACK EFUA	COLUCE TIPE BLECOM LES FAIR BY LATER COLUCE MYLON	-	-AIRII-II HYPALON	/1 39		STATE STATE OF STATE STA		CP 6002 SIIICOME BUBBER	•		CP 6067 STLICOME BUBBER	84001110	Che decorate sections and the sections and the sections and the sections are sections as the section and the s		THE CANADA STATE OF THE STATE O	THE STATE OF THE S	17-20 POLVIETRANE	17-20 FOLKUEZTRAKE	17-2C PCLY DESTHANE POAT	17-2C PCIYLEEIHANE	23-21/28 AS 23.4/9.9 BW		ARS FOAN	9005-2 PCLTGETHARE FURN	CONTRACTOR TO THE PROPERTY OF	JOSEPH CHEST TO SERVICE OF THE SERVI	171531104 09-0096	TOTAL TRANSPORT OF THE PARTY OF	PERSTAN SPRAIN		TYOUGH HW 1/1 ST 1/12/5/17 FORGY	71 ST 4/4 021E	10

															-																																		
AP PL ICATION	ACERSIVE	X P 1 V A R C V	ADBESIVE	TRAP	TOT TERP TOR	POLITIE		ADBRISTAR	LOW TEMP ADM		• ,	ADBESTAS	TSHP	TON TRAP TON	DENSIAE STAR				ADBESTUE		POBES IVE	ADMESTAE		ADRESTAR	Section 1	WHENE COULT	CHACL STREET		TIRD CATEL	CITAC BARIA			FILE	THERAD	PAINT	FAIRT			1111		FA T W T					141747	ADHESIVE		ADHESIVE
ATROS	AIP		71	AIR		114	4 7 4 7 4) II	100	AIR	7IF	11	£13	HIN	a :		NI N	AIR	VII.		a I T	A I A	# 1 P		11	:									717	AIR	AIR	417		T T	2-2		2 7	1 4		BIB	AIS	AIR	AIS AIS
CUER	22	2 22	3	52	Ç	9	700	72	25	52	125	52	22	Ç;	52		22	80	2	125	52	۲ ۵	2 4	2 2	, ×	;									9	52	9 ;	e 4	3 %	9	125	:	52	:		35	;	135	52 80
CUES	2.73	2H 2 1D	38	20	;;	8 a	= = =	3	7.2H	3	24H	2	35	7 ;	36.		70	16H	30	24E	;	9,1	E 4	2 E H	25.	:									# .			=======================================			128	!	140)		2 10	E	304	40H 5H
SCVCH	0.00	.39	=	7.58	90-	•			. 68	-01		99.			-	01.	.1.		=	į	= :	?	•	-	30	80	-05		90	0	-02	00-	ē.	= :	.03	00.		0	•		2	.0	.02			.72	7		5
TONE	2.19	3.47	2.01	26.86	30.03			1. 10	2.28	1.51		2-78	7.62	76.7	00	1.45	1.85		1.12				1 13		1.21	. 37	. 23	7.56	. 26	-27	-23	.75	.37	4.61	E 6 . E	90		2,85	,		2.60	=	69	1,16	1.36	4.4	3.31	ř	8/-
CATA REFERENCE	GSFC4948	G 3PC 49 50	GS FC4760	GSFCESBB	38 7060 38			G3 PC 36 10	GSFC8621	GSFC9092		G5FC4952	68 FC 85 97	20000400	45 FC 70 93	GSFC5981	38 PC 88 19		62060459	400	671179	336035	800001850	200	G\$FC86.24	35 FC 3800	GSPC 3823	GSPC 3821	GS PC 3804	GSPC 3802	6SFC 3825	GS FC#264	35 PC 24 26	GS PC 27 59	GSFC6/90	65077359		GS PC 2651			GS PC 9104	GS PC 5352	GSFC4782	GS FC6194	GSFC6197	GSFC4576	GS PC 3558		17607161
MATEFIAL	CPTST 3170,7133 AS 1/1 3H 90CFT CPPTE 3170,7133 AS 1/1 AH 41ITE EPOXT	3725/7148 15 1/1 88 5	3725/7148 AS 1/1 3W Z	しょうしょう カイロ トバーロのくをし 日本 コプラウス かっしょうのはいか かっかん カーカー・フランド・ファック・ファック・ファック・ファック・ファック・ファック・ファック・ファック	734C/7109/7120 EPOXY			CREST 7343/7139 AS 100/11 BE POLYGRETHARE ADR	7344 A/6 AS 100/14 BW	7344 A/B AS 100/16 93	1986 1986 1986 18 5117 B. 5117 B. 5000	7380 1/1 10 10 70 70 71 01 10 10 10 10 10 10 10 10 10 10 10 10		CREAT 7410 A.S. 100.75 MR VELICE BOTYSTATES		CREST 7425 A/6 AS 100/24 BV			CHANGE 7425 A/6 AS 400/24 RG	7850 476 45	THE 12 TO 12		CPSST 7450 1/6 15 100/16 97		CP ST 7450 A/B AS 100/16 BN BEONE EPOXY/POLYDRETHANE	TACKET	* CCME/JACKET YZLLOW	CHOFOR 1 VELICE CODED JACKET CHLY	3 CChD/JACKET GRESH	CPCFOR & CCMD/JACKET PHFPLE CODE	CPCTCH 5 CCHI/JACKRT BL'2 CODE	ET FILM - PEOSTY	POLICE FILE TOAM	SAFE STACE BURDED FL	CHILLS WINCH ADOLY DATED WANTE AGENT PARTY.			CTI-15 WHITE EPCAT PAINT BATCH 1694 HOGHES ACPT			CTI-15 MRITE LECKY PAINT MUSRES ACT	CASTCH LOAD 4101-190 EPOXT	COVERTIM 306 BLACK POLVJEDINAME COSTING	CYANOPRENT 1857 BIUS THREMCPLASTIC PCLYDESTRAME	CTROSPER 1880 CLLAL THE? HOPLESTIC FOLYURETHANZ	CTROND MO10 A/B AS 3/1 9H	CTCLEMELE 55-9	CA 204 / HE 44 1 A HE 44 1 A MODE WOODE	

																								٠		٠																														
	APPLICATION	POTTING	COATING	FOTTIBG	THEFFIT CERTSE	CHIASE	POTTING		FOTTING	FOTTING	FOTTING	FOTTING		PAINT BASE				1010														COMMECTOR		IRPERGUANT			COLF COAT		LUBILLANI GREESE								ENTITE POLE	24 CH1	ADERS 188	ENCAPS	ENCAPS	ADBESIVE		MECAPS .	COATING	
	MECS		AIR				AIR	AIR	AIR	AIR	111	AIR	AIR	AIB																			;	AIR	I-2	AIR		214	į		4 4	111		:		414		1		1	AIR	118	AIB		MIN.	¥ T T
			130				25	175	ננ	52	9	52	5	52											į	C 7							1	67	121	52	%	52	•	150	Ξ.	7		ě	67	,	2 5	9 4	7 4	2 6	9	72	8	1	52	Ç
	TIBE		Ę				78	168	E 7	248		E	8	1												2								=	=	2	2	9		=		2				e (-	3 6	9 4	9		=	7.E		2 4 R	2 d II
i	*CVCB	00.	٥.	٥.	-02	00.	. 23		0	00.	60.	0.	-05	.21	.02	00.	2.73	•	60	.03	00	9 0		5	.02	-26	00	6	•	0	0.	0	00.	• 05		.56	. 58	# .	1.30	7.65	2.65	0,	-27	70.	6		70.		Ç.					.32	.61	
	Krnl	5.69	1.94	. 55	-05	.17	99.		. 16	.50	.38	97.	9	1.02	. 15	-42	5.11	• 05	54.	61.	. 15	6	. 33	. 12	.79	2.54	**		.97	90		=	=	13.98		1.43	1.64	96.	3.40	13.67	6.13	1.67	90.	90	67.7	F . 64	21.	67.1		<u> </u>	74) •	- 92	1.34	
	DATA REFERENCE	6870088	GS7C0539	GS7C3515	GS PC 1981	GSFC 1996	SET 1 16 09		GS PC 84 88	GSFC#790	38FC4980	GS PC4558	GSFC 1732	65 75 50 10	GS FC 22 06	GSFC2167	GS PC 8696	GS PC 28 99	GSPC2521	GSFC5591	65C10652	GS PC 2501	GS PC 5 192	GSFC2983	GSFC4200	GS1C8987	GSFC0447	GSFC0179	GS PC4970	GSFC0701	GSFC 14 56	GS PC 38 70	GSPC0869	GS PC 47 48		GS PC6653	GS FC 6691	GSFC6792	SRI 10211	GSC10547	GSC10550	GS FC 2455	GSFC74 30	GSFC 1017	6SPC 3965	GS FC 39 BR	GSFC8942	GSFC 4608	62 FC 31 29	GSFCFG	65 20 30	65 7 7 35 15 1		GS PC 1282	GSPC 1156	
	HATERIAL			2	10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	COLUMN STATES AND STAT	CO-1103 VILLORE GENERAL	14044 E3 1/1 C4 B474/13		##C6C ##C7-26' #72C 11011 00/4 P2	1 1001 - 100		CATALISTS AND AN ACT OF BEECH AND A		THE FORM SAME STATES AND	STREET BOOM HISTORY CONTRA	#FORT 5 1 4 M/ EDS/ 00		TRANSMO T-46-87			METTING 70886-10	POITESTER CLOTH		1652 BLACK PAINT	104	- MPSA PLASTICS	COMMECTOR A 1004202	The COMMICTOR 3-2-520 SLASS FILLED/FIRME RESISTANT	SECULIAR SE MAC - CAPOR S	THEFRICANKCE COMBEC		CAN DESCRIPE BUT TO THE CONTROL OF THE CONTROL CONTROL TO THE CONTROL CONTROL CONTROL TO THE CONTROL C	Section of Chairman Library and the control of the		THUSING THE BILL CTATE OF		T-14 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	11 4111COVE		1107/T-12 AS 10GM/5 D	142 OVER A-4094 PEIN				271 SILICCHE	CEMD - PUSISTOR BS-18-FT (R7741)			DC 3110/H AS 10% CAT H		3116/CAT S/T-12 AS	DC 3116/5 AS 158 CAT 5			

											•																																		
APPL ICATION	COATING	ADBESIVE		LDR SELLANT	ADE SELLAST		MOLETIVE Melo ethe	## * * * * * * * * * * * * * * * * * *	CAMPIN PLAIN	CASPER PLUID	CAMPIR PLUID		FOAR	SELLANT	ADREST VE-COATING	PORESIVE	32.42.48T	ADMISTAR	ADBRETTE	SEALANT	SEALANT	5541.47T	SEALANT	SKALANT	SEALANT	SEALANT	SEALANT	SEALART	COMP COAT	SEALANT	SEALANT	SEALART		SEALANT	SEALANT	COMP COAT	SILICCHE RESIN	ADMESIVE		SILICONE PRSIN			ADBESIVE	A DRESTUR	
ATRCS	EZ.	PIN PIN	NIN.	7 I N	NI I	7 IB	-			1- 2	7:			III	11	11			AIR	111	11			AIR	718	118	7 I		118	AIR	118	# 1 E	a L		11	AIR	AIR	# I	= [AIR	PIR	<u>.</u>	LIE	و <u>و</u> <u>ا</u> ا	,
CGRE	25 150	25 25	52	£ 5	52	50	Ê			9	9	5 5	150	25	5 2	52	C X	2 2	52	\$2	52 2	C X	25	22	S S	52	, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2,	3 2	2 2	52	5 2	C X	12	23	25	52	9	52	65 110	9	.	2,	59	<u> </u>)
CORR	248	5 2 2	9	7 T	2	2 E	u			24E	2 d H	191	728	71	25	2 :	2 5	2	10	0	0 0		7 6 0	280	280	26D	092	28D	7.	248	# * * * * * * * * * * * * * * * * * * *	7 4 5	7.	4 50	70	2	æ :	16H	2 T T	=	=	# 8 #	# # ¥	# 6 9 # 6 9	:
SCVCII	63.	99.	6,	?	.27	ž		12	÷	7	≘.	. 12	60	.0	.03	e e		0,	.03	66.	?:	24.	77	. 26	- 26	.27	72.	75	.07	. 03	-0.	: :	0	.02	.0.	5.		~		.57	=	:	.15	.17	81.00
STRL	1.54	1.75	7.	2	.5	1 16	38	95	2.11	86.	• .	.31	. 59		-20	•	26	.21	-13	.70	.70	7	64.		9.	6			30	. 33	-29		28		60-	- 19	1-62	66.		1.42	. 89	;	.23	. 36	97.20
DATA	GS PC 2263	GSPC7646	68700191	63501133	GSC10047	0860795	GSPC04 16	GSPC 1297	GSPC8909	GSPC8936	G S P C 9 2 0 0	GSPC 2575	GS PC 39 90	GS PC 2017	GS FC 66 50	02010850	68C10769	GSC10697	GSC 10823	GSC10103	68010105	65010113	GSC10101	GSC 10091	62010089	03C10099	6501009 76001080	68010093	GSPC 50 12	GS PC 80 15	GSFC8012	GSFC8255	GS PC 4650	GSC 10700	GSFC3732	3SFC4676	68FC1624	GSFC1780		GSPC1642	GS PC 1789		6 SFC 37 6 2	GS PC 3843	SEI 102 12
HATEBIAL	DC 3140 DC 3140	DC 3144 SILICONE	PC 3145		DC 3145 CEM CORPORNET GRAY SILICOER		340 HERT STRK GREASE	340	510 SILICCEE FLUID 30,000 CPS		2	DC 5370 SILICUM POAM	\$370 STLICOBE	- 1104	2011-9	J	6-1104	6-1104	6-1104 LOS FE129370	6-1104 SARPLE A LOT PRI	6-1104 SAFFLE B LUT F	6-1104 SAMPLE D LOT PHT1	6-1104 SAEPLE 1 LOT PHI	6-1104 SARPLE 10 LOT PR	6-1104 SAPPLE 12 LOT PR	6-1104 SARPLE 2 LOT FT	DC 6-1104 SAMELE & LOT F4128-104	6-1104 SAMPLE & LOT PHI	K-1104 UBFILLED H/LOSINI	6-1104 H/1% V-1232 BLAB FERRO EN	6-1104 W/15 U-1936 4-1104 W/15 T-1934	6-1104 b/105 V-1747 BLACK FERRO	6-1104/HEB/XYLRHS	6-1104CV 10T FR119336	6-1106 A/B AS 10/1 BU S	- UNFILLED SILIC	4 364-69	13-48c 4/4 45 10/1 08 51		63-489 1/8 AS 10/1 B# OF	DC 63-489 A/B AS 10/1 BV SILICONE	50 63-839 STITCERS	#17171C 6869		PC 705 SILICONS DIFFUSION PURP OIL

· · · · · · · · · · · · · · · · · · ·	12.10	67A1	MOAUM	CORE	CORE	ATRCS	APPLICATION	
4	BEFERENCE			1188	TERP			
ROCA STLICCAE IN TOTAL	65010197	.90	=	E (85	AIP	COATING	
LICCEL IN YYLTHON	GSC 10212	2.14		37	ç;	¥ 1 ¥	CONTING	
90-006 A/E A± 10/1 34 H	15 FC 106 3	1-23	. 32	H . 7	5 6	7 1 7		
90-011 A/B AS 10/1 ng a 8	0501030	60.	91	24.5	2 5	4 F		
-	2701012	2		2	5		CRATARA	
	1010100	2.03	. 27	35	25	AIS	ACH-SPALANT	
TOTAL STATEMENT SERVICES	30 10 10 10 10 10 10 10 10 10 10 10 10 10		=	=	5	ATB		
76		•	•	2 H	2	AIR		
					=	AIR		
92-507 BRITE SILICONS P	GSPC 2044	16.	.36	70	3 2	AIE	FAINT	
OC 92-007 SHITL SILICONS PRINT	GS PC46 78	.63	. 20	24H	52	AIR	PAINT	
				8	9	AIR		
DC 92-019 SILICONE SEALINT	G3FC 2741	2.00	.82	20	52	AIB	SEALANT	
92-019 SILICCES PERSE	GS FC 2945	1.12	.01	28	52	716	PPINES	
92-024 SILICCHE OVER PR	GS FC 1177	2.07	8	ن د	25	AIR	COMP COAT	
93-006 1/E At 10/1 34 D	GS PC 8258	. 95	. 28	72H	.25	AIR	SEALANT	
91-072 A/E AS 10/1 BV 5	GSPC6347	1.67	. 60	24H	25	AIR	SEALANT	•
93-076-2 A/B AS 10/1 BW	GSEC4922	2.12	91.	2	25	317	Sealant-Potting	
93-500 A/E AS 10/1 BY	GSC 10158	. 20	.02	7	52	AIB	FOTTI MG-RHCAPS	
97-500	GSFC0371	91.	9.	5	52	AIR	POTTING-BUCK PS	
93-500 A/B AE 10/1 74 SILICONE	3S PC 04 00	. 29	00.	24 H	52	AIR	POTTING-ENCAPS	
93-500 1/E AS 10/1 BY SILICONE LOT	GSFC5421	.12	00.	70	52	AIR	FOTTING-BECAPS	
93-500 A/B 45 10/1 BW SILICONE LOT	GSFC 86 36	60.	.03	2	5 2	AIR	ADRESIVE	
91-500 A/B AS 10/1 BV SILICONE LOT	5SC 108 44	2	.02	2	52	LIE	ADSESTAR	
93-500 A/E AS 10/1 BJ SIIICONS	GSFC86 39	. 19	.	7.	52	FIR	ADDESIVE	
93-500 A/8 45 10/1 97 SILICONT LOT	GSC10670	Ē.	[2	52	TI	ADHESIVE	
93-500 A/8 AS 10/1 BZ SILICONE	GSC 10793	.10	.02	7.	52	AIR	TORESIAE	
93-500 L/E AS 11/1 BW SILICONS	GS FC 7136	60.	-0	70	52	AIR	ADRESTVE	
93-500 A/E AS 20/1 94	GSFC7181	70.	00.	# 8 H	25	AIB	ADBESTVE	
				248	9	AIR		
93-500 FR 029	65C10398	. 17	.02				FOTTING	
93-500 FR 059	GSC10401	-39	. 18				FOTTING	
3-500 FR 068	GSC 10404	-28	.12				FOITING	
93-500 FR 128101 DEC 78	GSC10407	-24	0				POTITIES	
93-500 UNCULE	GSFC7952	90.	-02				CAMPER PLUID	
93076-1/2 GEAY SILICOND	GSFCB207	3.15	88.	16B	\$2		ADBESIVE	
					9			
		,	9		<u>.</u>			
DC 93076-1/2 GhAY SILICOMP	GSFC6210	3.30	6	0 1	0 5	4 1 4	21123112	
				: ±	=	a la		
SOUNDING FOOTS TO STORY	GSPC 1288	5.37	. 18	24 H	52	AIE	COLTING	
no see on principle principle of the property of the soc	GS FC 56 15	.76	. 26	158	160	AIE	FLASTORER	
· · · · · · · · · · · · · · · · · · ·				Н9	111	AIR		
DC 955 SILICGNE ELASTONSE PEROFIDE CAM DI CUP 40C	GSPC5719	.15	00.	158	160	AIB	ELASTORSE	
				£ 5	771	A I B		
	, , ,			H 17	c/-	*	On 1 00 00	
DC 96-052 A/E A£ 10/1 BV	GSFC 2346	7.7.	• 7 •	800	ď	9 1	CITTONE	
96-079 A/E AS 1/1 B	COCC 3300		•		9	4		
96-080		,		ء د	7			
991 WATELSH - CLEAR SI	100 FC 704 V	7	6.	3 6	3,5		TACO MACO	
, -	20017455	50		# E	17	MIR	SILICORE	
TOO SITTEME FUBBER OF SE SOL CH	6266.1368	•	•	2.5	204	AIB		
				308	232	AIR		

N CURE CUPE AIRCS APPLICATION THE TERF		T C Inc						0.104	9102	88 25 AIF COMD	4 25 AIR		=	28 60 AIR	25	.05 88 25 AIN ADMINITED			16	4H 150 PIP	1058 66 117	57	STA CO BL		2 2	150 111		1H 105 ATE	18 105 AIR	2.5H 105 AIR	2H 60 LIR	SE (9	25	24H 60 MIR	52	06	24H 90	3E 71 AIR	TZH 40 ATR								
SCVCH	1.5	26 1.66		95						1.73		0. 64.	0.		o. *I.	. 59		o	0. 09.								0. 15.	•			0.	•		1.78 .1		. 33					- 95		.22		60.		-	.20 .35 1.25 .00
DATA 4740 727378878	35EC 1035 B.	=	9201	9202	9203	9208	-	16953				GSFC8375	G3FC9853 1.		3SFC9856 1.	GSFC3205 1.	•	35fC 2923 1.	SFC7211		- :	SECTIONS	A 1000 7195				SPC4247				_	SFC3787 1.		GSFC9416 1.		GSFC2853		•		•								
IVICALIVE				•						KII 152/MIN2 AS 20/1.5 BJ G		CHICK ROWS 152-6-84 A/B AN 109/3.5 PK BIGB SPOXY	CTLTA ROND 152-1-A ELOXY KIT PRE-NIX BLUE		DESTINATION OF THE SPOKE WITH PRESENT WIND BUILD OF	DELTA RCN3 152/81& AS 100/7.5 BW : GS		NE COLOR SA SATER SET TAN	DEM #38/4CA AS 100/27 BV *POIT - AMREE		CONTRACT TO A DATE OF THE TOTAL TOTAL OF THE CONTRACT OF THE C	Tarifick 4/4000 TRIBARA C	¥ 0 € 3	•	DER 332/DADS/LITHARAK AS 10/3/40 BH TPOXY - CPEAN GS		312/TETA AS 10/1 BW 3POYT	AS 130/14/170 BW EPCXY-WHITE	332/TITA/LITHAFRAX/CAB-0-SIL AS 100/14/235/.6789	332/VEBSANIL 125 AS 1/1 RW 2PORY	332/712/AEP/SE-82 AS 60/40/15/4 PTOPS SE-82 G	332/132/AGE/CH-62 As 00/40/10/4 DEOPS S3-82 G		DEP 332/732/DEH 24 AS 9/9/2 BW MPOXY		DEF 332LC/HV AS 100/18 SW EPONY			DEM 1921C/VERMIND 140 AS 35/30 BH MEOXY COMMING GO	AS BY BEOM		CCARRCACK AND SOUTH STATES OF THE STATES OF	CCHERCYCE HAISTI/FEFFOIST BEOFF SILICON?	SCH CCHERCLOR BEIDIT/467FOIST GERME BOLD IMSEPT	MOTOR COMPANY OF VILLORY MYBONS	COMMENCED A 1-01010 ACCOUNT INSTALL	THE CONTRACT OF A STATE OF A CONTRACT OF	CCHEECTOR 6825 PRO4-8425 PHRMOLIC INSURA

																					•		٠																												
' APPLICATION	COMMICTOR	TERRINAL BLOCK	SPECIAL BLOCK	2 SIDED TAPE	PORTSIVE	PDESIVE		BOLD CPUE	DIAL CORD		NOLD CP# D	BOLD CPED	BOLD CPHD				4863194708	DOST TO THE THE	1101			ADBRETTE	FOITING	CONTING	BOLD CPUD	LASIMATE	ADB ESTYR	LUBRICANT		TOTALL BLANKET	ADRESIVE			BDRESIGE	20204		COND PAINT	CORD PAINT		COND ADRISTAR		TOSEL MAIS	COATIBG			PAINT	FAIRT	SEAL BY THE SEAL SEAL SEAL SEAL SEAL SEAL SEAL SEA	FELT		
11808					FIF	AIA					AXR	AIR	=	•			•	3.70	<u> </u>	AIR) II	AIE	AIR	AIR	AIR	i i	MIA				AIR	N I N	E I			118	414	AIG	AIR	AIE	# T #		ATE	AIR	7 18	118	AIF			91.4	714
CORR					25	25					150	150	150	• • • •	טרי פרי	<u> </u>	2	204	<u>'</u>	9	9	25	25	250	150		25				25	150	150	25	, v	135	2	99	66	9 5	0 1		149	149	260	121	125			ý	5 2
CORR					24B	248					248	248	24H		9 5	3 6	7		;	2 & B	248	7.5	2	28	24.8	1	24 H				16H	E	E .	# F	: :	15.	248	158	X (2)	= :	# 7		208	20M	20M	Ŧ	161			9	9 2
KCVCB	.05		6	0	•0•	90.	00.	00	.10	.05	.03	-32	-02	90	9			•	=	117	. 24	10		=		0	-01	4.60	2-47	00.	29.62	į	65.	. 24	•	•	*0	00.		8	Š	9	; ;			.21	.33	<u> </u>			2
KERL	. 16 AL	2	-	1.61	1.57	1.53	.07	=	87	80.	.70	.58	1.00	0.4						1.57	1.20	1.38	2.80	91.		=	1-27	10.73	6.51	-0	7.26		1.54	. 60	פנ נ	7.63	3.84	.61		.05	Š	.02	. 33			2.70	* 6.	2.75	5.		5.
DATA REFERENCE	45C1070K	10 10 10 10 10 10 10 10 10 10 10 10 10 1	26 36 26 26	68706905	GSPC 1879	68 PC 5 186	GS PC 06 25	GS PC0945	GS PC 55 15	GSPC8288	SHI 9209	SRI 9208	SRI 9210	SPI 9211	SRI 9212	00667832			G PC 3887	GS FC 70 19	GSPC7718	C 4 4 6 7 4 5 C	GS FC48 20	SET 10807	SET 9213	SRI 9214	GS PC 9641	GS PC 56 4 1	GSPC8774	GSC10272	SEI 6604		SPI 6602	SBI 6603	00000	60777360	GSPC3183	GS PC 26 43		GSFC4532	84080490	GSFC9251	65010191			GSFC 2200	GS FC 36 28	GSFC2098	GSFC7724	GSFC // 21	65FC150/
AATUBIAI	DEGTSCH CCHRECICE 7503 FFK00-14-44P SILICCHE INSERT	たいのじのごう アラー・カンドイン くうようじ かいのうしょう シースト くうしょく シー・フェッション シー・フェー・フェー・フェー・フェー・フェー・フェー・フェー・ファー・ファー・ファー・ファー・ファー・ファー・ファー・ファー・ファー・ファ	ことこう たいフィイヤ かんりょう アイ・フェー・フェー・ファー・ファー・ファー・ファー・ファー・ファー・ファー・ファー・ファー・ファ	DATE AND DARBOR AND DOLLERSTED WILLY SIDE ADDATE	DEVCCE HIM TOEL RPOKE	DESCRIPTION SPORT BOOK PARTS FROM TUBES	DENSIL 201 - BOFOM/SILICA	DF 1006 PCIYCALBONATE/FIBES GLASS AS 70/30	DIAL CORD SIDE-1-DIAL DACEON 164 WALTE	DIAL CORD 753-24 TFE COATED GLASS PIBER	DITT: #5-10	DIRIC 75-8	DINII 75-40	DINIE 52-40-40		DIRLI 32-70-70 MRCHI GLASS PIDEM/CAP	M3 C1/CC CV	SM-13-02 FMI-KOIL EPOIL	ひろうち シェン・テントラ ひかくしゅ かくりゅう へいきしょうじ こうしょうしょう カンコンド シカラ インコン・カンコン・カンコン・カンコン・カンコン・カンコン・カンコン・カンコン・		DONOR THE TARK DAMP AND KADYON WILMAKERITC ADMAR	2010 11 11 11 11 11 11 11 11 11 11 11 11	DOINGO CE	SOMETHER SECOND OF CHEST OF THE			DODRING BEREIT RECKY PATCH MIT PROMISSURED GRAY	DET-SITE TOWNERS LUBBICANT - AMBOSOL	DEILTER NO FLUCIOSILICONY LABEICATING CREASE	DOM-CREOME SOOC VOL TAPLOM	DOFORT 4684 FOLIESTEE		DOFONT 46950 PCIY2STER	DUFOUT 46951 POLYESTER	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	DEFORT 46971/CAI GOS AS 10/1 DE	CHANG CAMELLY BRIGGERS COMES	•		DRPOHT 5504A SILVER FILLSD PPOXY		ひのいかに入れない アラウルド アラウト・アラウト コルコン・ロード ひょうしょう ちょうしょう かんしょうきょう イルコン・コード・ファン・ファン・コード・ファン・ファン・コード・ファン・ファン・ファン・ファン・ファン・ファン・ファン・ファン・ファン・ファン	DOMESTIC SOO SERVES REPORT OF STATE			DUBALAC BLACK ENAMEL-LUSTERLESS	DOTCH BCY BED EMANEL 756		S. P. F. A. C. TO E. Y.	MA-FLEY GLEFACTOLY PIBER	Deb Libring alternation

					184		APPLICATION	1
	GS PC 2 3 48	.72	2.	==	88 8		PA 101	
11. 12. 12. 12. 12. 12. 12. 12. 12. 12.	SPI 12514	1.95	69				21.A S TO HE R	
	GS PC 84 20	1.25	ē.	;	171	118	FOTTING	
	GS PC 8873	=	00.	28	121	AIR	FOTTING	
E-ROTH 3030 COMDUCTIVE ACRILIC PAINT	GSFC2827	.76	.05	=	99	111	COMP PAINT	
				241	25	AIR		
E-ROTE 40 COED SILVER PRINT/ACRYLIC	GS PC 38 06	3.32	0.	=	52	LIN	CORD PAINT	
				248	9	AIR		
E-SOLERR 3021 A/B AS 1/1 BW SILVER FILLED EPOIY	GSFC 2905	95.6	=	28	5.9	AIR	COMP LDGRETTE	
		1	1	7	9	7.1		
A THE SOUTH THE THE TERMS OF THE SOUTH THE THE THE THE THE THE THE THE THE T	ABBCORD	40.	•		,			
			2		3 :		COST BERESTAR	
				=	•	7 1		
				Z.	9	111		
SILVER FILLED EPONT	GSFC3207	1.27	-02	1,58	60	AIB	COND ADDRESTOR	
STITCOUR - CONCINI	TF 0174 20	4			, M			
		•		3	9	444		
ATE - POTTING FORMS	GSFC7007	3.	7 0.				IABIBATE	
POLYZSTAK FILM SOLLATOD - PROSTY	GSPC7010	91.	10.				STIR THERESON	
******				100	•	1		
	12 00 71		70.		7	77	TAIS JEGY	
20C	65 FC9954	.03	0	58	116	11	ADBESTUR	
ALCON .		37 95	70.					
			-20	= ;	0	777		
		2.42	20.	28	7	417		
A A CAM	36001000	•	~	100	121	4		
	120106	•	•	500	7	***	ADMENTA	
				28	82	AIR		
	10697695	,	5		4	41.0		
	***************************************		•	a	C 7		AUGESTAE	
A/B AS 100/23 By PPONT	GS PC 96 20	1.25	8.	20	22	AIR	ADRESIVE	
				=	*	4		
		•	•		: ;			
TOCOM SUBJECT TOTAL	GS FC 0 323	3-71	70.	74	52		FOTTIBE	
9309.3 A/E AS 100/22/0.5% FOLYPBOFYLREE NEADS BY G	GS FC 9002	*	6	5	ž	ata	2214408	
				1	::			
COLLEGE SERVICE STATE	437690	•	70.	# 7	Ç	¥77	POILING	
				=		e L		
			:					
4313 CEPECE EPOKI	GSPC8732	2.0 8		16E	52	1II	ADBESIVE	
				9	•	-		
		•		B :	3	277		
ALDE PROTE	63010029	7-15	5	25	121	AIR	ADBRETAR	
	10087455	3	2		77	4		
			•		5	110		
AND AND THE AND THE COLUMN COL	2601089		-	2	2	414	CONTING	
				24E	9	11		
034 B/B AS 300/33 B4 G2AY 2POXY	Ger 10601	1.07	£ 0,	900	>	A T A	COLPTER	
		:			1			
EFCEI (FFUM 934)	65 FC /4 /5	•	5	9	Ç			
	35C 100 32	. 78	=	308	121	150	ADRESTVE	
	40000000	7	•		Ç			
19:10 1977 824	200735		•	=				
•	GSFC2847	2.28	90.				ADBRATER	
DASA BACKE BACKE				;	•	:		
	62 FC B / K I	20.	3	#7	2	¥ 7 ¥	FOTT 126	
	GSPC2849	69	.02					
TO DELLE VOLLOR	SC BC CD AR				• • • •			
				•		:		
	65 FC3 2 14		9	E	111	_	ALISH POHESIAN	
	GSPC4784	. 27	50				BILL ADRESTOR	
27.20.20.20.20.20.20.20.20.20.20.20.20.20.	70 67 00 00	,		,		:	1	
	65F768 36	٠. اع	00.	25	52	A 13	POBESIAB	
S RODAL BRADS BY THRES	SAL ACT AC	99	-	788	3,5	410	15626104	
					1			
TRIBE STOR TORS MAILE	GSPC628/	9	•	748	S	217	ACHESIAR	
TING SECT BOSA SEC	CSPC 6781	9	0.0	248	35	4	100000000000000000000000000000000000000	
		? .	•	: : P :	Ç	4 1	# TO # 10 10 10 10 10 10 10 10 10 10 10 10 10	
THE PROPERTURES ELUY	65 FC6 284	19.67	80	7 E	22	AIB		
364	しいりじつほうじ	-	:	9	77	4		
I'l Da grott and	12 FC 2007	2	7	=	ė	# T F	JOBESIAE	
				7.2 H	99	ATE		
			•		2			
CHR SEALANT	5 PC 4 192	70-1	~	3/	ç	AIE	FOTTING	
A/B AS 1/10 BW SILICONE SEALANT	GSFC#3#0	₹6.	. 22	300	25	AIR	FOTTING	
	1 . 1 . 1		! !	<u>;</u>	:	!	,	

											•																																						٠					
APPLICATION		SEALANT	COMP COAT	ADBESTVE		LDRESIVE	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 AT C 2 DG 7	NO N	FOR SEALANT		PDERSIAN	FOAR SEALANT	ECT-TIEG	FOAR	ADRESIVE	ADHISIVS	POTTING	FOTTING	ADRESIVE			THERE COME AND				ADBESTAB				POINT A ME				SULFATION OF STREET		A T SEE SEE	CCHD ADHESTVE	ADRESIVE		COND ADBRETTE	COED ADHISIVE	COME ACHISIVE	COMD ADHASIVE	FOTTING	COND ADHISIVE	ADESSE VE	2011	COATING	COND COATING	COATING	COMP COAT		
2011		111	A 15	AIF	117	PIE	4		410			1 0	-	1 4	AIR	AIR	AIE	111	A 1 B	AIR	110	AIR	NI W	A 7 4	4 1 4	HIE	11	AIR	414	X :	414	4	# F		X 6		11	ATB	AIR	AIR	AIR	AIR	AIR	FIR	Z I d	116	4	118	AIR	B1 7	AIR	AIR	AIR	AIP
1015	TERP	25	52	52	175	85	177	177		2		1	, ,	201	25.	120	25	25	25	0	150	90	00	82	52	52	52	25	5	2 (ָ מַ	07	ָהַ בְּ	0 1	ς;) u	Ç ¥	, <u>(</u>	25	09	52	150	25	= 1	52	52	C (2 5	150	52	121	20		
A SEC	1148	HO F	H 8 %	7 2H	2 4 2	304	308	806	5 .	8 9	5 5					. W	24 H	70	70	28	=	7 H		35 E	24 H	2	7 a		,							0 4					70	• •	16H				•	# 7 2			_	•		168H
1000	36.40	54.	0.0	1-32	00.	.15	,	5	•	9	9.					80	4			00			90.	-	00.	.0.		.63	.07	-05	£7.	70.			90.					•	*0.	.03	90.				50.	. 33	G	2.10	8.	.03		
	1614	7.1	1.45	9.48	.00	.20		-0	•		£3					3	69-1	1.69	1.31	64.			- 35	. 28	- 00	8	1.58	90.9	7.92	1.98	2.21		3.76		2	- 1	•		֓֞֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓		.52	. 36	-67	.36	5.38	1.54	1.29	.91	נניי	. 2	1.74	3, 15) !	
	PERSENCE PERSENCE	GE PC # 2 9 #	6570933	GS FC 3584	GSFC3371	GSPC 3495		GSFC3560		GE/80/35	GS FC 4258	65 FC 3004	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0250450	1071145	- BEE BEE BEE	2415715	16650450	35FC 59 57	GS PC 39 39			G3 PC66 94	GSPC3321	35FC3347	G3 FC 33 19	GS PC 25 45	83I 6409	GS PC 34 47	GSFC 3449	35 PC 38 48					SPI 6413	65708786	6247 644	DE TAC	200000	CSTC 8087	G3 FC8 14 1	SPI 6421	GSFC4170	GS PC 52 16	6SPC2296	GS FC 2709	SRI10811	F 4 4 0 (11 0 0		SAT10812	65771786	,	
	THIGHTAT		TO 1679 EVE ES 1/10 DE 20LIBULIUS BERLENI	JOHN TIERIBLE CORTERS	,	2290		SC 2290 PPCXY ADM		EC 2290 EPOXY ADMESIVE	ACC MENS WICKE PORB BRITIS ONS PROT STRIKE	EC 3500 P/A AS 2/3 Bt 3POYY ADH3SIVE	ALISZAS ALAZZIAZ	TO 3524/EC 3624 AS 100/04 BY EPOTT FCAM BIRE	MCCO CP6/r6 AS 100/17 By POLYTRENES	ACCORDED ON THE STANDARD STAND	ACCORDED 104 A/6 AS 100/64 OF GEAT/GENER 1707 1	COCODODO 24 A/6 AS 100/25 DE CELAR ESCAL	MODELLO 24 A/W AN TOO/20 ON M/4-34 OF BEST FIGURES	MICORDAN AND AND AND AND AND AND AND AND AND	ECCORCIO 2/0/Cai // as /// cm .rev.		RCCORCHO 281 CHE PART SPORT - BIACK	ECCOROUD 285/11 AS 20/1 NV PPOXY	285/281V AS 2	2	286 A/E AS 1/1 90	CORCED 45/15 AS 1/1	45/15 15 1/2 BU SENI	451V/151V AS	451V/151V AS 4/1 92	BCED	BOND 55/11 AS 100/17 B	DEC	BOND	9/05 AS 55/6 AS 50/6	BCND 55/9 AS 50/6 B	2 58 9/05 ST 6/55 C	D 56C/9 AS 20/1 BJ	266,9 15 40/1	##OG# 6#OO no 677 0: 47 0 754	STATE TO SELECT THE TANK THE SECOND THE SECOND THE SELECT THE SELE	570 A/6 A5 1/1 BW SOLDER	SCIDE SILVEE	582 / CAT 9 AS	601 A/E AS 10	187 CMD	C-26 A/E AS		ECCOCONT CC-2 CCMOUCTIVE SILVER CONTING/V	CC-4 S1LVEN	1/01 K/B K3 10/1	EP-3 1/E AS 2/1 BW	

AATSBIBL	DA TA REPEBBICE	YTHI	KCVCH	20DC	Cres	ATRICS	APPLICATION	
ECCOCOAT PE-3 A/B AS 2/1 B9 POLYDETHASE ECCOCOAT FP-3 A/B AS 2/1 B9 POLYDEYEBANE	SEI 10903 SEI 10904	3.74	.28	200	25	ATE	COATING	
SCCOCOAT IC-2 A/5 AS 2/1 PW POLTURETRANE	SNI 10905	66.9	1.48	19E	20 20 20	III	CONTING	
SCCOCOAT PCA/16 AS 50/1 NW EPOYT	SET108:13	9	=	2 5 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	95 150	AIR		
FC1/16 AS 50/1 3W	S3110814	=	.02	=	25	111	COATING	
				24E 24E	95 150	A15 A15		
COCOCAT TRY FOLIMBUNE COLLIC	SP I 108 25	5-22	1.92	28	150	AIR	CONTING	
F-11 1/8 AS 1/1	32 1 1 1 0 2 5 C 7	1.55	.	34E	150	114	COATING	
		:	•		36	114		
ECCOCOLT VE A/B AS 1/1 ON PROXY	52110815 S2110816	2.42	.92	E 9	121	AIR	COATING	
:		:	•	7 E	2 2	A I R	COLTING	•
STOCKE TOO BY B BO TO'L BE POIL	GS FC 25 31	9.90	*	728	52	ATE	COIL COATING	
ECCOCOM: 210 A/B AS 20/7 BH PROTY	531 106 18	.78	.36	2.5	52		COATING	
				18 246	. S			
SCCOPORM RFF-14 SYMTACTIC FOAM - YSLLOW PPOYY SCCOFOAM TEE-14 SYMTACTIC FOAM - YSLLOW EPCYY	G\$C10517 G\$C10520	1.06	.34	168	200		FOT POAM	
ECCOTORN EFF-14 STMTACTIC FORM - TELION EPOTY	. 65010526			92	80	1		
		•		2	9 0	1	TOT TOT	
SCCOFORM LFF-14 STRINGTIC FORM - THION RPOXT	GSC10532	1.23	.35	16g	0	AIS	FOT POAM	
STREACTIC POAM -	GSFC7355	.93	75	9 5	2 °	7		
BFF-14 SYNTACTIC POAT	GSFC7541	•	60.	28	100		FORM BARRER	
EFF-14FE STRIACTIC	***********		;	24H	125	9-1		
ECCOFCAN TRF-14FB SYNTACTIC ROAM	GS PC64 37	.72	. 30	2 H 2	135		FOAM POT FOAM	
SCCOPOLM PER-1446 STREACTIC PCAM - OBANGE BOOKE	GS PC 7 340		90		145	9 :		
		<u>;</u>	•		99		TOTA STATE	
BCCOTON RE-1485 STRINCIC FORM - OFFICE FOUR	GSPC7364 GSPC7457	1.05	.23	55	125	111	FOLK CAMPER	
	•	•	,	1.4	205			
SCOTORS AND STREET, FORM - CHARGE LOT 521	GS PC 74 60	1.04	.52	2H	<u>6</u>	AIE	FOT POAM	
ECCOPOLH PP 12-10 A/B AS 100/12 BU PCLYULETHANE FOAM	GSFC44 14	3.54	50.	24 H	2 9	<u>.</u>		
100/12	GSPC4436	3.45	90.	24H	2	715	FORM	
SCCOPOLN FPH 12-10H A/B AS 4/1 BW POLYUPETRANE POLH	GSPCRATA	2.10	6	E 9 C	9	2-12 1-12	1	
4/3 BW POLYMBETHAMS	GS PC 44 36	1.93	5	248	2 2	JIB JIB	FORE	
ECCOPOLM PPH/12-28 POLYGRETBANE POAM	70650455	đ	Ş	# 0 # 50 #	9	7.		
		•	•	5.E	2 9	= 1	FOAR	
ECCOFORM FPH/12-28 PGLYCRETERED FORM	65 PC 59 12	1.08	.10	. не	9	AIR	FOAN	
ECCOFORM FPH/12-4H PCLYURETHANG FOAM	GSFC 3654	.61	112	6 3H	9 9	1	:	
POLYJPP	GS FC 4786	. 68	. 0	# GH	100	118	FOAT	
ECCOPCAM FPH/12-6H AS 4/3 34 POLYNREINAME POAM	SRI 8718	1.39	. 20	24H	25	. ZIV	FOAR	
				24 H	150	AIR		

ATHCS APPLICATION	AIR FOAM	FOAR					FOAR	E404		AIR COATING	AIR COATING	A I B	_	AIR SIECCIONAL				AIR FOTTING		•	AIR COND ADERSIVE	CHIRID							ATE COSTAGE					THERM	THERE CO	AIR PPOXT LUBE			A I A SOCIOLA STA				AIR ABSORBAT						TEST POR	ABSORBANT.	:
CURE	25 125 150	3	125	<u>6</u>	00					9	9	50	127	.	. [: ;	17.	125	!		25			177			ž	0 4	93	9	52	9	121	52	52	99	90	12	001	20	ž	100	25	100	90	52	000	207			
CORE	248 168 248		24B	=	248					3	148	2 * B	# 9	=	;	E .	=	128	!		70			2 H					= =	E 6	16H		=				=		7 AB		•	3 5		•		140	4	± o			
RCVCB	.24	. 19	.63	61.	6 (-	-01	0	6.	90.	3.75	.67		.0.	90.	20.		:	58	22.20	60.	=	8.58	90.		90.	.26	.32	04.7	7.	• 7 •	. 35		•	-	9.	00.		1	.07	6		-	. 39		60.			70.			
STRI .	1.43	4.08	1.25	.72		2.01	. 78	1.03	1.33	5.10	1.66		=	5	. 32	. 38	• • •	2.04	36.88	. 26	. 26	14.06	91.	-03	•15	1.05	85.	12.50	. o	ָר. ק	1.28		:	. 29	.24	9			07.	.51	4.37	50.	1.16		. 29	-	57.	00.	07.	1.5	•
DATA	SBI 6720	GSC10490	SRI 8722	65010493	68010496	SRI 6723	GSFC5897	SEI 8724	GE #C5# 39	SRI10819	SR I 108,20		GSFC2396	GSFC4392	GS PC 7451	65FC4578	638C 6470	RACCOGR	GS PC 4788	GSPC2221	GSPC8849	GSFC 4075	GS1C3875	GSFC3877	GSFC8852	GSC10077	GSPC 1942	SBI 6607	GS FC4216	GS PC 46 52	An ar salas	2001 7400	63 FC 160 V	GSC10544	65010541	GSFC4011			GSPC5405	GS FC5407	GSPC 3025	22 PC 48 4 2	GSFC4926		GSPC5447	GS PC 54 94	63809575	GSFC9596	0501050	65 PC 25 28	1101111111
TATESTA	ACCOPOLM PPH/12-68 AS 4/3 BW POLYDRYTHAME FOAR	THE BOT WITH THE SE	ここの。 はまないみものについってい まさしゅうしゅう	PS POLYDERTHANE FOAR STOR	PS FOLYOLATH	S 14.5 4/CU PT POLYHRETHA	SH 46/CU FT	SH 7.240/CU	T-4 11 7/ 10 H-5	1265 A/B AS 1	1265 1/8 15 1/1		MCC04016 1-28	ECCONOLD 661 EPCXY - HOLD AT 135C AND 420 PSI	₫	2			SCCOMMIL 12-16 L/G L/G L/J DR EPOXI	MCCCMETALL CC SEPTEMBE FALLS SITTONE CPRICE PORT OF THE POST AND THE POST AND THE POST OF	STATEMENT OF STATE	STREET AND THE PROPERTY OF THE	POCCATATA SELECT PILLED SILICONS	ECCOSHIEL SW-E SILVER FILLSD SILICONE	ACCOSATAL STATE SILVER FILLED SILICONE	RECORNIED SX SILVER FILLED SILICCHE PASTE	SCCOSHIELD WY CCMDOCTIVE SEALER		BCCOSIL 4640/CA1 25 AS 0.3% CAT STREACTIC POAM	4640/CAT 50 AS 0.3% CAT		SCCOSIL 4050/CAT 25 AS 100/0.7 BW SILLCORE	4850/C11 25 AS 100/0.5 BM	46 CA 0.01 21	•	TIOS FOLL	i		11 74	TOTOSOBB BE 24 BETTAKOL MASH - 3	IN 79 EICEONAVE ABSONBANT	3	THE SAME SELECTION OF SELECTION	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	H AS	Ch-124 X/Y A		FDS		1S FGAM	ECCOSCRO OF 110 INON FILLED EPONT

																						-																																								
APPLICATION			SHIRLD	ABSODRANT	1018					TERRE CHEASE			THERE SKITS	THERE CHARSE	SEAL-GASKET	SEAL	TESHLAFTCH						PLANCET	BLANKRT	POAR ABSORBER	POAR ABSORBER						sori repr	ADRESIVE	COND ADHESIVE	SOLIC LUBE		SOLID LUBI		SOLID LUBK	SOLID LUBE	LIBLICIBIC	DIBLECTRIC	DIRLECTRIC	MOLD CPER	FOTTING		PATER	THE CAP	PEANING SATE.				RESPONDED BLOT	TIME SETEN	Lebisats Fils		BOLD CPR	TOBESIAE	ADBRESTYR	ADBESTVE	ADRESIVE	PDEESTAR
ATBOS																																	11	AIA	718	AIR	11	AIR	AIR	TI T					AIR		AIR	AIR	i i					6		11	116		# I	AIR	£1.	A I B
COPE																																;	2	65	00	205	9	205	190	190					150		100	260						.7.	- 5	2	C,	2	52	9 2	Ç ;	S
CONE	-																															1	# 1 Z	2 H	38	28	28	168	90E	16 <u>8</u>					58		72H	11						76.8	7.28	9.7	2 5	Ξ;	2:	16#	9 5	H 12
*CVC#		-	8	00.	.53	Š		•	•	6	91,	-	•		00.	9	<u>.</u>	- 0.5		2	9	9.0		.07	.27	1.03	-02	. 29			9			-02	. 20		. 16		.20	60.	.01	00.	00.	00.	.01	.35		.30	-0.	00.	5	0	0					- 6	0.0	<u>.</u>	900	2.
STAL		97	-22	80.	3.03	=		֓֞֞֜֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֓֓֓֡֓֓֡֓	7.	• 20	.50	4		•	=	-5.	80.	.17	•	Ç		97.	5 .		3.20	7.73	1.97	5.07	- 26	9	3	5:	6 - F	:	.32		.21		.72	.67	.34	.23	.21	-29	. 60	1.06	.05	.92	1.94	1.83	1.67	1.29	2.03	1, 26	5				::			٠.
DATA REPERSION	76 46 0 4 4 6		65FC 24 36	GS PC 28 12	GSPC 3093	GSPC8261	Ge Br 15 22	24707450		62EC3233	65 PC9602	GC10625			45FC 7151	65 FC 14 26	GS 70 40 80	GEFC4082	GSPC4084	GS PC4 108	02110				65FC3355	GSFC5358	6SPC5361	GSFC 3003	GS PC 9242	68-10-02-15	4300000	2000000	63 FC 3183	GS FC 296 7	SKI10209		SRI 102 10		SPI 10202	SPI10203	GSFC5741	GSFC 5743	GSPC5745	.GSPC 2260	GSFC7214	GSFC 3005	GSC10374	GSPC 8578	GSC10709	GSC10712	GSC 107 24	GSC10727	GSC 107 30	GS FC8402	SEI 9223	05487450	5901 1459	C00C1C0	0.26.00.00	65 FC 36 30	16 3F C 16 3 2	1251
HATBILL	ECCOSOND BY 312 TAGE P717 BD BBC44	COLLEGE TOOL 444 AM	191111 HOST 10 11 1	DETTE BOST STORE			SCCOTERN IC 4 FILLED BEAT SIER GREAGE	4 PILLED BEAT SING	TC-4 STITUS BELT CTMF	THE PARTY OF THE PARTY PARTY OF THE PARTY OF	TC-5 PITTED BIRT	TC-6 FILLED REAT	TATE	PETINOSOFT ACTORDS		TOTAL TOTAL OF THE	HOLLE BALLEOURE SPACE BI-THRE REPLICATION			PCTFS 10.8 02/15 FABEIC ONCRESSED GERESSED	CALEHDERED	7.3 OZ/YD PARRIC DRC	7.3 OZ.YB SABBIC SEC			TO TOTAL HAND FURNIT	DEMANT MOTETATON INCHES	ICTOLAY & ABSOLBING	Ö	BUNCEL I-2000 ASCRATIC COPOLIESTER TAN MIGH TREP	POLY	HIECTROBOUD 1700 A/B AS 100/5 3 PF	2015 10 10 10 10 10	2307 478 43 10	SCHENIS STATE STREETS ALLESS A		SERVINGELER 4596 SILICATE/ROSZ		#306 PERFOLIC/ROS2	SOO PERSONAL PROSE				EGC 113-8-1 GLASS/RPOXT	40 - 11ACE	3E 51-08-0201	BEOD-DIGAN TOO	DO-16 SHRIMKIBLE INERD BIRCK POLYCLEPIN	0000	TOOOL FOLKINDS		ENTER 1220		SHOSET ACE		BLACK	MOZES BE SECTY			122/CAI 952	123/CAT 952 AS 20/3 BW TPONY	

APPLICATION		COMD ADRESIVE	COME ADMESTWE	COND ADHESTVE	CCND ADRISIVE		COND ADURSTVE	COMD ADHESIVE	CCME ADHESIVE	CORD ADERSTAN	COND ADMESTYE	COMD ADUBSIVE	ADELSIVE	ADMESIVE				COND ADMISTVE	COND ADBRETTE		OFT CERES	CPT CRASST		CPT CREEKT		CPT CSRBET	CPT CREMET	CPT CRARET		COND ADMISTVE	COMP ADMINITE		THERM COND ADM			ADRES IVE	POTTING		FOTTING	20441116	CONTING	ROLD CPMD	ROTTING POLN		
ATHCS	AIR	TITE TO THE	AIE	AIA	AIF.		11	AIR	A IE	414	617	AIL	AI Y	41	7 T	4 1 4	- 9-	AIR	Î	# I	# F F	TI	118	AIR	FIR	# C		AIE	W I B	AIR		2 P P	116	AIR	AIP	MIN	Z .		117		I I	AIR	AIF	AIR AIR	1
CCR	25 25 25	, y e	150	001	905	9 6	5 5	150	125	2 5	5.0	150	100	150	2 5	2 9	9 6	2	20	52	Ç ¥	2 2	6 5	52	9	5,5	3 %	52	65	52	2 5	3	2 6	22	6	52	S S	2	9 4	2 5	11	163	25	0 6	
CORE	200	2 E O	2B 15g	2 H	308	30.00	=	=	E:	= =	= =	=	308	# OF	= ;	9 7 7	16H	128	3H	2 E	7 F F	24 H	6 B	24H	E .	248	248	7 F R	H9	24 H	2 :			2 F H	28	# 9	16H	E :	0 V		=	=	⊞8 ≢	# #	;
KCVCA		. 6	200	5	0.0	5	6	.05	.02	9	90	000	00.	00.	9.	-	•	.0.	.01	00.	rc.	10	:	.02		1.03	-	. 15		.27	-02	5	-	0.0	1	.0	•0•	•			36.	.01	٥٢.		
71.4%	85.	3,40	1.19	1.5	6.5	9	. 52	. 59	÷:	?:	20	. 27	.31	95.	-22	- 5	90.	90-	. 20	1.08	1.29	60.1	<u>:</u>	1.17		2.62	2.0	3.28		1.85	2.19	3. 13		60		5.83	1.53		7.0		1.09	32	2.94		
DATA	52FFFFFFFFF	35 FC#150	GS PC9101	GS FC 9 107	35 FC 50 18	911100100	3SC10574	GS PC5232	G3FC7112	65705935	35 FC3 24	GSPC5238	GSFC9877	65 FC5981	- 3SPC9452	1906 2455	45 PC / 24P	GS PC 49 32	GS PC 9128	63100590	33 14 36 05	AC00-022		GSFC9981		GSFC9724	SE / F D A SE	65 PC9554		GSPC9377	65 FC49 28	6SFC5423	GS #C#360	6580310		65 PC4 1 28	SRI11604				GS PC 46 10	GSFC 2326	GS FC 66 08		
TREADURE TO A STATE OF THE STAT		:# 825A/LCI 1/Fill	9 :	TK M202 A/F AS 2/1	K 8215 4/E AS 10/1	SK 872 A/b AS 20/0.	EK H22 A/B AS 20/		PK N31DLV SILVE	PK NeO GCLL FILLED	*	SA NAS GOLL FALLE.	ER H72 A.5 AS 10/4 BY DIZIECTRIC PROXY	SK 874 A/6 AS 10/.	PK 117 A/E AS 20/3 B	Ω :		TYPE TABLE IS 10.1 BE 10.1 BE ILLED 200X	HOTE AZE AS 1/1 BW GOLD FILLED		SPO-TER BET A/B AS 20/5 BU OPTICAL CERRNT EPOXT		SPO-TER SOI A/B AS 20/3 BH UFILLAL EFUAT LO. 3/3049	PPO-TER 301 A/B AS 20/5 34 OPTICAL EFOUT LOT 175051		290-TEK 301-2 A/B AS 20/5 B4 OPTICAL CENENT PPOXY	3013 A/E AS 10/2.8 BW OPTICAL CENTER	STOCKED TO THE TOTAL OF THE CONTROL OF THE PROPERTY OF THE PRO	ER 303 4/5 43 10/2:0 61 0/11:11	415G A/B AS 1/1 BU STLYPE FILLED	FILLED	417 1/6 15 15/	920 PPONT ADRESIVE	RPO-TER 930 A/W AS 100/3.3 BM FILLSD FOLK	44E-023/CA1 98	DCAST 1368/9313 AS 50	9/1 BH E		32 OCAST 202-100	OC1ST 202-60	ខ្ល	POCAST 26-11 EFUAL FURDER	154 92		

ALCESTAL	DATA	STRL	SCVCB	CORS	CUPE TENP	ATRGS	APPLICATION
SPOCEST 6:08 LOCKE ADERSTAN	638C3489	4.10	.24	248	25 85	AIR	ADERSIVE
TOCH I-24 RECYK	G3 PC 16 33	. 42	.05	158	39	TI T	ADDRESIVE
					22 22	151 114	
	;	;		104	0	AIL	
ZNED 115/NEK/TOIGENE	GSPC5220	9.00	000	200	2 2	HIN .	ADRESTVE
MICH 1001/4EESPETE 115 N/8 IS 2/4 BU E/JHEEFE	GSFC4612	70-71	76	E	, e	116	ADM-POTTING
10 C	SPC0356	4.74	00.	=	6	AIR	ADH-POTTING
		į	ţ	246	12	Ţ	
915/5E: 732/89 SILVER DUT	GSFC 28 37	95.	-0-	= 4	*	# F	
312 38 1/01 ST. V.32 - 516	5452265	1.83	5.0	3 4	93	114	
BOOM GENEVALENTS AND NOVING A COURT A	GSFC 2367		5 5		9	# F T	
815/7 140 AS 3/	G3FC9936	.51	.02	7	25	113	DOETSIVE
815/V 140 AS 50/50 BW	38 FC 36 10	٠,	90.	36	52	AIE	FOTTING
.,	66869162	1.07	. 10	H-7	25	AIE	CORP COAT
20.00		:	2	=	9	11	
TPCH 815/4 140 AS 65/35 BH SPOTE	GSPC 3812	0.	-02	36	25	NIN:	FOTTIBE
					0 y	# !	BA BETHE THE
TOTAL GALLY A 140 FEED 175-TO NO 50/50/5 FEEDELIN E-ONE	65 FC 7502		9 6	75	2 2	118	COND POTITIES
	65FC3007	1.29	90.	248	52	AIR	COMP COAT
920/111 AS 10	GSFC 2541	.43	.05	36	52	AIE	PORTSTAN
EPCH 920/1E1A AS 10/1 34 C182 8	GS FG 25 39	. 36	•	16E	5	AIR	POSIAN
		;		¥ :	2 1	1	
2PC4 825/W 140 NS 7/6 BW 2PCXI	65 FC 5254	-32	70.	# F	C E	110	
BZG/MHA/BURA AS	1961960		•	: E	17.	i i	
MPCH 826/871/2 AS 100/60/25.4 BW BPOXY	GSC 105 35	.64	5.	7.E	9	11	FOTTING
				F	130	AIR	
827/VLESARID 1	GSFC6587	96.	ē.	3. SE	9;		
826-REURINA/V-1	GSFC4266	17.	ē	F =	: ¥	# T #	
TOOL 616.7 IS 100/8 BY 170/4	217 620	2,31	1.27	74H.	55	YIY	CONTING
CA 1 CE 11/020	•		<u>;</u>	28		AIA	
TPON 826/7EE 732/AEP/CARBON BLACK FPCTY ADRESIVE	GSPC 1387	1.56	90.	7 F	9	414	PORRITAR
		**		# Z	5 2	# T #	EOSTITUG
STOR GEG/LEE /32/CAB-U-SIL/ARP	5587159			=======================================	25		ADERSIVE
BPCH BORNEL ACO 10/1 BE STONE	GS FC 6383		90	# #	52	AIA	FOTTING
828/5H 308 43 4/1 5F 55 55 50 571 8 10/5/1	GS PC 46 30	- 29	00.	1. SH	9	·AIR	ADBESIVE
DAP 30 AS 100/90/1 BE	GS FC4872	. 34	00.	H	001	AIR	POTTING
	1		;	E 9	2	NIA.	
RPCH 928/LIMEETER 8/DMP 30 AS 100/90/1 BH PPCHY/SEMD	GSFC 4902	5	00.		0 C	AIR	FOITTHE
4011 ER 1/01 SE 1544/868	65 PC 2595	. 50	9.	2	2 2	11	ADBESIVE
:	GSFC 2597	. 38	00.	168	63	AIR	ADRESIVE
•		,	ò	2:	52	N I	
SPOR 828/T AS 4/1 Bd CLEAP REDIT	GSFC 7046	. 0. 0	97.	# F	0.9	N I N	SET I TO
SA CAL ULBARATURE CA CA	10000	•	•	16H	6 6	¥ -	
BZB/VERSARLD 125 49	65C10326	69-	.03	70	52	AIF	DOBES148
_	GSFC6742	. 79	5	70	52	Y I	FOTTIBG
						•	

ORIGINAL PAGE IS OF POOR QUALITY

APPLICATION	FOTTING				PORTSTAR	FOTTING	POTTING	CCATING	COATING		ADRESTUR	FOTTING	FOITING	FO11186			COLITEC		FOITING	100001110		POTTING	FAIRT	FAIMT		PRESIVE	COMD ADERSIVE		CORP COAT	**************************************		CCRF COAT			COLTING		ADRESIAR		100	ADMESIVE		ADDESIVE	FOTTING		FOTTING	FOTTING	ADBESIVS .	ADRESIVE	ADHRSIVE
ATHES	418	11					I	AIR	AIR	AIR	A I B	AIR	=	A I K	# I			117	AIA	11		ä	111	118	111	AIA	AIR			# T T	AIB	AIR	117	9-1	VIN.	1 1	AIR	116	TI.		# I F	FIE	A I B	AIB	Z Z	AIR	A I B	11	A I B
CURE	25	2 2	9	15	× ×	25	3 2	25	25	9	25	\$	52	2	C t	Ç	32	9	52	9 <u>y</u>	3	\$2	25	52	99	52	5 2	%	c ;	9 Y	3 9	\$	9	9	2	C X	2 2	135	121	\$3	2 5	22	4 5	37	Ç Ş	52	24	3 (6
COBE	2	2 ;	2 5	2 5	5	2	5	300	5	747	7.0	2	2	2	2 :	2 5	2	248	= 0		= =	12	70	168	7 H	70	76	0 .	= •	;;		=	# !	•) <u>-</u>		-	- 1	•	# C		•	72H				# :	## #
RCVCH	8	5		?		5		6	9.		•	.01	ē.	0.	9		3 6	:	.03	:	-	60.	. 12	-07		0	ē.	.01	9	ć	?	00.			9				5.	. 10		91.	• 05		.02	80.	.01	.03	# .
Mrail	*	S.	P 4		4	1.28	98		1.01		1.16	. 86		9	- 26	7		:	19.			1.80	1.67	1.66		=	. 50	- 35	69-	46		2.91			.67			•	1.09	1.72		1.71	1.01		9	1.16	1.24	1.35	· 34
DATA	GSPC6745	GSFC6788	65 50 60 50 50 50 50 50 50 50 50 50 50 50 50 50		2 305 74 50	SEC. 2010	GSC10389	GSC 10607	GSC 106 10		GSC10799	GS FC6721	GSFC6724	GSPC6727	GS FC67 30	GSC10392	65010615		GSC 10173		68 FC 1882	35 PC 1876	GS PC 1846	GS PC 18 55		GSC10218	GS FC 46 80	GSC10221	GS PC 46 54		17607160	GS PC58 39		•	GS FC8237	0240450	350 CES		GSFC 32 17	6SFC1813		93 PC 1852	GSPC1014		68700251	GS FC 0284	GS PC5723	GSFC5725	SET 6505
TIBLY	28/TZEELBID 125 AS 60/40 BU	828/VERSARID 125 AS 65/35 BH	528/VEESABID 125 AS 66/33 BW	SZE GIESZENIES SZE	626/12/26/12 143/10 143 100/21/13 28	20 //CC CE OF CTUECGI/UZD	SOUND THE SERVICE OF SOUND THE SOUND THE SOUND THE SERVICE OF SOUND THE SOUN	140 AS 50/50 BB	828/VEESANID 140 AS 50/50 BW		828/VELSARID 140 AS 50/50	028/VEESARID 140 AS 50/50 BM	828/TELSARID 140 AS 60/40 BF	828/VELSLHID 140 AS 65/35 RW	828/42ESANID 140 AS 66/33 BW	828/VLESLMID 140 A3 70/30 BW	APON BARANTO THE AND THE BOOKS OF THE STATE	DE OF ON THE DESIGNATION OF THE OFFICE OFFICE OFFICE OF THE OFFICE OFFICE OFFICE OFFICE OFFICE OFFICE OFFICE OFFICE OFFICE OFFIC	TPOW 828/WLESARID 140/8401 MICROBALLCOMS		SPCH 628/VEISLEID 140/CARBOLEC/8-22A BUBBLES	828/VZESARID	2	828/VEESARID 140/		828/TEL SARID 140,	628/VELSARID 140,	3	828/VLLSABID		TPOR BLOCALDARIL 140/35 BZ/LIK/TOLOEFE	NOCH BOBNESSMID 140/SR-82/DETA/TCLDSME			626/VERSARID 140,	828/VELSARID	MPCH BABARBARAD TO/DIR/1104 BU AU/A/4-13/40 DE	/c/bys	TPCH 828/221-0803 AS 100/35.5 BW SPOXY COATING				EPCH 828/871/AEF AS 35/65/15.5 BW		28 2 21/09/04 24 234/168/868 4004	828/871/ALP AS 4	228/871/ALP/CAB-0-51L	828/871/AEE/CAB-0-SIL AS 40/60/15.5/3	220M 901/E-1 AS 100/23 BW TEOXY

APPLECATION	ADBESTVE		ADERSIAN	ADBRIVE	ADSESSIVE	ADDRESTAR	PORTSIAR	PORRSIAR	ADELSIAS.	PRESIVE	PORMS I 4 M		202 ES 14 E					FAIR	ADEESTVE	ADHESTAR	ADEL SEAL ANT	FOTTING	ADM-SEALANT	11411111	LDERSIVE	BORESIVE	FOTTING	ADBESTVE					FOITIEG		TRANSPORT OF THE PROPERTY OF T		COBP COAT	ADRESIVE	FAINT		FOAM		FOAR PAD								
ATRCS	##			111	FI.	=	113	AIR	AIR	BIR	AIA			1		:			717	ATA	AXB		AIA		114	118	11	77	MIN	AIA	TI .	1		11		1	PI	A 1.8		AIB	AIR						27	2 T G	4 4		116
4 E E E	52 115	175	175	175	2	6	:	125	52	25	52	8	2	25	2	3 %	1	ķ	25	ž	25	2	32		25	52	=	52	Ş	9	52	8	= :	25	70.	: =	2	2		52	52						9	ָרָ נָּ	2 5	2 2	240
CORR	.5 .5	1.5	: =	2	=	E	=	=	70	5	58	Ξ.	7			2 5	2 5	2 5	5	2	2	,	248	:	248	24B	304	2	248	æ	248	7.2H	æ :	= ;	7 :	= =	. =	2 B		16A	248							= =			28
*CVC#	55	;	7	0	-23	.33	0	ē.	00.	6	.02		.03	:	:	5	-		=	5	20	0.0	15	50.	.07	.07	.02	99.		,	.03	.02	.17	.00	5.0		90	.01	3.65	.03	.02	00.	.03	.08	0		00.	. 24	7.	2 6	•
NTH L	1.20	;	9 6	117	1,45	1.71	09.		.95	-28	2.87		2.93		.,	-							1.07	. 20	6	10.42	-97	2.25			3.57	5.84	1.27	. 45	- m	A . L	4	15.48	13.33	66.	. 50	1.26		. 36	. 26	. 24	EE.	9.50	0.	9 6	•
EATA REFERENCE	SRI 6506 SRI 6507		BOCK TER			SRI 65 12	GSPC 17 17	SEI 6513	68010395	GS PC 2440	GS PC 14 17		65 PC 1255		65 PC 144/	65 FC 1/41						4CC10430	96757850	TENED BY U	65 PC 49 76	65804978	GS PC 52 56	GS PC4 362			GSPC 2987	GSFC 3045	SAI 1 1605	63 FC 5006	GS PC 46 80	62 1 0 3 1 0 3	67167630	000CJ450	GSFC 1960	GS FC5581	GS PC 2800	GSFC9799	GSPC6089	GSC10460	GSC10463	99401255	GSFC9401	SPI12507	SRI 12508	SRI12509	65 FC 43 34
HITTIFF	TPOH 901/E-1 AS 100/23 BU RFOXT	md cy/oo! CV c=3/10t	90	MICHAEL STATE TO STAT	1476	21 21 22 100 131 BH	0.00 mp/s = 1.00/10 0:	97 17 16	13 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	324 4/6 43 100/32 64 64 4/6 4/6 4/6 4/6	12 CE/OOL OT BY		TPOH 934 1/8 15 100/33 5W H/REK/NOS2		934 1/B 15 100/33 BF	956 A/B A5 100/58	956 A/B AS 100/58	956 1/6 AS	1/8 15 100/58	100/28 BH/HOS7/CREBOILC/LAB	MPONI-PRICE FIX OIST CIEF, TOUTE LENGTHS IN TOURS	TC BRI	3	77 904	FIBERGIASS BOOM	CTOOL COMPLETE TO BECCOND THE TOTAL	330 A/E A3 AGOAL	710 545 445 05 40 4 4 4 4 4 4 4 4 4 4 4 4	100 TO 100 TO 100		۰	P EPOXY	295-1 A/B AS	RPOLILITE 6203 A/B AS 2/1 BN EPOXI	RPOTILITE 8712 VARMISH	RECYTLITY 9653 FCLYJERTHANK R-160 8 COLTS		9055 FCITUREIGRAE E-154 G	MPCANTILL VOUS ANTEN	SOL TO SOL TITE TO SOL THE TOTAL TO SOL	BET 224/24 451 SYROLFIC FORM	SEARCH DESCRIPTION OF THE SEARCH WILLIAM DESCRIPTION OF THE SEARCH WILLIAM OF THE SEARCH	THE STREET STREET	PPRINCIPAL 220 POLYSTRYLENG FORM 2, 24/CO PT	STREEDS 400 PCINCINCERS FORM 49/CU FT	2	EGREPOX 710/VELSANID 140 AS 2/1 BU SPOXY	EX 1090 PUTIL	1091	092 BUTYL	8762

ATHCS APPLICATION	UMIA ABRIS		CHIANTS ALE	åI	FORBINE SERIMAN		CASKET-SELL	ALE ADRESTEE	COLTRO VERRETC	COLTED PARTC	COATED PABBIC	COATED PABRIC			1105	ara 14PE		2 SIDS TAPE	TAPE	()) () () () () () () () () (ACLD CPRC				AIR	PSI MOID CPHD		TOTAL CENT		28 T	#4 T	IMSOLATION		AIR FAINT	1-5						HOSE	AIR SUBING TOBING	SHRINK
CLRE TFRP			6.0	12				25							0	65							106	C 9	2		121	:	149	160		9	9 6	•					52	9	5 29	3 5	1	χ.	.		121	121
CURE			=	24H				H8#	E						E	16 H	!						346	10.0	# 0		#C0	į	104	211		Ē,	E :						24H	16H	24H 16H	2	•	47	•		S	88
KCVCH	.0. .0.	9	9 6	:	. :	ć	10	91.	-	: -		.21	00	5	? =	7	10.	.34	. 89	-12	E0*	7.	; ;					0.	-01		00.	;	5.	900	0.0	01.	0.	.08	01.	;	00.	00		5	. 5 8		69.	-25
CTAL	29	. 18	17.	:	6.90 6.3		225	2.08		200	30	1.33	. 1.20		ָרָ ק	1.36	1.43	2.64	2.30	.76	2.29			78.7		-		•	-		1.60		70.7	51	51	=	89	1.82	4.62		4.42	7.21			1.42	5.51	1.50	.73
LATA BEFFFFFF	GSPC9110 GSPC9131	6SFC9113	65FC9116		35FC0134		GSPC9805	1099 128	5007 7003	SET 7204	SEI 7205	2021 J302	GSEC 1850	GS*C3967	60 FC 30 30	GSP.: 3682	GS1C9993	GSFC3383	GSPC9347	GSFC5088	35FC2969	GSFC 1993	10101010	54 101 25 5 54 101 25 5	100 L 100 L	#200J430	767776	68727139	GSFC2322		65010451		GSFC4728	02100100	T0451745	GSFC#934	GSFC 3509	55 PC 44 58	GSPC 1429		GS PC 18 32	C#080450	25 09 25 0	621.023	GSPC 7052	63010505	35C 10200	GSC10203
ANTERIAL	SIEEVING HE SED HI	EMPARDO STREWING PT BLACK SCLYPSTER		1 10 C'TI / 101 C # C-WA	FAIRPRENE MSS50 CUPED	OPER STORY OF THE STREET		NERE 5159, ACT AS 100/1 BH		TAILENTEEN GO-LOOK REGOESCHEROOM COLING COLING BOARD B	MATERIA BO-060 FILOSOMERO CONTRO CONTRO	PATROPHEM 84-001 FLUOROCAPICH CONTED POLTZETER	PASCAL MARKING SLATES POIL/INK/ADM/?	PASCAL 710 CERORIZED PCLYESTYS/ACTYLIC ACH/P	PASCAL 715 CRECOR RELEATED BYLAX/ACTIVE DON'S	THE PROPERTY OF THE POST AND TH	TASSON TANE 220 TISSUE PAPER/2 SIDED ACHTIC ADM/F	PESTEP PILMIF	PASSON TAPE 431 BLACK POLYCITHTLENE/POLYESTER ACH/P	PASTEMES C6077 INJECTION HOLDED POLITOFFIELDS	2.1	FILE GRADE 5-60C-1/4 JOHN STREET	MAIN MORNA MCCRANICA AND A	PERTY MONTH FOCKELL TIPE :	THE SECOND VILLERAND FROM THE CAST THE	PICE ALLESIA	TERROLLS ROTTERS TO SELECT	ヘー・ウェーウェ うりじゅうほう はましまし パクモルランドリート でんしょう かんしょう かんしゅう しゅうしん ひかいかん 一番 おおおし オンター じゅうきゅう	-3938 EFOXY		PIDESTIN IN 4005 GLASS PRINTOSCED PRENOLIC		PLEEDING FRAMES GLASS ENTRYOFCED PREMOTIC	PERSONAL MATERIAL DESCRIPTION DESCRIPTION OF STREET	STREETS OF STREETS OF STREETS AND STREETS	HOW CHILD SHIPS AND COME THE THE TOTAL		FIBEE MOLCING TAFE	-2 PCLYORETHANF		PINCH BLACK PAINT 663-3-2 POLYURETHAND A/P AS 4/1 BV	28 C/C 24 G/C 48-548 318180 02818	TOPICAL TOPICAL DISTRIBUTION OF THE PROPERTY O	PLENDER GOU EFFER / TABLE CAN DO A COMPONIA	TOURS DIVINE CONTROL TO THE CONTROL TOUR TOUR TOUR TOUR TOUR TOUR TOUR TOUR	IC DICT HOSE	170	

APFLICATION	IAMIMATS	1252	11 15	FLIBT	. FOR		Fotting	COTTING	HIES INSOL	FAIRT				TERMON ORBIN TIES		FOAM	GASKET	ETATING MATL		TOPING	ADRESIVE	ADSISTA	ADRES IVZ	لح		ADE PILE			ADR FILE			AUR 7446	TIL HOT								ACH FOAM	ADR POAM	ADM PILE	COATING		ADMESIVE	ADRESTVE	FCAM	E WOL			INER LOCKER	FO 2 2	
AT IICS			7-1	114) IE	116	11	X 7 9		A 10	111	AIE				AIG	119	AIR	a i	AIR		TIT	123	# F F	10	714	101	151	70.	4 1	- E - I	150		FSI	AIA	d I d	FSI	AIP	111	118	A I E	AIF	# I F					a I a	•
CUF R			169	35						93	260	6	097		26	20.	200	•			150	500	150	150	107	121	121	2		174	121	171	525		::	177	121	121	121	121	121	170	177	120	120	175	175	100					175	77
CORE			20 H	70						10M	158	E C			4	161		2			=	2B	=	24E	=	= :	F	# OF	= 5	E .	= :	= ;	308		E =	==	=	=	108	E	æ	=	Н9	Ξ	Ŧ	£	=	24H					2	C 0
*CVC#	10	5	. 12	. 28	.03	.12	00.	0	00.	ē.		.05						0	60	00.	4.64	1.71	3.76	2.99	. 16	-27	= 1	. 22	5.	9	9.5	70-	.0.	•		0.0			0	-05	.05	.05	00.	00.		.21	ē	00.	•	.02	70.	ć.		7
THE.	- 22	96		3.65	.36	.36	- 12	59	•00	.05		.67	:					6	•	.53	6.31	5.55	7.95	5.84	1.30	1.43	1.23	-92	9			3 (1-17	•			96	1.48	. 73	1.05	-:	1.00	1.13	.78		.68	- 15	80.	2	1.29				* ? • •
CATA BETESTES	SEPTERME	GSPC2316	GSFC 28 4 1	35 FC 3942	GSPC 1936	35 PC 19 34	GSC10673	GSC10676	GSFC 51 70	GSFC0075		GS1C0878	27.00.00	45FC 5562		CANTERONO	06890450	65010137	GSFC6227	GS FC 4582	SET 6516	SRI 6519	SPI 6520	SEI 6521	96800489	GSFC7883	GSFC3255	GSPC446#	GSFC3233	GSC10745	68 FC 3299	GS FC 20 29	68103369		10 10 10 10 10 10 10 10 10 10 10 10 10 1	CAN CANO	CARCARGO	G2 PC 5801	GSPC4462	G3 FC95 78	45 FC 9581	GS FC 36 14	GSPC5883	GS PC9398		SPI 6526 .	SRI 6523	GS FC 6998	GSPC6977	65 FC6092	GS PCB5B2	GSFCBCBC	65 FC 1567	65 FC 60-11
Telegible	**************************************		_		PLU0231 1062 FUAB	PLOOPEL 1079 FGAM	PLGOBISHISE ACLUINE	PLUORINATED APCAIDE	PLHOFCCRFFOR WIFS INSULATION BIACK	PLHOFCCIAT CIEAE W78WP21		PIDCFCCLAT WEITE G794937		PIROBORULY DE-1200 TERIOR FILE-ACRILIC ADS	「TECOMOCENTS PROPERTY (TOTAL) (TOTAL			FIGURE AGO STANDED FIRST STREET SEASON STREET		PLOSE PSOOS WILDS A RED TUEING		TOOR BEOLE	P4 1044 EPOXX	PH 1084 PPCXI	123-2 1PCX	PR 123-2 TPOXY AUM FLER - OSANGE	127-2 EFC1	123-2 TFOXY ADM FLLY PRE	123-21VC EFOXY ANH FILM	123-21VC BFCAY ADM PILM	123-21VC MUDIFIED AS H	AN ASSESSION FOR WILL BLUE-GRANE	PM 123-5 EPCAY ADM PILM GFEEN		THE ANOTHER PROPERTY AND AND AN APPEAR OF THE PERSON OF TH	HALE SACCE CONTROLLING PLACE	THE BROKE BOT MINE COMMINS	AS SECTOR FOR SECTOR AS A SECTOR AS A SECTION OF SECTIO	AND REDAY FOLDS DON'T DESCRIPTION OF THE CONTRACTOR OF THE CONTRAC	AND RECYN ROLM ACH DES HAS	37 SPOXY FOAM ADH PEZ H	40 EFOY'S FCAB		73/CAC"CH KH11/BE 127 FB1HBH		PR-6 PECAL-MISSILE-WYLOW		CLOSED CELL PCLYURUTHANY HIL	CICSED CELL FOLYUBSTRINE MIL P26514		ME-1-10-94-1 POLY [MID	FL-2-17-52-3 POLYIMIDE	FORM POLYMERINARY OPEN CALL FORMS 205	FOLYOFETHANG WILSHIRE

APPLICATION	FO BR		WIRE COATING	FILE LOURSIVE		ADERNIA I		#101				COED ADERSIVE	COED PAINT	FOTTING	MOLD CPWD	FOLD CPHD		STELL SECTION STATES				F2121	24 1	FILM	112	2 SIDED TAPE	TAPE	24 FE	FAINT	FRING						ADR-COATING	ADBESTAE	GASKET	GASKET	CII	ADELSIVE		HOLD CPHD			PARISH	AVENISH	
ATROS				VI S	AI S	NI T	¥ ;		4	a I V	•	AIR	AIR			A I B				47.0	•	AIR				1- 5			PIR	AIA					ata	113	AIR				AIR	AIR	NIN.	9 1	1 -6	AIR	AIR	11R 1-6
COBR	,			77	125	6	C X		7	35	2	25	22			149				36	:	232				125			232	52					36	2 2	25	;			52	160	£91	121	121	25 120	25	120 80
CORE				Ξ.	28	9				788	;	248	24H			# •				3.88	,	=				# 9			=	248					=	120	248						258	E ±	88	# 5E	458	1H 72H
SCVCR	00.1	99	0	2.59	51.	1.50	. v	;	-		3	[6	.73	.01	10.	8					+C1	.02	00	00.	00.	8	-02	.53	0	1.07	0.	.12	-07			1.10	0	-02	-22	2.41	00-		. 18			- 85	.71	•
MARI	3.87		. 23	64.4	6 0 (4.37		-) · · ·		52	3.20	.52	£4.	.32	9	9.5	-			.03	. 27	00.	.33	86.	1.06	2.44	60.	3.13			9.			A. 12	A. 76	=	79.	4.28	3.52		.52			8.75	6.87	
DATA	GSPC0652 GSPC6257	GS PC 1057	GSFC5292	GS PC 5449	GS PC 56 23	GSPC6275	GSFC6277	76 34 54 0 0	627.43.10	01 671 146	63567636	65707115	GS PC 3149	GSFC2843	SRI 9215	GS PC6386	GSFC 20 32	62 11 10 10	000000000000000000000000000000000000000	635.75.60	GS PC 36 84	GS PC 39 10	GS PC 7226	GSFC9281	GS PC4152	GSFC7442	GSFC9754	GSC 10239	GS FC 36 38	65703395	GSFC2179	GS FC04 13	GSFCB453	65 10 66 99	SI ZOL TES	65000 Jave	651750	65705915	38 PC 59 18	GSFC2420	GS PC 4840		658C9957			GS PC 88 76	GSPC8924	
TIBILA	i 1	FORMSTREM IN 764 CLEAN MOON SIRM ALCONOL EXTRACTION FORESTREAM DAMES AND ACTIVATION OF THE SAME AND MOUNT OF THE SAME AND ACTIVATION OF THE SAME AND ACTIVAT	PORGETT TAGES TO COLLEGE 105 DEG C USE		301 SEFIER TOBING	FE 127 1/E 15 16/1 BV	72 127 1/8 15 16/1 BY		FR-5/20 LAST-A-FCAR POLICEBIRANS BORETCORD FILL	THEORY TO ANY TO THE STREET BOARD TO THE STREET BOARD TO STREE	De Low Dampies Front	100	TOTAL TOTAL 1910 ALIGNIES STITCOM PAINT	FULTCH 404 ACRIAL TRPLOM 60/20	FOR SER SON	PUBLES 8633-40 GLASS PRIEF CARDON PILLED RECKT	F6-1100 CCMTFOLLED WOLDTLITT FLUID	FO-1101 CCELECLAR VCLATILITY FLUID	FO-1105 CCMINOLING TOLATILITY FLUID	FO-116/ CONTROLLED VOLKTILITY FLUID	restructure by 17/10 37	こうてき かまた またなり かきこく こうじょうけんしょ まながく コーラー・フェーラ カー・コート・コート・コート・コート・コート・コート・コート・コート・コート・コー	C BOODS TADE ALMAINTENE TREEDENINGS ADMIN	G BO1500 TILTER TEFLOR FILE	G 4019 TAFE FIRE FILM/A: METALIZED/ACPVLIC ADB/R	G 405900 TAPE VLA 2 SIDES KAPTON FILM/SR 585 ADR/F	G 406405-020 TAFE KAPTON/AU WETALIZEC/Y 966 ADH/P	G 410310 TAPE ALUMINIZED KAPTOM/SILICONE AUH/P	G-1897 BT ALTHINDE COATING	G-3230 AINTO BHISE PAINT	G-400/100 1APE/S	G-640 ISSULGEDISE BERT TRANSFER	G-641 IBSCIEGEASE	G-642 TRETALL CPEPS	G-668 SILICORY WACOUR GREASH - BEAT TRABSFER	Chic boundary of the broad from the contract	CP66771.0 - 118944666 501 517 (01417)	CHARLOTT ALS AVEN TO THE COMMISSION SHELLOWS	かんのじにしい べんにはる ののたじべきぶつじ イギリーはら いまれ トラヤシャド	1147 ATTHIL ALKIL SILICO	ACRESIVE CLEA		GE 45240 SILICONE			GS 7031 INSULATING VARNISH - PHENOLIC	DITORANG - ESTREYA SHEFFIRSH FEOL AS	

GSPC 1967 - 79 - 30 70 25 MIR OF CORP C 1971 - 62 - 03 248 66 MIR OF C 1971 - 62 - 03 248 66 MIR OF C 1971 - 62 - 03 248 66 MIR OF C 1971 - 62 - 19 70 248 66 MIR OF C 1971 - 62 248 66 MIR OF C 1971 - 62 248 66 MIR OF C 1972 - 63 - 19 70 248 66 MIR OF C 1972 - 63 - 19 70 248 66 MIR OF C 1972 - 63 - 19 70 248 66 MIR OF C 1972 - 63 - 19 70 248 66 MIR OF C 1972 - 63 - 19 70 248 66 MIR OF C 1972 - 63 - 19 70 248 66 MIR OF C 1972 - 63 - 10 128 66 MIR OF C 1972 - 63 - 10 128 66 MIR OF C 1972 - 63 - 10 128 66 MIR OF C 1972 - 63 - 10 128 66 MIR OF C 1972 - 63 - 10 128 66 MIR OF C 1972 - 63 - 10 128 66 MIR OF C 1972 - 63 - 10 128 66 MIR OF C 1972 - 63 - 10 128 66 MIR OF C 1972 - 63 - 10 128 66 MIR OF C 1972 - 10 128 66 MIR OF C 1972 - 10 128 66 MIR OF C 1972 - 10 128 67 - 1	RATEBIAL	DATA REFESSINCE	Mra L	RCACE	COSS	CUBE	11105	APELICATION
PRES SERS ADD GSFC7821 .02 .03 .04 .06 .01 .00 .00 .00 .00 .00 .00 .00 .00 .00	263/ACRYLIC PRES SENS	GSPC 1867	.73	.09	70	523	ai i	ADBESTVE
PRES SENS ADM	263/ACHTLIC PRES SEES	GSFC 1921	-62	6	2	6 3		
PRES SERS ADM	ASTANCETIC PRES SEES	GSFC 1864	. 85	.31	10,0	2 2		EDEESIAE
PRES SERS ADB GSFC 866 1.25 .19 70 .25 AIR PRES SERS ADB GSFC 869 1.25 .19 70 .25 AIR PRES SERS ADB GSFC 869 1.25 .36 .37 70 .25 AIR PRES SERS ADB GSFC 869 1.25 .36 .37 70 .25 AIR PRES SERS ADB GSFC 869 1.25 .36 .30 248 .25 AIR PRES SERS ADB GSFC 869 1.25 .36 .00 168 .25 AIR PRES SERS ADB GSFC 869 1.25 .30 .00 168 .25 AIR PRES SERS ADB GSFC 869 1.25 .00 188 .25 AIR PRES SERS ADB FOR FILM CLEAR GSFC 869 .23 .00 24 .25 AIR PRES FOR FILM CLEAR GSFC 869 .23 .00 28 CSFC 869 .23 .00 28 CSFC 869 .24 .00 28 C	657/ACRILIC PRES SERS	GSPC 19 18	1.12	•	248	5 2	II.	ADBESIVE
PRES SENS ADDRESS 1.00				:	,	8 4		
PRES SENS ADM	784/ACRILLY PRES SENS	GSPC 1897			7 E	2 5	111	ADERGIA
PRES SENS 12B GSFC 1856 1.25 .39 .30 248 25 11B 18 18 18 18 18 18 18 18 18 18 18 18 18					24.E	99	AIR	-
DE CONTROLLE CONTROLLE CONTROLL CONTROL CONTROLL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTROL CONTRO	858/ACRTLIC PRES SEUS	GS PC 18 58	1.25	-38	70	25	111	ADRESIVE
DE 17/1 BU PROIT GSPC1927 .34 .02 248 66 AIR 17/1 BU PROIT GSPC1927 .35 .00 168 25 AIR 18/10 12/10 12/10 28 .00 12/2 .35 .00 12/2 .28 .01 12/2 .25 AIR 18/2 .20 .01 12/2 .20 .01 12/2 .20 AIR 18/2 .20 .01 12/2 .20 AIR 18/2 .20 .01 .02 .01 .02 .01 .02 .02 .02 .02 .02 .02 .02 .02 .02 .02	658/ACRYLIC PRES SENS	GSFC 1894	1.02	.02	2 H	25	AIR	PRESTAB
DE PONT GSTC4622 .35 .00 168 25 AIR 171 BW PRONT GSTC7662 .35 .00 168 25 AIR 177 BW PRONT GSTC7662 .35 .00 168 25 AIR 177 BW PRONT GSTC7669 .37 .00 128 66 AIR 178 CHAR CLAAR GSTC5699 .63 .05 .05 .05 .05 .05 .05 .05 .05 .05 .05		!	;	ļ	24 B	9	AIR	
1/1 BB PROIT	POLTIMIDE	65 PC 19 27	ř.	.02	;	;	1	
3/2 BW ANDER POXY GSPC7862 .24 .01 124 25 AIR	1/1 24 211 U	GSFC#622	- 35	00		53	ă I T	MARSIAN
PPC FILM CIERN GSPC5695 .12 .00 28 60 Alb PPC FILM CIERN GSPC5695 .23 .01 PPC FILM CIERN GSPC5699 .63 .05 PPC FILM CIERN GSPC5701 .24 .05 PPC FILM CIERN GSPC5701 .24 .05 PPC FILM CIERN GSPC5701 .20 .41 .24 .05 PPC FILM CIERN GSPC5701 .20 .05 .05 SEPONT GSPC5702 .20 .24 .05 .05 SEPONT GSPC5703 .20 .24 .05 .05 SEPONT GSPC7772 .13 .08 .05 SEPONT GSPC7777 .13 .08 .15 .05 SEPONT GSPC7777 .13 .08 .15 .05 SEPONT GSPC7777 .13 .05 .05 .05 SEPONT GSPC7777 .13 .05 .05 SEPONT GSPC7777 .13 .05 .05 .05 SEPONT GSPC7777 .13 .05 .05 SEPONT GSPC7777 .13 .05 .05 .05 SEPONT GSPC7777 .13 .13 .13 .13 SEPONT GSPC7777 .14 .10 .01 SEPONT GSPC7777 .10 .01 .01 .01 SEPONT GSPC7777 .10 .01 .01 .01 SEPONT SEPONT SEPONT .10 .01 .01 .01 SEPONT SEPONT SEPONT SEPONT .10 .01 .01 SEPONT			;		121	6 4		
PPC FILM CLEAR GSFC5695 .12 .00	D 140 AS 5/2	707/0459	• • • • • • • • • • • • • • • • • • • •		97.	Ç Ş		
PPC FILM CLEAR GSPC5697 .23 .05 PPC FILM CLEAR GSPC5697 .23 .05 IED PVC FILM CLEAR GSPC5701 .34 .05 IED PVC FILM CLEAR GSPC5701 .36 .05 IED PVC FILM CLEAR GSPC5703 .21 .05 IED PVC FILM CLEAR GSPC5703 .24 .05 IED PVC FILM CLEAR GSPC5703 .24 .05 IED PVC FILM CLEAR GSPC5673 .63 .05 IED PVC FILM CLEAR GSPC5673 .26 .05 IED GSPC7707 .13 .06 IED GSPC7707 .13 .08 IED GSPC7707 .10 .01 III III III III III III III III III I		***************************************	:		9			
PEC FILM CLEAR GSPC5699 .63 .05 PEC FILM CLEAR GSPC5703 .36 .05 ZED PUC FILM CLEAR GSPC5703 .36 .05 ZED PUC FILM CLEAR GSPC5703 .26 .06 ASS AS 70/30 GSPC0466 1.07 .01 210 25 AIR GSPC770466 1.07 .01 210 25 AIR GSPC770466 1.07 .01 210 25 AIR GSPC77046 1.07 .01 210 25 AIR GSPC77046 1.06 2.08 1.07 .01 210 25 AIR GSPC7704 1.00 GSPC7704 .36 .01 2.00 2.08 1.00 25 AIR GSPC7704 .37 .23 .05 2.04 1.12 AIR GSPC7704 .37 .23 .05 2.04 1.12 AIR GSPC7704 .00 2.01 2.00 2.01 2.00 2.00 2.00 2.00	CHPLASTICIZED PVC FILS CLEAR	GSFC5695	21.	9				
PPUT PRINT CLEAR GENCENCY .34 .05 ZED PUT FILM CLEAR GENCENCY .34 .05 ZED PUT FILM CLEAR GENCENCY .34 .05 ZED PUT FILM CLEAR GENCENCY 12.06 1.41 244 65 AIR GENCENCY GENCENCY .36 .06 ASS AS 70/30 GENCENCY .36 .00 .05 25 AIR .05 RE ARSH COATED WHITE GENCENCY .33 .05 RE ARSH COATED WHITE GENCENCY .34 .05 RE ARSH COATED WHITE GENCENCY .34 .05 ALREA COATED WHITE GENCENCY .35 AIR AIR AIR CAN	FETTSTICITED DAG FILM CLARE	68703697	. 23	-				
ZED PUC FILM UNITE ZED PUC FILM CLEAR GSPC5705 ZED PUC FILM CLEAR GSPC777 ZED PUC FILM CLEAR GSPC777 ZED PUC FILM CLEAR SED PUC FILM CLEAR GSPC777 ZED PUC FILM CLEAR SED PUC FILM CLEAR GSPC777 ZED PUC FILM CLEAR SED PUC FILM CLEAR GSPC777 ZED PUC FILM CLEAR SED PUC FILM CLEAR GSPC777 ZED PUC FILM CLEAR SED PUC FILM CLEAR SST 10804 ZED PUC FILM CLEAR SST 10804 ZED PUC FILM CLEAR GSPC7703 ZED PUC FILM CLEAR SST 10804 ZED PUC FILM CLEAR SST 10804 ZED PUC FILM CLEAR ZED PUC	UMPLASTICIZZO PTC FILM CLEAR	GSFC 56 99	.63	CO.				
CARD PUC FILM CLEAR GSFC5703 .21 .02 .41 .41 .41 .42 .42 .43 .44 .	OMPLASTICIZED PVC FILM WHITE	GSPC 5701	.	.05				FILM
SECOND CEAN CLEAR GSPC6705 1.9 1.9 1.5	CAPL A	68 FC 57 03	.21	0				FILE
SEPOIT CSPC0672 12.06 1.4 248 65 AIR CSPC0673 2.82 1.54 70 25 AIR CSPC0673 2.82 1.54 70 25 AIR CSPC0673 2.82 1.54 70 25 AIR CSPC0772 13 0.08 0.03	OMPLA	GSPC5705	.50	90.				PITH
SE AS TO/10 GSFC0673 2.82 1.54 70 25 AIR		GSFC0672	12.08	1.4.1	24H	65	AIA	SELLANT
REDIXT GSFC948 .24	2 - 2 - 2	GSPC 0673	2.82	1,54	2	25	118	SEALANT
REPOXY GGFC5543	LECHE/FIBES GIRS AS 70/30	65 PC 0948	. 24	0.				HOLD CPED
REARES COLTED UNITE GSFC74780 .0.1 210 25 AIR0000 20 20 20 20 20 20 20 20 20 20 20 20 20		G6 PC 5543	9.	-02				STIUCTURAL
RE MESH CONTED WHITE GSPC7478 .19 .08 RE ARSH CONTED WHITE GSPC7727 .23 .08 SET10802 6.10 2.55 48 125 AIR SET10803 3.70 1.60 248 150 AIR SET10803 3.70 1.60 248 150 AIR SET10805 5.20 2.46 48 125 AIR SET10805 5.20 2.70 248 150 AIR SET10805 5.20 2.70 248 121 E-3 SET10805 5.20 2.70 248 121 E-3 SET10805 5.20 2.70 248 121 E-3 SET10805 5.20 2.70 2.70 2.70 2.70 2.70 2.70 2.70 2	~	GSPC4466	1.07	10.	2 10	25	AIR	LDRESIVE
NE	25 134	65 PC 74 78	91.	.03				CLOTH TAPE
RE ARSH COATED WHITE GSPC7772 .23 .05 RE ARSH COATED WHITE GSPC7772 .23 .05 SET10803 3.70 1.65 248 125 AIR 5.10805 5.20 2.70 248 150 AIR 5.55 2.46 48 125 AIR 5.10805 5.20 2.70 248 150 AIR 5.55 2.46 48 125 AIR 5.10805 5.20 2.70 248 150 AIR 5.10805 5.20 2.70 248 150 AIR 5.20 2.70 248 120 AIR 5.20 2.70 248 120 AIR 5.20 2.70 2.70 2.70 2.70 2.70 2.70 2.70 2		GSPC 77 27	. 13	.08				CLCTB
SET10802		CLLLJASS	. 23	50				INSULATION
SALIGNOS	17/10/07 Cours seem Course while	0001100		-				
T. COMPOSITE		6001769	,		3	125	814	CONTING
COMPOSITE		70001740						
TONPOSITE	LKED COATING	Ser 10803	3.70	-	867	200	4 1	COATING
T COMPOSITE	MAD COLTING	\$080L 165	5.55	2.46		125		COATING
IT COMPOSITER IT COMPOSITE FW 1000 GSFC1996 .55 .04 IT COMPOSITE FW 1000 GSFC703 .18 .05 .00 IS PATELOK - GFAY S 9/1 BW - GRAY/WHITE GSFC9032 .00 .00 ITER INSTITUTION WHITE GSFC9035 .04 .00 ITER INSTITUTION WHITE GSFC9035 .10 .01 ILCABOM - BLACK GSFC9035 .10 .01 ILCABOM - BLACK GSFC9035 .10 .01 ILCABOR CFKD S1817 GSFC9220 .48 .01 ILCABOR CFKD S1817 GSFC9220 .48 .01 ILCAB CFKD S1817 GSFC9132 .17 .09 ILCAB CFKD S1817 GSFC9143 .17 .09 ILCAB CFKD S1817 GSFC9161 .21 .08 4D .25 AIR ANINT GSFC9181 .21 .08 4D .25 AIR ANINT GSFC9182 .15 .08 9 AIR IN I	INTO COATING	SFI 10805	5.20	2-70	7 H	150	a r a	COATING
GSFC7171 .82 .15 24H 121 E-3 GSFC768R .05 .00 .00 .00 .00 .00 .00 .00 .00 .00	ITE FIBER EPOIT COMPOSITE	GSPC0996	. 55	6			,	STRUCTORFE
GSPC7686 .05 .00 GSPC7703 .18 .00 GSPC7703 .04 .00 GSPC7703 .04 .00 GSPC77691 .10 .01 68 149 E-4 GSPC7765 13.51 6.85 GSPC7768 11.92 6.61 GSPC7768 .11 .09 3.50 25 AIR GSPC777 .10 .00 70 25 AIR GSPC777 .11 .00 70 25 AIR GSPC777 .12 .08 40 25 AIR GSPC77 .15 .07 30 25 AIR GSPC77 .15 .07 30 25 AIR	ILE FLBER EPOTY COMPOSITE/PM 1000	GSPC 1171	. 82	. 15	248	121	-1	STRUCTUR AL
### CSFC7703 .18 .03 GSFC9032 .02 .00 GSFC9035 .04 .00 GSFC7591 .10 .01 GSFC4220 .48 .09 GSFC4228 11.92 6.61 GSFC2125 .13 .13 .13 GSFC2125 .13 .17 .09 3.50 25 AIR GSFC2176 .14 .00 70 25 AIR GSFC2161 .21 .08 40 25 AIR GSFC2182 .15 .08 50 116 AIR GSFC2182 .15 .08 50 116 AIR GSFC2182 .25 .08 51 149 AIR	DOPED BYPANIED TRELOK - GRAY	GS PC 76 88	- 05	00				
GSFC9032 .02 .00 GSFC7035 .04 .01 GSFC4220 .48 .01 68 149 E-4 GSFC4222 .48 .01 68 149 E-4 GSFC2125 .13 .09 6.61 GSFC2125 .13 .13 .13 .13 .13 GSFC2143 .17 .09 3.5D 25 AIR GSFC216 .21 .08 4D 25 AIR GSFC2182 .15 .08 4D 25 AIR GSFC2182 .15 .08 4D 25 AIR GSFC2182 .15 .08 4D 25 AIR	1102/CARDON AS 9/1 BW - GRAY/WHITE	GSFC 7703	. T	-03				
GSFC76915 .04 .00 GSFC7691 .10 .01 68 149 E-4 GSFC4220 .48 .09 GSFC4268 11.92 6.61 GSFC2125 .13 .09 GSFC2126 .13 .09 3.50 25 AIR GSFC2176 .14 .00 70 25 AIR GSFC2161 .21 .08 40 25 AIR GSFC2182 .15 .08 40 25 AIR GSFC2182 .15 .08 40 25 AIR	CABI	GS PC 90 32	• 02	00.				CABLE INSUL
GSFC7691 .10 .01 68 149 E-4 GSFC4220 .48 .01 68 149 E-4 GSFC4220 .134 .09 GSFC4268 11.92 6.61 685 GSFC2125 .13 .13 .13 7E 25 AIR GSFC2176 .14 .00 70 25 AIR GSFC2161 .21 .08 40 25 AIR GSFC2182 .15 .08 40 25 AIR GSFC2182 .15 .08 58 148 25 AIR GSFC2182 .25 .07 30 25 AIR GSFC2182 .25 .08 58 148 216 AIR	CABI	GS PC 90 35	0.	00.				CABLE INSUL
GSFC4220 .48 .01 68 149 E-4 GSFC4132 .34 .09 GSFC4226 11.92 6.61 CSFC2125 .13 .13 7C 25 AIR GSFC2143 .14 .00 70 25 AIR GSFC2146 .21 .09 40 25 AIR GSFC2186 .15 .07 30 25 AIR GSFC2182 .15 .07 30 25 AIR GSFC2182 .15 .07 30 25 AIR GSFC2182 .15 .08 58 14 24 66 AIR GSFC2182 .15 .07 30 25 AIR GSFC2182 .15 .07 30 25 AIR GSFC2182 .15 .08 58 14 216 AIR	TO DOOR STIM CROWN - MINCH	63707691	01.	.0.				IAMPER
GSFC4132 .34 .09 GSFC4268 11.92 6.61 GSFC2168 11.92 6.61 GSFC2143 .17 .09 3.50 25 MIR GSFC2176 .14 .00 70 25 MIR GSFC2176 .14 .00 70 25 MIR GSFC2181 .21 .08 40 25 MIR GSFC2182 .15 .07 30 25 MIR GSFC4130 .25 .08 5 MIR GSFC4130 .25 .08 5 MIR	COLUMN DOLLARD BRECHT WAS DOLLARD TO THE COLUMN DESCRIPTION OF THE COL	02864220	=	10	8 9	149	-	STRUCTOR AL
GSFC5765 13.51 6.85 GSFC4268 11.92 6.61 GSFC2125 .13 .13 7E 25 AIR GSFC2176 .14 .00 7D 25 AIR GSFC2161 .21 .08 40 25 AIR GSFC2182 .15 .09 30 25 AIR F GSFC4130 .25 .08 59 140 AIR	THE DESCRIPTION OF THE PROPERTY OF THE PERSON OF THE PERSO	GSPC#132		60				
DARINE SPECCHA GRADE RIRBUR GSFC4268 11.92 6.61 E MITTE PAINT E MITTE PAINT GSFC2125 .13 .13 75 25 AIR E MITTE PAINT GSFC2143 .17 .09 3.50 25 AIR GSFC2146 .14 .09 70 25 AIR ZMHTTP PAINT GSFC2161 .21 .08 40 25 AIR E MITTE PAINT GSFC2182 .15 .07 30 25 AIR AND SSTT AS WILARGE 100/MVLAP GSFC4130 .25 .08 51 149 AIR		59157450	13,51	6.85				GBCBBRT
### COMPOSITE PAINT ###################################		0404040		144				- 神田 三 山田 1
PRINT GSFC2123 -13 -13 -15 -15 -15 PRINT GSFC2176 -14 .00 70 25 BIR GSFC2176 -14 .00 70 25 BIR GSFC2161 .21 .08 40 25 BIR GSFC2182 .15 .08 40 25 BIR GSFC2182 .25 .07 30 25 BIR GSFC2182 .25 .08 51 148 AIR CSFC2130 .25 .08 51 148 AIR	CORONELES SES COM			•	ŕ	36	9 4 9	
PAINT GSFC2176 .14 .00 70 25 AIR OAINT GSFC2176 .14 .00 70 25 AIR OAINT GSFC2161 .21 .08 40 25 AIR AIR AS WYLAR/GT 100/MYLAP GSFC4182 .15 .07 30 25 AIR AS WYLAR/GT 100/MYLAP GSFC4130 .25 .08 54 149 AIR AIR AS WYLAR/GT 100/MYLAP GSFC4130 .25 .08 54 149 AIR		62177160	::			1		****
PAINT PAINT SEC216 .14 .00 7D 25 AIR 24H 66 AIR PAINT SEC216 .21 .08 4D 25 AIR SEC2182 .15 .07 3D 25 AIR AS MYLAB/GT 100/MYLAP GSFC4130 .25 .08 5H 149 AIR SEC314 CONTACTOR AIR SEC413 .25 .08 5H 149 AIR	ICCER ENITE PAINT	GS FC 214.3	-	7 0.	3.30	C)		
24H 66 AIR PAINT GSFC2161 .21 .08 4D 25 AIR AS WYLAR/GT 100/MYLAP GSFC4130 .25 .08 5H 140 AIR CONTINE OFF WAR 25 .08 5H 149 AIR	LICORE WHITE PAINT	GSFC2176	₹.	00.	70	52	713	FAIRT
MHITP PAINT GSPC2161 .21 .08 4D 25 AIR GSPC2182 .15 .07 3D 25 AIR POSITE AS MYLAR/GT 100/MYLAR GSPC4130 .25 .08 5H 149 AIR HANN GSPC3134 2.06 5H 149 AIR					24H	99	MIN	
WHITE PAINT GSPC2182 .15 .07 3D 25 AIR POSITE AS MYLAR/GT 100/MYLAR GSPC4130 .25 .08 5H 149 AIR HARM SATING CSPC779 2.06 .15 MM 2.16 AIR	WHITE	SSPC2161	.21	80.	_	25	AIR	FAINT
20H 100 AIR POSITS AS MYLAR/GT 100/MYLAP GSFC4130 .25 .08 5H 149 AIR LUCH CONTROL OF WATER CRECOTOR 2.06 .15 MM 2.16 AIR	C L I	GSPC2182	.15	.07	30	25	AIR	PAINT
SITS AS MYLAR/GT 100/MYLAP GSPC4130 .25 .08 5% 149 AIR					20H	100	AIA	
ALS STEED STEED STEED CONTRACTOR STEED STE	314	GSFC#130	.25	.08	<u>.</u>	119	AIR	1APE COMPOSITE
		624659	2,06	. 15	#	216	AIB	TAPE-PILM
						•		

ORIGINAL PAGE IS OF POOR QUALITY

																								•		•		-																												
APPLICATION	TAPE	SIDED TAPE	LAMINATE	STEDCTORAL	IABIMATS	IAMIMATE	ILASTORER	ELASTORE B.	PAPKING MTL	HOLD CPND	FOTE CPED		STES THEM!	10711 4411		63616C	CFILLAL CERBEI				2721 1778	MENT IAPE		#F#1 1474	SEAT TAPE	BEAT TAPE		COATED HEAT TAPE		SEAT TAPE	CABLE WEAP	FILM ADMESTWE	ADRESIVE		FILE ADDRESTVE	LAMI BATE	19010010	COLD CPM D	ICERICANT/CREASE	IUBRICANT/GREASE	II EL ECTR IC	FOID CEND		HIPE COATING	CCHP COAT	COMP COAT	BCME TCOM B	IARIHATE	STRUCTURAL	HONE TCOM B	1005 1005 1005 1005 1005 1005 1005 1005			SOUTH TO SEE	HONE TCOM B	SHRINK TOBING
ATRCS	AIR	AIE			AIB	AIE			AIE	AIE	-			2	4 4			0	;	1		F - 1	7 .		4 (14 (7-2	7-7			MIR		7 I E	AIF		AIR	PSI									AIR	A I R										
CURB	 216	160			177	ננו			25	25	ž		3	•	2		ָרָיָ נייָ	9	. , 6	0.4	571	100	000	2	150	06.	155			\$		121	82	121	127	171						•	•	•	25	25										
CURE	T,				29	28			741	2 th H			= -		E ? ?		9	H * 7	į	E .	748	H07		2	2 4 H	308	# #			100H		Ę	158	=	Ę	78									7.	7										•
\$CVCB	 . 16	. 12	•	<u>.</u>	ē.	<u>.</u>	.21	=		0.0			9.	9 1		2.	1.27	00.		5	• 20	5		. 42	. 25	80.	.33	.53	.19	.37	-02	91.	.30		. 26	00.	00.	-02	*[.	.22	00.	.01	.08	. 15	00.	90.	.17	.01	. 03	<u>.</u>	-	.02	00.	07.		- 60
THIS	 . 26	.63	.05	9.	.53	0.	. 86	.54	16.85	1.16	2 5	7/-		1.30	9.	Z .	19.11	9.	80 (.02	-	٥.		- 74	9	. 15	٠٥.	: 73	. 50	. 85	3.51	3,35	1.40		1.23	.18	•	.37	1.52	.73	.07	7	.70	.53	6.32	6.19		2.90	1.62	1.27	3.13	= ;	2.14	1.50		2.50
DATA	 35EC 2781	GSFC3513	GS FC 4972	GEFC7379	GSFC8426	35 PC8477	53112520	Se I 12521	C00LU100	SE ME JE 30	60860460	675-7445		G C 62 30	GSFC6545	CS FC 46 32	GS FC#656	GSTC5899	GEFC6212	GS FC9203	GSFC6923	GSFC7643		G-FC6968	GSFC#100	GSTC7886	GS FC 7859	GSFC#290	GSFC#292	G: FC 3586	GSPC6467	GSFC4156	GSFC9623		GSFC9155	GSFC 27 11	GSFC5425	GSFC 2993	95 90 JASB	GS PC9829	65 PC 28 45	SPI 9325	SPI 9324	35 FC 8879	GSPC4057	GSFC#0 33	SPI 10002	GSFCR994	GSPC9302	GSPC5885	15C10329	GSC10065	GSFC7979	SF I 1000 1	ST. 1 10003	66662139
AAPERIAL	WILL ENISTED ON THE STATE STATES TO A THE OUT OF	COISC BUE SECURIOS/LINE FOR A STATE OF BUENESS	ACTIVITIES OF THE THE THE PROPERTY OF THE PROP	ACAMORE IN THE PROPERTY OF THE	SELECTION OF THE STREET OF THE STREET	PERCONSTITUTE AND A STATE OF S	THE STATE OF THE S	CHOOSE CO-DOES CO-DOES		TABLE DESTRUCTION OF THE BELLE OF THE CONTRACTOR OF THE STATE OF THE S	MATCHES 1602-60F A/8 AC 2/1 PV TERTINE	HATHINE 1602-60E A/3 A3 2/1 PV JPETHANY		HARTG WH-1 SAYLE 3239 WHITE SILICONS WIFF INSOL	TE STRICOME WIFE	1/16 28 8/4 THEN	HE 79 OFFICAL CEMENT A/3 AS 100/2.5 BV	BEALTS - COLORD NAIL CO SPEC 4500 FLASTCHES	BENTER RESTOR OF 0.5485		FENTING TAPL CLAYBOAN TABS N-16 DC 282 SILICONE	65		8	BPRITIES TRES LIANBORN LASS DC 280 NON	8	60	-	æ	Š	}	はまたいまでは、またには、それでは、これでは、これでは、これでは、これでは、これでは、これでは、これでは、こ	10 C		Chroodershi salingers wile astro e careases	CONTRACTOR OF THE TAXABLE CONTRACTOR OF THE CONT	mayor the transfer of the company of the part of a company of the part of a company of the compa	BF 1006 BFICK 11/3LASS 1S 70/30	TOTAL STREET	AND THE PROPERTY OF THE PROPER	2 - 1 - 2 - 1 - 2 - 2 - 2 - 2 - 2 - 2 -	(では) かいば 大力にしていてもの まじょう	ASVE PROJECTS COLUMN TO SERVICE DE LA COLUMN TO SERVIC	CENTRACO William TRACTURE CONTRACTOR	THE THE TANK TO BE THE TANK TO THE TOTAL CONTROL	BY THE TAKE TO THE TOTAL THE PRINCIPLE MCHAILC COLUMN	THE BEST BEST OF THE STATE OF T		HOW BELLEVIEW TO A CONTROL OF THE STATE OF T	HOMEYCOMB SPECIAL COMPOSITE BPON 828/PIBERGLAS/PLUS	ROSP SAE 10015 ELACK PIBBER	BOSTALEM GUE LIGH MOLECULAR MY POLYPINYLEME	HRH-10 MVICH/PHENOLIC HONSYCOMB CORE	HER HOMENCCHE CCES - PHENOLIC	S-ASBESTOS HCALYCOMB COFE - S	MRS-GIASS FIELZ BURESCORB CORT - BILLICORD HE SHRINK HS 101 BIACK POLYCISELM SHRIMK TUBING HEATGHE SHRINK

AT MOS APELICATION					***********		ST FEET BURESTY S					B COMP COAT		~	•	COMP COAT	E COMP COAT	COMP				;	400	3				3 5		100					4		# 100 mm 00 31		9400 MICO		1 6	271112			•		FLASTC RB			P scrting		SUBBER		K FOTTING .	ADRESIVE			E FOTTING
ł		14	1 -			::	# H		1:	# (F)	=	I	AIA	I	ī		AIR	AXA	-			11	47.4			: :	: :	::				:				7 :		: :	11	1 1	1 2	1 4				2				AIF	1			AIK		FIT	AIR	I V
CUPE		255		26.0	2 5	:		· •	6	2	=	\$	۲	. 52	52		52	52	2	3	3 5	×	;		3	5	: 6	2	9 5	: :	7 4	3 6	Ç 4	6 4	G :	2 3	9 4	. 4	, ,	3 6	3	, ×	216	=	173	:				135	150			S		7	93	52
CORE		7. SH		3		3	5 3		5 :	ξ;	=	Ë	7 H	=	=		7,	190	74.1		2	24.5				100			2 2		n 7 1		# 7 F	9 6		# # *		16.			5	26.	7	=		=				16R	7 2H			24E		¥.	Ŧ	24 H
NCACH			?	•	-					•	B.	•				.02	61.	24	00.1	2	2	?	5			•		:	:	5	•	**			•	70.		*		:		50		2 18	2		:	5.	.03	00-		8	9-	6 0.	.01	00-	.01	
STAL.	3.0			:	-		•	•			1.27	21.66				2.58	9.66	9.54	7	96.	8	}	90			47.0			7	•		נו נו	61.71			. e .	9		14.80	•		1, 12			;		06-		Ę.	. 36		1-22	- 9.	.97	£9.	. 85	1.17	1.82
DATA	00000000	##06 JAKE	14000ES	200	10447680			FC24 TC3		67 CO 155	GSFCB542	GS PC 3971				GSFC 2865	62010679	GSFC2821	1007 7450	25 95 24 23	65102155		1600000	36665885	Waret 177	2505737	100000			LAGE 28 6 2	1951C 4907	20073063	62677369		45.0000	est color	766756		AC 01 74 25			F 700 JE 20	50.00 Cave	6470171	90090450		10071146	50071735	SEI 12505	GSFC8993		68 PC 36 40	GS PC 3327	GSFC7940	3SPC 3073	GS PC5091	4SPC4682	SRI11608
AATEELAE	この こうしょう かいしょう かいかい しゅうしょう かんしゅう かんしゅ かんしゅう かんしゅん かんしゃ かんしゅん かんしゃ かんしゃ かんしゃ かんしゃ かんしゃ かんしゃ かんしゃ かんし	SOCKERSON AND PROPERTY OF A COMMENSA OF A SOCKERSON OF A SOCKERSON AND A SOCKERSON A SOCKERSON AND A SOCKERSON AND A SOCKERSON A SOCKERSON AND	はらずらのまました。 たまこう ファイド・ログロー ははまましゅう アンジェントング	The state of the s	7 Cat 644 44			STATE OF THE STATE	14	TW/TTOETH-17342		HUMILIAL 4-391V A/3 AS 1/1 3W POLYHPETHANE		-		1120	1127	2	AND PC. YORKS	REAL AND ACTIVITY			1815	しきしゅうしゅ してのず こうけいきょうしゅう		THE RESTRICT OF SECULAR STREET	,	DECOME THE STATE OF S	7 57 8/8 017047	CHARGO WAS BOR AS 1/1 BY 3/1 CACC THROTHER	17045 MON AS 1/1 ST 8/8 FCW2	SEPRESENTATION OF TAX BY TAX THE TRADEST	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			MINISTAL ZE/Z A/B AS 1/1 NV PINOCESCENT POLIUSCINEME	CHEST STREET OF THE CONTRACT OF THE STREET STREET	THIS WAY TO A CALLED THE	PREST PRINCIPLE AS 103/2 RE TOUT			HERTSTAL DETAINED AND AS 100/85 BE COLVERSTRAIN	•	27-1304 ADE AND WILL BELL	44064/ #14184	14034/4:121400 P. CO. P. CO. P. C. P. P. C. P. C. P. C. P. C. P. C. P. C. P. P. C. P. P. C. P. P. C. P	CALCAC 100-100-100-100-100-100-100-100-100-100	CALCAS A COLUMN	רוכ	HYDRHTOIM IC-1-149-1 LIGHT SPAY 3PCYY		REDICE WINDLY DEICELOROHADELE-WINELERS OVICE	HYSREIMW ST 9100 POLKOLZPIN PRESHEFUR	0025 A/6 AS 1/1 BU	11C A/E AS 1/1 BV BPCYY	2C A/B AS 25/11 BY B	4326/3421 AS 100/6	HA SOL 5150/3690 45 1/1 34 820XY

	APPLICATION		CORD ADRESTVE	ELESTORS.	COMP COAT			ST BUCTUB AL	18K	INK	COIL COATING	FOAM	11 627 2 4 7 0 8		10111011011101111111111111111111111111	DABLECTS IC	!	28 J.		COMP COAT	COMP COAT	HIRE COLTING					HOLD CPRU	GREASE		ADBESIVE	COMD ADHESIVE	COMP ANTRETTER	*****			DIBLECTRIC	TIPE	INSULATION	THERRY CONTROL	PILM	IN SULATION	TAPE	14 PE	FIRST THEOL	FILM / SHEET	1111111111111111111111111111111111111	10021			1476			IAMIMATS	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		ADH SKIN .	FOLD CPED	ST ROCTOR AL	STRUCTURAL	INSCIPLION	GA SK RT
	1 1 1 C C C C C C C C C C C C C C C C C	BIR	AIR		PIB		•		TIR	AIB	AIR	ATR				X T Y	717		AIR	AIA	AIR								AIA		AIR	9		114	414	ATA	-1		113		AIR												H Si d	TS.		FSI					AIR
	TEBP	9	25		20	20			25	25	25	-	;		,	2	52		125	22	00								25		25	, ,	Ç	. 90	705	2	100		150		150												121		!	177				ļ	111
	TIRE	=	3 7		24H	X 0 #			Ξ	=	24.9	14.	5		;	=	9		7 9 1	16 H	28								=		4.83		?			=	24B		7 N H		248													7		7					2 4 H
	KCVCH	8	-29	80.	8 0.		0	6	96.	1.20	15		9	5.0	70.	٥.		-13	90.	-02	.03	00		3	9	Ē.	00.	1.74	86.	80	6	:	? :		5	00.	* 0.	=	• 0 5	.02	10	.61	12	:				3.		1.1	0	. 70	00.	,	- 19	00.	0.	.02	-02	00-	2.
******	AT II.	1.42	1.55	. 22	.59		. 29	-22	62.20	12.40	4				7.07	.38		÷,	.21	5.82	7	5		- 1	60.	79.	61.	3.62	9,10	1.92	22				67.	.65	90	94.	.42			1.50						70.	0.	2.31	2.79	5.06	1.33	4	3.13	1.68	.27	.26	.35	91.	. 23
	DATA REFERENCE	GS FC 3195	GSFC3049	GSFC4172	GSFC3267		GSFC2609	GS PC6470	SEI10603	40 90 L L L	1905 30 50	000000000000000000000000000000000000000	0760100	GSFC 2428	GS PC 86 30	GS FC 3325		GSFC 1792	6S FC 1795	GSPC 2593	CS PC 1081	CACACAC	10010100	65 104804	GSC 10227	GSFC 29 29	GSC10242	GSFC55 12	GSPC 1366	GS PC 6892	40547ES		GSFC 2443	GSFC 2136	68 FC 2 194	GSFC9119	G5 PC 70 22	GS PC 35 92	GSPC5164	GS PC 39 16	49051450	GSECRIST	00000000	0217 222		1067 186	DOLL THE	GSPC0664	SPI 9207	GSPC 1972	GSPC 1975	GS FC 40 21	GS FC8645		3SC10119	GS FC 58 21	GSFC 2913	GSTC5519	GS PC5521	GSFC3355	6S PC 36 B6
	SATERIAL	EVENT AC NAME AS 1/1 BY ALTH PILLED REOTT	60 a/8 as 12/4-6 BB	FASS CLARSTE ANTI-OTIONS			SHEILEORGAIDE CAZITISTS DRIES SELECT	WACHAN POLYARS - 1	BIACK WAGE	PRINCENS TO THE CONTRACT OF TH		THE ATTENTION OF THE PARTY AND SOLVEN	IMSTR-FORE 20/CC PT	Institution blanks autiliater	INSTINTOR MCLDEC MIL M 20693	THISTOTERS 645 DEPLANCE DIZINCTRIC		STEP - M - CO PERCUSTY CARA CARLAGEST	サード・ピー 対 コンピー・ド・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・					ISCHEL 200 BAGKET MILZ COATING PROVE 190C USE 18HIL	JY 1004 PCITETHEESULFONT/GLASS IS 80/20 BW	37 1006 CHICECLATED POLYBTHER/GLASS AS 70/30	100	MISTER OF A SECTION AND A SECTION ASSECTION AND A SECTION AND A SECTION AND A SECTION AND A SECTION	A SERBERGIAN CONTRACTOR OF THE		TATOLOGICAL TO THE TATOLOGICAL T	K-16 L/B 25 3/1 EN COMBOCTIVE SPORT	K-20 1/8 15 10/7 BW ZPOXT	KAPTON FEP FILM 400F022	RAPTCH PBF FILM 400F022	KAPTON FILM M/MOD ACKTLIC ADM ONE SIDE	N FILM - ALUMINISTED	DATE TIME TANKELLY	TICAN BRIDE STATE STORY	TION N 1118 BELIEF N/1117	#10	S PASSORTIVE TO THE SOUR	TAPE 603-141	101	T400-1/20 BEAMD-RE		••	KAFTON-TEFLOW FEF COATED T473-1/24 BRAND-REI	KEL-7 81 CHICLOFIUCDCARBOM	KENDEL TAPE 292 FIBSEGLASS/SILICORE ADH/S	TAPA	TIPE			KEVLAR 29 YELLON FIBERS	KEVIAR 49 CCHPCSITE KEVIAE 49 FABRIC/CORLAS 5143 PES	ACETAL/GLASS AS 70/10		1151	FOL B GALGE ECLYCARBONATE	LA COMPAN AND LINE

application		CARD GRIDE		ADM PTLM	P11.0	FAIRT		113	IUBRICANT	SHIDK TODING						PLASTORN		IACING CORD	IACT HG CORD	IACING CORD	IACING CORD	IACING CORD	IACIBO TAPE	IACIBG TAPE		IACING TAPE	•			_	INCING TAPE					IACING TAPE										INCINC TAPE						
PTECS						TIV.	AIA				P I I				:	;										AIR			118										1	HIT	AIR	N I N					114		ATA	i 4 8		
CURR						22	2				760				ř	Ç										125			20											20	100	000					150	2	150	<u> </u>		
CURE						24 B	9				. 254				7											24H														748	24 B	7					24.0	2	744	;		
RCVCR		-		3.49	00	.02		5.71	3.00	.07	ō	-00	-07		-	20	=	76	.54	4.05	3, 38	.95	.42	*9.	-28	*0.	8 0.	ě.	-07	62.		40.	- 12	6.93	.21	.07	-32	.19	.25	5.	e :		12.	.17	c.		67.		64	.05	. 12	.72
MTAL	 30.1			13, 15	1.08	7.23	5.93	28.54	5.12	. 39	• • •	.37		9.5		7.5		3.24	1,30	8.47	8.36	2.27	3.83	1.88	.55	=	. 33	6 <u>.</u>	-0.	0.	7.	9	1.02	13.27	7.93	1.00	90	2.25	. 52	.55	0	. 24	.52		. 7.3	2.78	9.0	6	7	1.39	2.11	3.19
DATA	62704316	88167450	64 90 54 17	65 PC 59 36	GSPC5767	GSPC3397	GS FC 3992	GSFC2515	GSPC6980	GS PC 7463	GSPC6580	GSPC 2673	GSFC2671	65 FC 69 20		58712518	0622335	GSPC 1546	GSPC4468	GS FC 2989	GSFC4960	GSPC5337	GS PC 15 37	GSFC 1573	GS FC 22 10	G9FC7217	GS PC 7277	GS PC 5689	GS FC 5769	GSFC3735	GSFC>/0/	625.57.03	. WY69 J450	GSFC9230	GS PC 1540	GS FC 16 93	GSFC8045	GSFC6116	GS FC 4700	02804660	08FC4664	GS FC 46 66	65775334	GSPC6119	GSFC6709	65 (53 (57)	25 1 14 30 1	501116203	SPITATOR	GSEC4112	GSPC4138	GSFC#136,
BATTELL	アンドラストレー しょうしょう かんしゅうじ おくにいにす かりりょうしょう フェンフェン・ア・ア・ア・ア・ア・ア・ア・ア・ア・ア・ア・ア・ア・ア・ア・ア・ア・ア・ア	110011				RETION 1362 CLEAR COATING HULT-COAT FILM	1602 DLIKA FLAT BLA	٠.		2	SEFIERABLE SZALING	SCIERE SLEEVE LITH P	SCIDE SLEEVE LITHOU	MINE ALEX LESCHALICE (EAC	T SESULATION OF THE SECOND	T-844-6 WEDGESTITCHE	THE THE CONTROL OF THE POIL /P	LACING COPE A-66-M EXLOR	LACTES COPD DACECE SOD-OF17CF - WRITE	CCPD GULLIACE 20 MEACK	CCED	COND 1C-162	TAFE 1-60-B	TAFE 4-60-8	TAFE CABURN 2047 CACBCB	CING TAFE CABUSH 2047 CA	TAPE CACSON 200-0F9	TREE E 775-476 TPT TEPLON/GLASS	TAFE E 775-476 TFE T	TAFE 8 779-1075 TFE	TAFE 8 779-222 IFE :	4 "	#### # ///-000 //-3 #### ################################	PRE-LACE-B 21DR DACEON/W	CING TAPE GE NILCH	TAPE GE	TAPE GLDE-GLASS 18T FIRERGLAS/TRI	CING TAPE GULE-NYLACT IND NYLON/NYLON	TAFE GODE-C BRAIDED SILICA PIBES	CIRC TEPE GLDE-SPACE 18096 DACROM/SYM RUBBER	IG TAPE GLUK-SPACE 18796 DACROM/SYM SOBSER	CING TATE GUDE-SPACE 18096 INCHOLOGYST BUBBER	CIRC TRPK GUDK-SPACK 18096 DACROM/STM BURERS	HO THEN GUDE-SPACE 18096 DACROM/SYM BURETER	CING TEPE GULE-SPACE 21696 DACROM/SYM BUBBER	IG TAPE GLDE-TERP 7182	THE CARS SEATS COLUMN TARGET NOTES AND	CATAL SOUND AND THE CATAL	STATE CONTRACTOR STATE OF	CING TAPE GULE-18NP 723 4	CIEG TAPE GUIE-TEMP 723H MOMEK/BURESE	NG TAFE GLDE-TENE 7235

	FSFFFFEE			1142	TENE		- ;
MYICH BRAID/WAYED - MATURAL	GSFC7289	1.72	3.95				IACING TAPE
MATON	GSFC1903	2.57	-01				
H MYICH EMBIGANT STREET	GS FC 54 09	2.36	.23				
I NYICH DRAID MATMEAL	GSFC 45 38	1.53	ě.				H
E MCMEY/TEFLOW COLI/SYM PRBREF SAT	GSFC80 18	. 6	90				TACING TAPE
ST LIST	GSFC2485	98,	9.				
	65 70 154 5						
	44610166	יינ ני נ	:	=	111	1	
RED 1342VC VITON CONTEC		7.7		:	:	:	
121 SCOTRE			? =				
2 1251VC VISCH CONTED	65505174		: 3	=	177	110	
1342VC SCORRED IOT 13278	651.932	9.7	, ,	B -	:		TACTED TAPE
1330 JUCOATED	65704184		,				
1330VC VITON COLTED	GSFCB192	B (
	GSPC 1549	2.19	?:				
i.		7:1					
IN 18DB EACYCN/WYLON WHITE		7					
THE TROP DACTOR STA BUBRER		1.26	2,		150	1	
CE 1808 DACEON/SYN SUBBLE						3 1 4	
18-12-14C3 18DH SCOTEER LOT 30378	65759326	5		-	•	4	
CT TROM SCOTEGO LOT JUSTO		7.17	1.27				
ICH TORN DACACA CONTRACTA		=	.02		•		
ICH BOOK BOOK THOUSE		<u> </u>	.02				
ICA TOUR DACETS TRACETS		38	.0				
こうじゅうしゅう こうしゅうしゅう かんしゅう しんしょうしん しゅうしゅうしゅう カン・カン・カン・カン・カン・カン・カン・カン・カン・カン・カン・カン・カン・カ		7	0.05				IACING TAPE
CANCEL TARREST TOTAL TARREST TOTAL T		36	-02				LACING TAPE
GLOCK WAS TOTAL MOTAL WAS A WAS TO A WA	-	. 24	.05				IACING TAPE
MIN ON/STOR CALLS NOTHER ORC.		.24	00.				INCING TAPE
MERCIAS ATSTICE COLT		.50	.20				IACING TAPE
111	GSC1C847	4-35	.23		52	411	IZOOZE
/10C-45 AS 1/1 9W SILCK	55 2 1 40 17	18.45	.05		52	HIH	FAIST
12 1/1	S3114018	1.23	- 05	728	52	æ 6	PAINT
					523	B 1 4	,
1/1 51	STI1 40 19	11.90	ē.		2 2	71 C	FA LET
7	07041178	7.10			125	1 1	
	BO BO T 100	20 88	10		25	Y I	COLTING
/10C-43 15 1/1 04 CLIAB	006011c3	1 4	80	7 2H	25	PIE	COATING
					125	AIF	
SOLVINISACINSS - BECAM	GSC10050	.63	00.				LAMINATE
F1GF		.29	00-				IAMI WATE
THIM W/C CODEES	GSFC8747	.42	00.		171	ESI	LAMINATE
•					135	4	
1908 SEOTY/GRAPHITS	GSC10245	= ;		2 E	2	121	ILAIBATE
DXY/GRAPHITE	GSC10248	6.			-	10.	12010010
ADE SPCXY/FIREFGLAS	62 PC 809 8	¥ .	-				
PARGLASS W/O COPPER	GSFC 3908	57.	5.6			101	
TYPE OF CORLAR 5104/GLASS/FR4	68 FC 8507	79.	9	- T	121	151	
	50187455	45	.03		•		STRUCTURAL
SECONT CREMITS THESE ASSESSMENTS OF SECOND S	GS PC 44 70	61.	.02				LAMINATE
D DEFECT C	G3 FC 92 12	3.11	*0*				STRUCTURAL
. OF TOWARD C	GSPC9308	1.19	.0.	. BH	100	A I S	STRUCTURAL
OF CHOSPED HOLDEL CAFRON PHENOLIC	GS PC 6098	4.75	•	•	149	AIR	LABINATE
THE TRUE WASPEL CATEON PHENOLIC	GS PC6 101	3.61	00.		149	AIF	IABLHATE

!	:																		•																																													
·																																						٠																										
APPLICATION	· · · · · · · · · · · · · · · · · · ·	IAMIMATE	IAMINATE		91787497	1 4 B I B A T S	BORETCOMB					LABINATE	IAMINATE	TANTERPE	1			LABINATE	IAMIMATE	LA SI HATE	LAGIBATE	IAMTERITE	19848848		41481641	IAMI BATS	LARINATS	LABIUALE	TANTESTS			LANIMATE	ECTTING COP	LARIBATE	12418218	STFUCTORAL		LAMINATE		TABLES						TYNTHY					LABIBATE	La mina tr	LAGIENTE	LAMINATE	LARIKATE	LANINATE	TO MOMEN			LABIUATE	LARIBATS	LAMINATE	IAMINATE	IAMINATE
ATBOS		717					i i	15 3		1 1	4			ATR		:																				PSI	PSI	FSI	AIE	1			0.1.0		7 (101	K					FSI								T S.				
CUF E		177					5	74			.			121	232	;																				121	121	121	177				300	2 6		171	:					171							44.3	50				
CORE	į	#2#					2 H	9	: :	E :	B B			28	14.																					H	=	8 S H	28	!			240				5					EOF							200					
4CAC4	ŀ	5	10.		-	.0.	. 23		-			5	9	00	:	ć	9	00.	00.	9	.0.	00	-			5	8.	°C.	101		7	00.	.	ē.	00.	01.		00.		00		:				-			-				.05	.33	90.	-	00				1.09	00.	.07	00.
Krat			.02		î.	•	-0. -		4	•		97.	6.	30		3		-	£.	. 12	.3	.27	2				.42	.59	. [1]		?	75.	٥.	=	ŦĘ.	1.88		•25		. 10.						7.10	•		•			-	••••••••••••••••••••••••••••••••••••••	.29	64.	٠.	8.				2.11	.36	8	
DATA	*******	GSPC6062	GSFC2975	7007 100		4	65C10278		10001000	990		2010	5SFC2595	GSFC 3902		ACONOTO S	60 50 60 60	68FC 36 12	GS PC 2977	6S PC 2583	GSFC 2973	GSPC7888	12 CY JUL 8 5			11 FC 33 43	GSFC5547	GS PC 8999	68 PC 3566	4000000	63567376	10 S P C W 3 1 1	63(09191	GSFC9665	45 PC 6095	35FC9209		G SC 102 30		G3PC9880	0. T. T. T. T. C.	0000000	C 700 0 100	20000000	20200000	00701769	OS EL DE SO	CC 87773	667 60 46		5044 TH		S27 6904	SeT 6902	S31 9217	GSFC6512	35901 250	1901175	***************************************		GS FC 92 33		SaI 9220	SEI 9218
INTERPLE		COCIAD TERLOM/GLA	LABITARIE CUSIOR PCLY IN TURIOS/FURZECLASS	C - 20 C C C - 25	A 70-71 711 070-0	19-70 THE THE S LI-CL	LAMINATE ESCAY/FIBERGLASS LOT 79-4609(AT)		THE STREET WILLIAM WINDS CONTROL OF THE THE PROPERTY.				LAMINATE EPONT/FIREGLASS/HTT40/HT219/DT219/1275	LARLESTE FECKY/GLASS ESTGLESS BRETH 191		SECOND CONTRACTOR SECOND SECON	TRAIL TOTAL OF TAXABLE TO SELECT	PLEASOLA PRIMITED		FLGF250C2/2AII3-R	LANUELIN TEL-4 G-11 EFOTY/FIBREGLESS	1161-83-1P08/20 E	G-10 FIACK EPONY PINCEGLASS	2 to 12 12 12 12 12 12 12 12 12 12 12 12 12	#- 10 EFCEL/12:E J.E	5-10 10 BAL F1949 -	6-10 1C BIL P1994			CPC ATT C19117 B'	COL 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	STATE OF THE PROPERTY OF THE P	HINGIE GER-TR 4300 REST	HIBRIE GLASS CLOTH/SILIC	E G10 besilmsHouss 65425 PB	RIBLE ECHENCORD KEVLAR/		LAMINATE EN1534/934 GRAPHITE SPOYE		R 6098 TZFLGH/FII	ATHATE KA	REVILLE ANDONY			AND CARROL OF THE CARROL OF TH	METLER/EFUAL SITE	SECOND CENTAL OF ACCURATION	ľ		17.6.01.	FICAPLI AG 750T W/C CUPPER	PICAFIT EG 802 TYPE	PICAPLY KG 8247 W	RICAFLY	G-284 ZPO	MICAPLA	HICAPI Y	MINITE BILL ADIA	MALS SLOBELS TOKILL DESCRIPTOR STREET STREET OF DATE	17. 17. 17. 17. 10. 1. 10. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	AREMATE FILEARLY 102-64 B-511GE PAR FING	TTE PICAPLY 818T 8/0	MATE MICARSA H-1769	LANIMETE MICAGIA H-2497 EPOYY/GLASS

	1																													•																										
APPLICATION		IAMIMATE	ITHIBUTE	LAGISATE	IAMIUATE	IABIHATE	TARTHATE	FC BOARD	LAMINATE	TANTERER	I A MI II A P						TANTEST			IA BI BATE	LAMINATE	LANIBATE	LABIEATE	PC BOARD	IAMIMATE	LAMINATE	IAMIBATE	SHIB	SHIBLD	SHIELD	LAHIKATE	LARINATE	LAHIBATE	LABINATE	-	1092	IAMI MATE	FC BOARD	LAMINATE	FILM ADBESIVE	TOBING	FOTTING		BORESTAR	PORESTAR		PAINT	FA 1 8 T		ACRESTER			ION TERP ADR	9 1 1 1	ADHESIVE	
ATBOS															+64								AIA						9-1	9-2	ı			AIA	AIE					FSI		AIB	AIR	AIR	A I H		NI N	# 1 # 1 # 1 # 1 # 1 # 1 # 1 # 1 # 1 # 1	4 4	414	VIII V	LIB	AIR	611	AIR	
COPE														121	3								454							143	i			163	177					135		98	100	90 ;	93	;	2,5	Ç 4	0,7	Ç 4	104	25	52	99	93	
CORE														E 1	5								~					•	H .						7 7			,		308		_			7 -		2;		3 5						# # # # # #	
#CACH		.03	.12	40,	00	0		95	=					5	5	9	3	2			9	001	00	0.07	-	9	00	00	9	90	00	00	00	10.	•	.02	00.	00.	90.	F.	1.44	00.		00	.03	6.35	.28	3.54		70.	•	.05	.02		.00	
KTHL		. 70	9	1.	-	9 6	:	7.4			**	2	67.		. 32	-				5.		2.47	2.17	. 29						25.	2,33	. 20		117		-25	7	-	2.51	.61	6.16	. 12		. 19	.23	12.62	1.74	10.82			C	1.17	1.03		2.65	
DATA		SRI 9224	SHT . 9219	30F# TEP	CET 6901			62 57 53 46	2010100	3035000	65867859	68 40 10 80	GS PC 76 58	65010332	65010335	65FC7985	GS FC 3209	GS FC5685	GSFC3/86	65703766	00 TC 37 37		65876577	11 year 11	1010100	00100100	2667790	G2 C 27 7 2	4408045	E TOS DASE	FE E CA 50	10 SE JASE	90 90 34 50	1010160		GS PC 38 29	68 16 27 39	GS PC 98 32	SPI 9225	65 70 68 38	GSPC6800	GS FC 2173		GSPC5115	GS PC 6894	GSFC4590	GS PC 9158	GSFC9161	GSPC9122	6S PC 9 1 2 5	65 FC 1054	GSPC8294	GS FC 86 06		GSFC0738	
RATIBIAI		SSTID/ULTONGE RESTRICT THE STATE OF THE PROPERTY OF THE PROPER	7737 # 1982/12 B.M. 15	TOPPE STEPPE	HACAR 1A	CTHC TITTOIN	RICALTA CORSO	LARIBATE BULTI-LAYER PUE BIL ESSGI7 PSSGUD P11949	MULTIPLY PC	BINATE M-105 EFOXY/G	HIBRUR N-205 EPOXY/G	HIBLTE 9-3105 LESIN	HIBRER N-4105 MPOXY/	MINATE BANKO 3203-1	SIBATE PAEMCO 3203-1	MALBCU 0517 EP	BIBATE BERA FE-45 BY GR W/C COPPER	NEAL G-10 GEC	DEAL	NERA G10 HEST	FLAME RET		FILCE PABAIL/	THE CHICAGE	PC FCAND IANA		POLYIRIDE/GLA		RIBATS SHIB ALLBING	SUN SHADE	TARVE SEA SEALS	SINATE TURBUL GRADE	SINGTE TIVE GE	SINII TOOMAND CEN	SINKE WEC 3201C OF	STATE OF THE STATE	WESTLEGEOUSE	THE STREET AND THE LANGE TO A SECOND	002 1271CH/F	「「「「」」「「「」」「「」「」「」「」「」「」「」「」「」「」「」「」「」	The block the state of the stat	THE A SOCIETY TO THE TOTAL OF THE PROOF PROPERTY.	•	TOBELECT BAS AS 100/4.5 BW SPORT	PAS AS 100/4.5 BY	IBEALICH DAMPER	LANCH 009 SERI-GLCSS BLACF LACOURS AFROSOL/F	_	O13 AS 4/1 BV BLUE PPOXY WAREL	•	TIE	THOLE ACTION SECONDARY CONTRACTOR	2 AS 100/74 BW 11GBT GEAT		LEFKONEID 109/LE-52 AS 100/74 BJ LIGHT GPAY EPOXY	

ATMCS APELICATION	AIR ACRESIVE AIR ADMESSIVE AIR OFF CRIMENT	MEAN SENSOR 1 INDEAD SEAL 1 INDEAD	eddddd yr
	4444		
CORE	32222	**************************************	255 121 121 255 256 150 150
CORR	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		
ROADS	######################################	E 6	THE STATE OF THE S
1845	22.00 22.00 20.00	2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2	2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2
DATA	GSFC0292 GSFC0171 GSFC1087 GSFC1087 GSFC1087 GSFC1087 GSFC676 SBI 9312 SBI 9315 SBI 9315 SBI 9315 SBI 9315 SBI 9315 SBI 9315 SBI 9315 SBI 9315 SBI 9315	68FC4160 69FC9215 68FC9216 68FC9365 68FC9719 68FC9737 68FC9721 68F	GSFCGT10874 GSC10874 GSC10878 GSC10882 GSC10882 GSFC5180 GSFC7748 GSFC5180 GSFC6914 GSFC6914 GSFC6914
ALTERIAL	LEPROBELD 46/14-52 AS 100/74 BU TILICU/GEREN PROIT LEBRONELD 46/14-52 AS 100/74 BU TILICU/GEREN PROIT LEBS BOND C-59 A/8 AS 50/1 BU LEBS BOND C-65 A/8 AS 50/1 BU LEBS BOND C-65 A/8 AS 50/1 BU LEBS BOND C-65 A/8 AS 50/1 BU LEBS BOND C-62 A/8 AS 50/1 BU LEBS BOND C-62 A/8 AS 50/1 BU LEBS BOND C-62 A/8 AS 50/1 BU LEBS 113:00 E 160. LEBS 100-111 PCLICARBONATE LEBS 100-112 PCLICARBONATE LEBS 110-112 PCLICARBONATE LEBS 130-112 PCLICARBONATE LEBS 130-112 PCLICARBONATE LEBS 130-112 PCLICARBONATE LEBS 140-111 PCLICARBONATE LEBS 140-112 PCLICARBONATE LEBS 500-PCLICARBONATE LEBS 50	LIGHTE CRYSTALS EMCARSJUATED IN PLASTIC/ADRESTVE LOCTITE A RED ACHESIVE LOCTITE A RED ACHESIVE PROG BOLTS LOCTITE A REL ACHESIVE PROG BOLTS LOCTITE A REL ACHESIVE PROG BOLTS LOCTITE B REALING MOUNT VELLOW PROM POLTS LOCTITE B REALING MOUNT VELLOW PROM POLTS LOCTITE C BLOL ADMESIVE PROM BOLTS LOCTITE C BLOL ADMESIVE PROM BOLTS LOCTITE 22 MILD STRENGTH AND BURNE LOCTITE 22 MILD STRENGTH AND ROPE LOCTITE 22 MILD STRENGTH AND ROPE LOCTITE 24 MIGH STRENGTH AND ROPE LOCTITE 27	290 MEDIUM STRENGEN DEN 324 ACT 707 325 ACT 707 1 325 ACT 707 1 325 ACT 707 1 326 AELREE W 35/LCCQUIC PELMER M GE 601 MIGH STRENGEN ADMES 93-13 SUPEE EOMORY ADMES 99-13 SUPEE ESSANT TUBING ACT SUPER M SUPEE ESSANT TUBING ACT SUPEE ESSANT ACT SUPEE SUPEE SUPEE ESSANT ACT SUPEE SUPEE ESSANT ACT SUPEE SUPEE

APPLICATION	IUBRICANT/GREASE	FCLD CPMD		こうさん こうかいしょう	IACOURT COMME			MAISMAG WILL	COVEL	FAG HOLD BOWN		STREET CONTRACT		SETE CO SETE	SETTED GETT						487	-			4 h			4 % R 3					V 62 15 15 15 15 15 15 15 15 15 15 15 15 15		AND UMAL		## ## ## ## ## ## ## ## ## ## ## ## ##			INSULATOR	\sim	FOTTING	PRIMER	FEINER	In PP EGUA TO	AA VRGUID B	PDH FILM	ADR PILA		ADE TILE	ADE FILE	AUGESTAB	HOLD CPND	
ATROS					ATF	dit	F- 3		ī								9	5 A		# : ·	110	1	1 1			5 P	4		1011	4 4	1 1	111	414	2	100	a F	1 1	414	AIR		AIB	A I P	AIR	AIR	RIN		AIR	AIR	AIR	Ξ:	# I #	8 T 8	:	
CORE					94	121	121	. !	125								•	2	7 0	790	121			7	7	2	25	100	671	, a	5	7 7.	Ç	,	57	36	ž	3 %	9	;	100	95	25	52	149		149	127	165	17.	165	204	;	
CORE					31	. . .	2 H		=									E 9 7	8.3	2 4	# 7							E 9	-	1 :					H 7			ě									258				H 06			
CACH	14.59	90.	5	3.		•		00.	.21	-01	. 3	60.	.01		-:	-	5.0		9	9		ć			71.	•	-	9.0	9.6	20.		ā :	:		֖֖֖֖֖֡֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֓֡֓֓֓֡֓֡֓		3 6			00.	00-	4.06	.23	00.	6.	91.	*	.08	.10	.01	80.	•	.03	
1 k 1 k	51.00			70.		;		1.25	2.12	* ·	90.	-22	. 29	ĒĊ.	50.	9.					3. 12	4			1,22				17.		00.		11.13	2. 33	14.73		7			3.21	2.06	65.9	B. 99	11.35	9.38	.67	1.03	96.	.12	1.27	75		.13	
DATA FEFSBANCE	GSFC8264	S: I 9322	6510583	CF0C7420	100 TO 10	7670710		62FC5020	GSFC0903	GS PC #5#0	39714501	STT 14503	65FC5411	11.000.00	G FC 44 12	34 F 1 3 4 6	G35C8337	GSFCESS	01 91 1 1 4 5	SPI 1012	65 FC / 343	1013041	6550337	66 (0) 363	185 CO 155	GSECSEM	62103389	68 62 68 91	GSPC6384	52 FC 5 1 25	0256750	GSFC3401	65 PC 24 0 3	55 FC 58 51	02 PC 8000	620,10864	11267166	100000000000000000000000000000000000000	200	GS PC 85 31	GSFC 85 34	GSFC9164	GS FC 15 13	Gerco494	GSFC#322	65 FC 32 11	3SFC4962	GSFC2699	S31 6524	GS FC5260	SRI 6525	GS PC 5549	35FC2911	
		LPWICAN MITO FOINVINYLCARBARCIE	4 385-3 FILM BLACK LIPLOW ON FABRIC		T T/ With User Alichimal	DESERVED - CHARACTERS A		MACRONA 9626 FOIYESTER PILM/2 SIDE ACF ACH MIN19/F	MIGIC WHIC PECPEDED CHAISION	ARGMET PLANTELE STRIP 430-1016	MAGNET BYIS CLAIING ACTIVE POINTY	ARCHES BILL CORTING FOLKUPRINSE	ANGREE SITE COATING TER TEPICH/DURAD	ARCHEL SILE REPRESENCE POLYTRPEARLEZE (CCATING ONLY)	SMCSNI SINK RESEAR SI POLKISION	THURST'S BILL A-58%C	ARI-60 MOLETEG CEMB - GPAY	SECTION CONTRACTOR OF THE	MARISET 645/553 AS 5/1 BH TOOLY	4131SET 655/555.45 100/7 BU EPOXY	ARPRES 7224 BLACK INK		7224 GPERM INK 497-	7224 BRITZ IND	7227 BELLIE INK PAST		7251 Shite INK SLOW	7252 SH11E INK	ILACK INK	7965 MH11E	14 1 7 7 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	RESEARCH 1906 PRISE THE	SERVICE 00029 ELIZE IER	BKTHS MYLAM L-124/BLACK	APSTRE BORD GP6 FOLKESTUR COFOLKER	1	C-10 A/B AS 9/2 EF	C-30 1/8 45 95	10 1/1 21	COMMITTED BY BY BY STATE OF THE STATE STATE OF THE STATE	CONTRACTOR OF THE STATE OF THE	ANDER CIECATE THE TAX OF SAME CLASSIC	2011110 17:1 17 17 17 17 17 17 17 17 17 17 17 17 17	THE TAX OF THE PARTY OF THE PAR	ESTABLISHED TANGETHER THE POTENCIES AND THE TANGETHER COPOLINES		ANTERCHO 1113 MECKY SUPPOFIED FILM	METLECHD 227 LECKY FILM ADRESIVE	BCHD 328 EPCXY	METIPOND 329 CLUTH SUPPORTED EPOXY FILM		ANGPERTURE BEEC/19 AS 14 CAT BE	HP 1006 PCIYERCEYLEMA/GLASS AS 70/30	

AP PLICATION	BOLD CPIED			CORD AMBIET			1001						1071		TH SOLA TICK		STORE	51.254OE85			2 SIDED TAPE		84	i a a		M				SIDED TAPE.	2		2		-	Z SIDED TAPE	11	<u>1</u> 4 (1 4)	ו גי	M 1	4 1	•	4 E	3 0	TERMSTER TIPE		TANK CAN TANK	!	a p	a p	1 &	1 4	IN TRPE 2 STOR
7	1104							7		E CA					5 1	I A B	PIP	11	101	TAPE	2 8	444	1482	14 PB	11 PB	TAPE	SA PE	11 PE	TAFE	(N	(A)	TAPE	14 FB	TAPE	1115	N 1	14 PK	14 PB	14.6					4107			1 3 5	187	111	4 4 4	4 4 4 4		4110	FOAM
ATHOS	MIN	AIE				7.3	24.4						41.4	\$ \$							A 16	AIS	1		AIF			PIE.	111		AIR	1-2		1-2	į	411															A T B	£	A 1 A	•
COSE	149	5		2 :		:	9,70	ם פיל פיל כ	2					3							121	10			125			121	130		130	120	120	120	,	121															150	2	121	!
CUNE	E.	E		E 6	E 9		:	= ;	5				9	3							38	;		Ŧ			38	104		308	16 H	168	16 H	. ;	7.1															744	11.7	# #	į
#CACH	.0.	ē :	5	9 4	,	5			6			•			90	6	6	9.	2.74	90	2.13	2.50	.27	ő	.02	35	.05	.42	1.04	00.	.07	. 25	-05	. 19	-5		70.	.23	20 i	7	5:		9 6		?		2	-	-	, , ,	2.29	7 T T T T T T T T T T T T T T T T T T T	,	.22
	.22		7	7.			70.	67.	6	4.14		9 6		20.		2.82	1.19	1.20	9	79	9	6.26	.51		38	1.90	2.16	1.19	2.96	1.00	.93	.58	.20	=		1.42	E .	-	÷ 1	5	1.62	7.7			7 4	* *		1-02		80 9		1 30	2 4 6	7.64
DATA	GSFC#927	GSTC8930	155 FC 0 394	65EC67436			200000000	e: reserv	SE SPANNE	00 BC J4 J4	8756 7497		1001100	001750	9011345E	AL PAD185	258525	668676	GS FC0269	COND. 180	GSFC3117	(\$5 PC 33 39	3SPC7784	GSFC7814	35 FC5262	GS PC 1738	GSF: 05 18	GSFC 3918	3SFC1564	35705079	-35PC 1828	GSC10062	G3FC7871				-			65FC=248	GSFC 136.3		1705 7100		10117171	02 BC 04 30	2000000	10 YC JASE	03010360	52713610	53113610	61 69 Jase	657.1915	GS PC 56 51
d si de	43AF-0134 MCLUIDG CEND - ELPCK	AF MOLDING CEND - BLACK	C STACE BILLEY -1 TOP	ECITS W SALS SILVE	CARCAL MACCINES OF A CONTRACT MICHAEL MACCINES	ALCOHOLD OF SECTION STREET SECTIONS ASSESSMENT SECTION OF SECTION SECTIONS ASSESSMENT SECTION OF SECTION SECTI	TOPE ADDITION OF THE PROPERTY	TERRIT IN O.C. /CJ P		CONTRACT TOTAL SECTIONS	TOTAL THE MODEL CONTRACTOR	E. A. J. E. E. J.	THE PART CONTRACTOR TO THE PART CONTRACTOR C	はいいよいとし、 ましがら しまむなだいいしひ こういいじじき (こうさいりはく こうけい) ちゅうしき チョカチ しんしじ いまんじ マンドリントリン	THE TANKS OF THE PROPERTY OF T	CALLES OF	こうじょう かいかい アンドラン・ファイン アンドラン・ファイン アンドラン・ファイン・ファイン・ファイン・ファイン・ファイン・ファイン・ファイン・ファイ	THE STATE STATES	コピューション・ファン・ファン・ファン・ファン・ファン・ファン・ファン・ファン・ファン・ファ			Bats: AIDS LSTI-A age-			TABLE 1-1205 KAPSON/AC	CHARLES CONT. A MARKET		THE REPORT OF CHARLES	**************************************	TARE T-1255 KAPILN/TH	TAPE I-1255 KAPTUK/TH	1 TAPE 7-1267 ENBOSS AL	11FE 7-1267 EMBOSS AL	H TAPE X-1267 EMBUSS	H TAPE Y-1267 EABOSSED	H TIPE V-582 TISSUE FO	Thre Y-8437 Alum/HY	TAPP Y-9040 2 MIL A	TAPE Y-9050 ALUM PO	THPE 1-9133 GRESS POL	TAPE 7-91844 GOLD LEA	# 17	TAPE 1-9224 1481-8 75	TOU WOLF OFFICE PRINT	TAPE 1-9339 ALUA FOLL	A1:8/8014 0440-7	00747-1 4441	TATE VERTOR A LOCKE AND TO THE	TANK TOOK INDUSTRA	1752 1174 CLEFER FULL	TAPE 27 GLASS CLOT	27 6114 CTOT R/TH/1910 27 27 27 27 27 27 27 27 27 27 27 27 27	COLUMN STREET SON THE COLUMN STREET OF THE COLUMN S	TAPP 4016 FLAM/2 SING

APPLICATION	2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	
ATROS		
CORR	75 121 121 260 260	25 25 25 25 25 25 25 25 25 25 25 25
CORE	2 www 2 4 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	20 E E E E E E E E E E E E E E E E E E E
SCVCB		
1877	1.00	5 - 1 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2
DATA	GSF66166 GSF66166 GSF66166 GSF66166 GSF66166 GSF66129 GSF62296 GSF62296 GSF62296 GSF62296 GSF62296 GSF62399 GSF626140 GSF623996	GSFC 1252 GSFC 1402 GSFC 1401 GSFC 1234 GSFC 5733 GSFC 5
Terrando de la companya de la compan	TAPE 415 SCUTCHERS TAPE 420 SHILLIAN TAPE 420 SHILLIAN TAPE 422 LEND FOLL TAPE 422 LEND FOLL TAPE 425 ALM FOLL TAPE 425 ALM FOLL TAPE 425 ALM FOLL TAPE 426 TARNSFAR TAPE 460 TARNSFAR TAPE 660 TARNSFAR TAPE 67 TARNSFAR TAPE 67 TARNSFAR TAPE 67 TARNSFAR TAPE 66 TARNSFAR TARNSFAR TAPE 66 TARNSFAR TARNSFAR TAPE 66 TARNSFAR TARNSFAR TAPE 66 TARNSFAR	TAPE TO STILICOUS FOR TAPE TO STILICOUS BUT TAPE TO STILICOUS BUT TAPE TO STILICOUS BUT TAPE TO STILICOUS BUT TAPE TO STAND TAPE BOOD VALUE TAPE TO STAND TAPE BOOD VALUE TAPE BOOD VALUE TAPE TO TAPE BOOD VALUE TAPE BUT TAPE BOOD VALUE TAPE BUT TAPE BOOD VALUE TAPE BUT TAPE

1													•																																					
	APPLICATION	PAINT COMPOSITE	EAIRT	PAINT	FTIRE		PATET		PAINT		FLIST		PAINT COMPOSITE	•	*103 and			FAINT	SI AL ANT			LOBRICANT	FOAM			# 1 C 1		POAR	:				CONTO	elestoner	ELASTONSE	ELLS+Case		BOLD RELIASE		PORESTAR.	C. b. 7 1847		IGBRIC ANT	HCLD BELTASE	FLASTCARB	ELASTORER	FAIST	FAINT	FAINT	PAINT
	ATHOS	ATR	111	-	775	T I	2 :	1	Ξ	1-5	=	# Y	717	AIR	5 2		9	FIR	VIR VIR	AIA			:				AIR	717	A I B	:	# T 4	11	1					;	# TE		# T T	4 I 4	i I				A 19	AIE	A I B	AIP.
-	CORR	25	65	9	52	121	121	Ç	121	95	52	200	9	120	5 t	; =	: =	99	52 22	 •		•		120	ָרָ בְּ	<u> </u>	100	52	100	:	77	125						ř	0 3	Ç :	? ¢	901					95	150	150	95
	CORR	25	70	7	70	248	5	7 S	2	728	248	200		308		= =	. E	H 0 +	5r 24 H	24B			į	12H	===	100		30	3 JE		= 7	896							H 6 7	B 0 0	2 4	2 R	!				#9	H 9	9	£
	KCVCR	.12	-02	.03	90.		5		.02	•	9		-0.			•		.07	1.78		.23	1.25	. 50		80.	ē	•	.13		.7.		9 6	9	00.	.35	.10	.23	BC.		-	č	. 0	6.76	4.72	00	50.		00.	. 35	5.94
	MTB1.	4.82	2.68	2.85	3.09		2.91		3.33		3.18		2.76		:			3.00	40.24		1.03	3.20	3.13	1.25	- 29	,	•	.42	٠	3.05	ř.		121	50.	3 .	.24	.67	۳,	11.66	4.55	11. 7	4.54	13.19	10.42	ō	.07	1.0	=	\$6.	10.90
	DATA	GS PC 2293	GS PC 3087	65FC3115	GSPC 2095		GSFC5118		GSPC5310		6SPC6302		GSPC 7031			21603169		GS PC 29 35	GS7C0728		GS PC6986	GSFC6008	GS1C4508	GS FC45 10	GSFC4732	ar 540800		GSPC 4736		GSFC4512	65 FC 45 14		65FC6305	GS FC#398	GSFC#396	GS FC4 394	GSFC2857	GS PC 5975	GS PC 57 77	62FC3029	1001000	GSFC 134	GS PC 56 53	GSFC9314	GSPC0083	55PC0086	GS FC3331	GSPC 3469	GSFC 3499	GS FC3117
	TIETI	ELE ADT FILES OFFE TIEC CRECART	MR 401-110 A/B AS 3/1 BT	AO1-110 A/B AS 3/1 BV WHITE	401-110 A/B AS 3/1		HRB 401-C10 A/6 AS 3/1 BV VRLVET BLACK		HEM BO1-C10 A/B AS 3/1 BV VELVET BLACK		MER 401-C10 L/6 AS 3/1 BV VRIVET BLACK		sam antacto wilver miles over E-sciner 3022 inydr			THE 403-C10 A/6 AS 3.3/1 BY VELVET BIACK		MAN 403-C10 L/B AS 3/1 BV VELVET BLACK	THE SECTION OF THE STREET		BOBLY-PRIN 355D POLYCENTRING PASTSHER		HOMSANTO 1635 PCLYETHER-DESTULMS FORF		HORSERTO 1835 ECLYKISEN-UTSTEARL POAR ISCPROP 415H.			MOSSESTO 1835 PCLIZIERE-TPSTREES FCAR METOR GASE		ROBSERTO 3865-F POLYETHER-UPETRINE FORM	Γ.	SOUTHING TO SE BLECK FLOORSE STORES AS FRANKS		1059 FLUOREL FLUOROCARBON			1485 FCINULEHRADE FILM	224 H	2402	MS 2704 SILICCUE ADH		ES 74 WRITH COATING K2SIU3/1104/380/AL2U3	122 PIDOFOCALBON	HOLD PELFASE CH			GREEN FAINT OF 650/CHRCHIC	1018 GESEN FAIRT OF 6	A 102 ELACK FAINT CARDON BLACK	_

APELICATION	PAINT	FAIUT	FAINT	FAINT	EAINT	FAIMT	FAINT		EAINT	PAINT				CELTER SEPTED	PRICE BEFREE	STATE ASSESSED			11 LM / 3 M 3 S I			JAKS				3 6 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	150	-	TALE TARE		24.1							1475	***************************************		2 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6		C SIDED TAPE	CTOST LETS			JED INC					1 d d	1475				241
MINCS	114	AIF	1 I K	A I R	AIR	AIR	AIR	AIF	AIP	AIF				9	# 6 # 6	-										:	414				414			:	1	C .		, ,	0 \ 4	9,	9 4	9-1		C 4		,	e I		:	FIR			1				
COLL	25	100	150	95	150	95	25	. 02	20	20	1			•	2 :	2										450	20			•	001				200	150	05.0	C 7	C7	פינ	9	3		9 6	9	4	001		;	7				171			
COFE	36	#8#	6 P	E9	H 9		168	24 H	28	28	:				5 5	E .											9.7				H 1						# 7			•	•	•		E 0			H . 7			P 7				Ē			
4CVCH	.02	•0.	.22	.58	90-	95.	00		. 23	56						3:	7.	7.	9 6	7.	9.	֖֚֚֡֞֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֡֓	10.7		7.1	70.	90		•	1.28	1.03	5 ·	5	5. J	7/-	60.	£0.	17.	•	*		5 n ·	0.10		75				70.	70.	95.		c.	07.	5.	61.	Ś
THEK	7	2.24	.67	1.40	.58	1.78	1.66		2.30	2.75				K C .		70.	77.	07.	7.	5 T.		5.13	,	1.5	7.69	60.7			3.22	1.90		1.45	. 23		-	.25	6.	76.	(.5.		6	90.	۲. اع	ָבָּיבָּיבָּיבָּיבָּיבָיבָיבָיבָיבָיבָיבָיבָיבָיבָיבָיבָיבָי	76.4	66.2	5	69.	69.	0		F - C		.21	5.60	1 7.
DATA	G5FC2023	GSFC2137	GS PC 3497	25 11 24 25	CSPC 3467	63 FC 33 33	0 SEC 8906		41613455	6517177	96677436	99 (40 40 40	000000000000000000000000000000000000000	66/60/55	35.113207	SF 1.13206		91.67 I 42	21.61	GSFC 3307	GSFC 1/38	SCIOIRR	55 FC 36 17	15 FC 47 02	GSFC 1951	5 P. I. 1 36 1 /	ST 1 36 18	G 58C6329	G7FC0563	SPI13612	ST113613	GS PC 7967	65 PC 34 75	SEI13605	SE I 1 3606	GS FC5284	SYC	GSFC6401	1	-	_	-															GSPC 5921
AATERINE	A S BOACK COASTA		A SO DEVAL CATES	10 68140 35188 60 0	10 12114 11112 10 1	2 Carte 1111 Co. 1		a yes clack cate	10.00	71748	CONTROL FERMIN	MAGING FILM W/	A blo - / MIL FILM	HCTCS ENSI	CITESTEE 12 MI	OIVESTAL	500	HIAE 100"	~ 00	TATE 4	1100	Ther	721	TAFE	1111	1111	TAFE	TATE	TAPE	3382	33.67	Cak:	TIFE	1162	1112	MYSTIK TAFE 7361 KAPTCM/SILICOME ADH/F	THEE	TAPE		Thee 736	STIR THEE 736	STIK TAFE 736	STIK TAFE 736	FE 736	STIR TAFE 736	ETIK TAPE 736	STIK TAPE 736	STIK 11FL 736	STIK TAPE 736	STIK TAFE 736	STIK TAPE 737	STIK TAFE 737	STIK TAFE 74(STIK TAPE 74(STIK TAPE 747	MYSTIK TAFE 7430 AUBBER BASE ADFESIVE ONLY/F	TSTIR TABE 743

S APPLICATION	2471				11.93	2441	MA MUPLATO	MANBPLATE	DAMPELAT 2	A DRIEST VE	ADR FILM	ADM FILM	TARTELY	ILMINATE		総計画は一部の一部の一部の一部の一部の一部の一部の一部の一部の一部の一部の一部の一部の一	FLIFT	CFT CMRSET	THERE ! STREET	SEAL	Carl Carl		CONTING		CONTING	LOBESTAR		FILM/SHE ST	FOAR	FOLH	FOAM						SHRIFK TOBING	FORM	HCLU CPHD	INSOLATION	HOLD CPND	1111000	3	COMP COAT			ED CATOR	CTT ERSENOTE		VIEW COATING	SIRE CONTING	
11808			110	i	AIR				•	T I B	4 1 1	II) IF		AIE	i		¥ .	1 1 4							AIR	FIR				AIS	N I E		-	Ş	8 8							1	¥ 1 ¥								
CLEE			15.0	:	150					25	165	165	125	120	180	į	Ç;	Ç;	7	2						25	171				52,	C 6	7 6	7.	3.5	9						;	C C	2								
CURE			24.4		7 H					248	40£	90H	E 0	E 0	# 7	į	?;	2 4	5 E	•						308	E				258				-	16.						;	H + 7	2 2 2								
KCVCR	.03	ָרָ נֻיּי	1. 36	.73	.81	80.	.30	-	85.	-0	=	.05	90.	.02	;	F0*	7	9	3	5	10.	0	0	50.	.05	00	! ! !	.02	9.	.07	.01				9		=	9.35	00.	-02	00.	9	9.				70.	200	00	.23	1.	90.
KIFL.	.25		1.71	1.17	1.02	.21	. 63	2	2.65	. 59	1.00	1.21	69.	04.		7.26			•	90.0	-	. 32	51.	. 12	. 28	.61	! !	3.25	2.00	.30	1.19		2	1.12	5	•	. 78	15.49	.17	.03	. 25	2	9.7		7.0	2		7.3	1.43	1.34	1.17	2.40
DATA BEFERENCE	GSFC1714		S91 136 16	SAI13603	35 I 1 36 04	GS PC 6539	GS PC 60 10	0 SFC 6932	12 FC6479	GSFC 3257	GSFC10PM	03 FC 09 PH	GSPC4059	10/10/10 B	30 30000	GSECOLO	2007100	06767430	76600160	GSPC6667	3S FC09 39	GSPC1660	GSPC 1603	38FC 1597	G9FC 1669	GSFC9521		1067 ISS	GS#C0005	GSPC0004	GS PC 46 70			05 PC 00 5 1	05FC0054		GSFC6071	GSFC2342	GS PC 9 33A	GS PC 3574	GSFC9353	GS FC 6 7 0 7	65 FC 8 15		65 67 67 65	CACCACAC	GSC 1025A	GSFC9524	GSPC#806	GS PC 4298	GS FC 4296	GSFC4226
TESTE	MISTIR CARE 7452 ALUB POIL/ACPTIC ALIA	TAFE /455 ALUR	STIR TAPE 7455 GLASS	TASL 7503 TSPLON	BYS"IK TAPE 7503 TAPLOS/SILICONE NOR	ATSTITUTE TO 1202 INTONVENTINOUS PORTA	MENZELATE AMCEIZED ALON W/34 TAPS OK7 ADH/F	SANSTATA DECLO ALCHIETA VANCE CON CON TAINER OF	SPEEDING 3655 FIRCK/ALD4 DVC F/402/F	MARYCO 3135/7111 AS 1/1 BV PPOYY	EPHACO 328 SERET ADERSIVE	ERSHCO 329 SERE AURESIAN	HCC 550/120 L	TYPE EFORE		TENDER PROPERTY AND THE PARTY CAN BE THE CAN BE THE CAN BE THE CAN BE THE THE	THE CONTRACT TO THE PROPERTY OF THE PROPERTY O	THE STREET		SECURETE E CASKES SCAL	MP 1006 PEC/FIBER GLASS AS 70/30	EOLS	MICKEL DOLL FLAIRD ALUSINON	SICKLY B GLOSSY PLATED ALUMINO	MICKLE BLACK/CCEFES/ALDMINN	MODY FOND BYK-10176 LX-125 THEPMOSMY ADM/F		HOMPY 5 PT EGIYANIDA		6302	MORCO 6500 PCINUEZHAMS POAM - MHITE	***************************************	からない また ロイイラ ボンファーラ ついこうき	J106 CLYDEETHEN			MOTPLEY W221 PCLYOLZFIM SHRIMK TUPING 2P*-SHEDMK	MORTON ENT VIBELITION DAMPING PORM	EN 265	MONATE GRAND BECK PRO		HOMAL-HODIFLEY PROFILE AND AND AND BUT HAND AND AND AND AND AND AND AND AND AND	THE THE WAS IN S BY WALLY	THE THE MOTIFICATION OF THE PROPERTY OF THE PR	コンド・コンコーフト アンド・コンド・コンド・コンド・コンド・コンド・コンド・コンド・コンド・コンド・コ		EVILLE STATES STATES STATES OF A STATE OF A STATES OF			PAGEST WIFE INSULATION - RED	WINE INSPIRATION-GRAPH (COATING	IIP-AMILSTATIC OF

OF ROCK CHARRY

! !	}																					•		٠	-																										
APPLICATION	STRUCTURAL METTING	CLOTM	100			FILE/SHERT	COMBECTOR	C BING	C BING	DELEC O	CHIEC	COMP COAT	COMP COAT		10774				ACCOUNT BURNESS			DETECTOR	ESTECTOR	ADRESIVE	FILM/SEEST		FAINT	FOAM	FOAM DAMPER	FOAM DAMPER	FOAM	FILM/SEERT	FOAM	LDRINIA	2901	ADBESIVE	БОХИ	FOAM	FOAR	FOAM	FOAR	FOAM	FOILING	INSULATION	PAINT		FAIRT		FAINT		
ATROS			AIR	419	į							718	T T	AIA.	414	•	114	4	6.1					AIA	i	AIB	AIR			AIR		AIR	į	# F	¥ 7 4	118	5	AIR	AIR	AIR	A IR	AIR	AIB		AIR	AIR	A 16	4 F	P I K	A I B	9-1
CURB			51	125	•			-				175	175	121	3		2	100	671					25		25	25			100		125	;	2 5	5	5 £	3	100	9	100	100	100	125		9	52	- 6	. 95	; <u>%</u>	11	93
CURE			728	288	•								= :	= ;		:	=	9	8					1 0	!	728	7.			16 H		308			5	# F	E	24H	2 MH	24H	24B	248	B		= :	2		16H	# ¥	2H	24H
#CVC#	8.0	.0.	9.6	700	.05	-17	.03	.29	.03	3.31	1.61	.07	0.	. 32	70.				3		7.39	00	50	0.	.02	00.	.03	.13	.08	80.	-07	-0-	0	- 2	ָרָ הַ	5	-	-	0.	٥٢.	02	-05	.03	00.	.00		.23		.07	,	
STAL	2.02	1.02	= 3	7 6	2.71	3.40	.91	1.12	.21	8.35	5.78	- 25	5.15	2.59	ָּהָ ק			•	76-		12.26	2.06	8.87	.30	60.	2.66	.59	09.		64.	1-28		- 92			5.	.47	. 29	.91	. 12	. 81	=	. 16	00	1.50		2.04		2.92	• •	
SATA REPERBNCE	GSPC6860 GSPC 26 11	GS PC5 139	GSFC2569	62 67 74 75	GS PC 7 190	SRI 7902	3SFC3259	GSPC5655	GS PC 5657	GSFCB123	GSFC8096	GSPC7802	GSFC7805	GS PC 284 1	05 FC 22 30	GSFC 2242	65863845	000000000000000000000000000000000000000	300000000	0202745	2767450	GSFC3313	GS PC 3311	GS PC 64 97	S31 7911	GSFC2328	GS FC7140	GS PC 3764	GSFC4304	GS FC 4 3 06	G3PC6017	SEI 7910	GS PC 6029	GSFC//90	62FC 172B	GSPC4974	GSPC#3#8	GSPC#350	G3PC#374	GSPC#352	GSFC#372	35 PC#3#6	GSFC 3662	GS PC 3576	65 PC 896 3	,	GSFC2152		GSFC0954		
AATURIAL	NYLON ND 12-410A 6/6 HOS2 IMPRG NYLON NETTING	WILD OBALGE MIL-C-7020F TYPE I SUBSHADE NATE	MILON MCD PER MIL P-17091	MATCH SILVER COLLEGE TO A SPONWERS A	6 PASTREL - CHATE		5/1101	O BING - SILICONE	BING - WITON A	1109 BLACK MITRILE	NING 5540 BLACK MITRILE	OI 100 CIRSS ERSIN 40% BU IN PTRANCIA	650 GIESS AESIR 40% BY	AND DESCRIPTIONS OF THE	THIS STREET STORY OF		C GUICE I CLOST INC. CHITACOURS (ORCOSTINE)	40011	THE SED FOLIESIES	: :		OPTRO RECT ALBINOR COVER	ORTEC MPCT GCLD COVE	P 400/Ch1 515 AS 1/1 BM SPOXT	7395-121-2	P 764 EPCYN PELMEN NEON 828 PASE	764-12 VHISE SILICONS	-17 FOLTPERTHANE FOAM - OPEN CRLL	POLYBELTHANE POAM 0.062	17 POLTUREIHARE FOAM 0.062 THICK	P-22 POITHELTHAME FOAR OPEN CELL		P-25 POLTUBERHARE FORM OPEN CELL	The sound of the s	FULLESTEE B/CB DERCOIL	e-61 SILICA FILLSD SPORT	P-65 POLYPEHS LERTHANZ POAM BRITE	POLYESHER GARTHANY POAM	FOLTITUEL GERTHANS POLY WHITE	POLYTHER UNETHANS FOAM URITE	POLYTELE UNKINAME PORT WHITE METON MASH	1 HEL	P-82 EPCIT		PAINT WHITE EFOXY PEL MIL C 22750C/F		PAINT 2019		PAINT 2019 OVLE PAINES 2012		

									•																																					
APFLICATION	IACQUER	1ACQUER Adbrest ve	CABLE HOBIT	CABLE TIR	CABLE TIE		C-11 to	C-BI BG	C-BING					0 III	O-RING	C-BING	0- PI NG	0-1116	C-11 16		0-1116	1444		FILE/SERET	FILM/S83BT	ERAT SHIELD	BEAT SHIELD	122170	FOTTIEG	PRITION AND LANGE			COMP COAT		CONTING	COMP COA :	COMP COAT			COMP COAT			PAINT	COLTING		
ATRCS										111																AIR	AIA						AIR	11	# I #		ai v	Y I	AIG	AIR	C .	4 1 4	A I B	AIR	AIR	9-1
TIME	177		971							200											•	2 [543			482	96#			- 4	3,5	6.0	52	001	- 2	6 4	5 2	2	90	20	D \	9 9	2 2	6	17.1	177
CONS		19 E	87							=											1		7 F F			~	308		H9.			24 H	5#	ES:	# 2	E 7	1 Z	16H	24H	169	# 7	E =	248	101	10H	# # #
XCVCII	£.	1.69	0	.01	5	24.0	9		-47	ec.	E0.	2.24	200	2.40	-0-	-02	-36	.09	0	.37	-05	70-	•	.0	.0.	-0	00	60.	5	9.5		•	90.	;	- 50	60.	-05	.05		.03	•	3.5	. 12			
STHL	-27	6.42	.63	3.44	3.13	7/.	1.20	1.21	2.22	.00	.32			60.4	. 17	91.	1.1	.29	010	6.35	.35	-		- 12	30	1.09	5.37	10.93	6.17				7.01		15.1	90 · 7	3, 10	1.04		. 88	. 1		M. 3.1	;	•	
DATA	68804354	GSFC6233 GSFC7193	G SPC 5242	GS PC 5240	GSTC5286	2 1 CO 1 CO 20	65 PC 11PM	GSFC0710	6SPC8684	GS PC750A	48FC8687	GSTC0686		GSFC 2075	65708690	65709506	GSFC2372	GSPC 0677	68 PC 3375	35FC08 15	GSFC0683	65708216		SPT 7919	SRI 7920	45FC6176	GS PC 6296	GS PC 86 57	GSFC5222	65 50 50 50 50 50 50 50 50 50 50 50 50 50		76 540 160	GS FC4988	1	GS FC 3588	GS FC 1/33	GSFC77 39	GS FC 78 32		GS FC 78 35		GS PC 00 36	08 ST C450	0050350		
MATRIAL	PALIDIE PIACE SATIU LACQUER	PALADIM PIECE SATIM LACQUER PALMEN CEMBNI 0014	PARTY CABIN MCCHT	I-TY CABLE	PAR-TT CAFLE TAK LIGHT BYOUR	61-76	TRACKU CHICOM GERTON BROW CHICAGO	Particular Deliver Research Company of the Company	O-PING E-575-6 BLAC	0-FING 1-677-7 RSD	PASKER O-FIRG 1-806-80 BLUZ FLBOROSILICORE	0-FING B-219-7 BTHE	PRINTING CHILD GENERAL BURNERS OF THE PRINTING	PRESENT CHAISE SHOULD NICHTEE	0-51MG S-383-70 TED S	0-FIEG S-455-70 RED	C-FING S-604-7/SILIC	PARKER O-FING S-641-5 SILICORE	0-FING V-747-75 VI	PASKER C-TIMG 2-023 MEOPRER?	BRES O-SING 77-545 VITOR					FCAM 46/CU FS	PBI TOAR 44/CU ST SAMPLY 925-30 POLYERWRIMICAZOLE	TRREAL - POLYBENZIMIDA	12-007	12-007 A/E AS 5/4 BU		II A/E AS 4/1 DW FLEXIFLE EFUAL	PC 17 A/B AS 2/1 BU FLEXIBLE EPOTY CCATING	-	POLYUEETHANZ COATING	PC 18% CM* PART POLYURETHAN COATING/F	HE BOY GIVIN CATTAGO WELLTRIBUTE HER	IG CLEAR 508	TO MANUAL SERVICE OF THE SERVICE OF	PC 184 PCIYUBETANNE COATING CLEAR 50% SH CH3E/F			PO 24 1/7 AS 3/4 BM URBINARE POPULATION OF THE P	5 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		

ATHOS APPLICATION	AIR POTTING	TE FOTTING			AIR SHRINK TUBING					MOTE	2 SIDED TAPE	18 FE	TAPE	35.45	AIR TAFF	IAPE			P-3 14FE	A SLUED LATES	Bla iare				# 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				TOTAL CHILD			PEI MOID CPHD	AIR	PSI RCID CPND	AIR NOLD CPAD		AIR RGID CPND	STRUCTURAL			Ala Cibuciumat Comp Conf - ADS	COMP COAT - ADM	COAT -	•	FLEC		AIR FAIMT		MOLD CPWD	WOLD CPUD	NOTE CENT
CUBI				150		08									149			•	פכו		5 t	C.			•	,				126	671	63	00	149	150	150	150				571			25	1	25	20				
CURE	#0.	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	24H	=		2.5	į								=					•	300	u 7			=	ב ח				11	U . 7		181	E.	24B	248	24H				7 # H			3.0			28				
KCVCH	64.	.02	ć	9		1.75	. 33	8		1,39	11	.0.	.02	1.79	.34	. 70	.02	.55	. 63	.73	-37	9.0		60.				9.0	**	B (•	00	-05	.02	.01	.02	6.	.0.	00.	5			2-18	.76	0.	00.	.01	.01	00.
11.5	1.12	.09	;	5.6		. E	1.42			2.7	-		.7.	1.08	1.35	1.79		1,27	1.30	1.80	1.50	96./	9	67.		6.	67	69-71		2.5	99		•	1.38	1.25	1.56	1.25	3.30	.53	.3.02	1.89	2.30				6	1.95	.27	. 25	. 26	.27
DATA	066#3439	35FC 4992	į	35206074	#075 T S	ON YOU DESCRIPTION	12774067	1000000	11707110	0.000	1919191	10000000	59010450	G 2 F C 20.89	031010	GSPC#684	GSFC () 32	G3FC5276	GSPC-5314	GSFC7121	55FC4402	GS FC 38 54	33108855	55 FC 44 18	33708363	GSFC 0296	GSPC 22 24	CSFC 2185	35 PC 2745	GSFC#270	GSFC3527	15 FC 09 27	0801089	Cercinia	557 9301	507 9302	SE I 9303	GSFC9757	SF1 7207	GSFC4272	35FC4562	GS FC 70 25	65667103	9366 7029	266076000	0207100	2060200	35709140	GSFC8946	GSPC8948	65509142
	20 200-16 FUANEL 61V 560	101-16 FLARE		11 SC 3-71644	TRULINGE II	•	=	LON - CH	7	STATES OF TARE STATES AND ALCOHOLOGICAL TRANSPORTER FOR	7	SWEARCEL TAPE EE-6962 RASTCH/2 SICE SILICORE AUN'T	STREET CHARLES TO THE CONTROL OF THE			1	STREET THE RESERVE OF THE STREET STREET ADDITIONS OF THE STREET	ï	SERENCE TO SEE STATE STORY SILICONS ROEVS			7	7	PERMICEL TARE 422 TELLON/SILICONT ABP/3	TAPE	TAPE 423	TAPE	TARE 621 PIBE	TAPE 921 RHII	TAPE	CPPH FECKY 4/	P 1006 BYLC	PRENIL 8000 ENENCLIC		SCOOL HINGLIC		THE THE GOOD STREET CASE TO SERVE TO SE	Printactation		7	THOUNTS I	PRCTOSOLYMEE 60116 MUD VISCOSITY PCINTHICPINER	PRCTOPCITALE 611AE ELGID POLTTRIOLITES	WISCOSITY FOLYTHIOF HZE.	PITTL CA A/B AS 1 DAGP A/1 GM B CCNDICTIVE ACHESIVE	PITPL CP CCHDUCSING POTTY	PITEL PS DIEZOCCHDOCTIVE FINER A/E AN PRESTAIN	PART WHITE PAINT OI 630/POTABLETON THINKS AS IN DE	TIC PART ACTORDED	PARI ACIORCIA	NCTOBOLA

														•	•	•											•																										
 APPLICATION	BOID CPED						NOID CPHD		WASHING	FILM ADBRETY	5日 日 1 日 1 日 1 日 1 日 1 日 1 日 1 日 1 日 1 日	LEUS	ADBESTVE		100120			#04 r	HOLD CPH D	:	FILM	1114	POTTING	STRUCTURAL	INSOLATION	FILM ADHRSIVE	STPUCTUB AL	ADBESIVE			MOLD CPED		CONTING		FOAT				1100	FILM/SHRET	FILM/SBEBT	POLD CFRD	GASKET SEAL	FRIA RB		FOITING	FOTTING	FOTTING	POTTING	FRIMER		NOID COMD	FCTTING
ATROS									AIR	181	1		A 1.8	AIR											BIR	FSI		A15	A 11	4			474				91.4	111	i		AIR	AIR	AIR	AIR	118	AIR	AIP	PIE.	AIR	9 I 8	11	BI	AIR
CUF E									52	121	•		171	163											454	125		160	9:	•		ž	C7				133	5	}		180	25	25	25	82	8.2	82	S t	£ \$	25	95	25	#2
CUBE									H9	=			38	25											101	24H		7	20H	807		6	2				20.		:		308	72H	# 8 H	28	16H	10H	16H	1,	59	7 4 H	24H	70	20H
KCVCR	9	00.	.01	.02	00.	.02	00.	.0.	1.44	90.	.0.	00.	. 27	,	5.0	3.5		1.87	00	91.	90	. 32	35	00.	-02	.33	00.	.03		Š	9	9.5	3.					200	9	.02	-05	2.78	2.89	-05		60.	= ?	.23	€.	2.29	ì	01.	00.
 TRIL	.24	. 26	.27	. 26	.38	.31	. 24	. 25	17.56	1.77	1.00	.57	.63	:	•	::		35.	1.04	=	.20	=	1.10	.02	90.	1.08	60.	. 25		66			0 4			10.		29	2.29	60.	.07	36.32	57.38	H. 97		.82	-		.92	5.97	•	89.	1.06
 DATA	GSEC9144	33PC8950	GSFC8952	33FC 9146	35 FC 8954	00 PC 9148	GSFC9150	GSPC 9956	GSPC 6972	33FC2627	15 PC 0463	GSFC0460	GSF76431		5.5.4.5.0.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.	2000	61 95 14 5	GSPC5939	GSPC6844	GS PC 4 908	GS PC 4910	GSFC7574	GSFC5779	33FC4546	33 PC 5 144	35010619	GSPC0197	15010111	٠			25.000				E 0.10 14 15	6256333	68708489	55 FC 54 41	SBI 7909	SPI 7908	GSFC 3692	.35FC5503	GS PC 7312		GSFC3151	GS PC 32 15	60/LLTES	GSFC2565	GSFC 24 52		GSPC 3694	3SFC07.85
ANTERIAL	SENECOVERCTOR CHOS WOLL BYD	PRES BASE SENTCOMPOSITOR CNOS. 4044	SET TEL CHOS	PRE ELA CHUS ADAM	ART STUDGITICS 74	PE LIGHETTES 74	SKI SYTT IT	IN TELAS INST 7	APE VASATEM 2	7175 MYLCM/390XY ASH	VS-100 CPITCAL	PLEATERS 11 JULY	٦ ٢:		POSTANTO CONTRO DOR - NOTHINGS THE STATE OF SOME OF STATE OF SOME OF STATE OF STATE OF SOME OF STATE OF STATE OF SOME OF STATE OF SOME OF STATE OF	POSTOCKA TOTAL COOK NO FOR THE CONTRACT OF A STATE OF STA	THE STATE OF THE PROPERTY OF T	POLYCORR 630 125E POLYCLEFTH FILM/RUBER FDH/F	POLYETHER SULECHE 2002 THE NOPLASTIC	POINTENTING FILM ANTISTATIC OF CLEAN	POLYTON NAME AND ASSOCIATION OF THE STATE OF	POIL PTRYING DILE 2 MILS ALAINON PRINCE PROPERTY	POLYPTHYLY E GOMENE CANADADOR	POINTRYLING ULINA HIGH MOINCOLAT WEIGHT	POLYGOM SG-101 COMPOSING GIASS/SE 319 SILICOME	POLYGOIDE LABINATING FILT	PUBCO FOINSTAKEM	POINSET ESC 68 ELUA LPOXY FONDER		2014686 501 B. 108	こうさい こうちょうしゅう こうちょう こうちょうしゅうしゅうしゅうしゅうしゅうしゅうしゅうしゅうしゅうしゅうしゅうしゅう こうちょうしゅう しゅうしゅう しゅうしゅうしゅう しゅうしゅうしゅうしゅうしゅう しゅうしゅうしゅうしゅうしゅう しゅうしゅうしゅう しゅうしゅう しゅうしゅう しゅうしゅうしゅう しゅうしゅう しゅうしゅう しゅうしゅう しゅうしゅうしゅうしゅう しゅうしゅうしゅうしゅうしゅうしゅうしゅうしゅうしゅうしゅうしゅうしゅうしゅうし	COLVERNATION OF THE PROPERTY O	こうしょうにはなるのでは、そうないでは、こうない、こうないのではない。 こうじょうしゅうしゅう こうしょう しょうしょう しょうしょう アンド・ストー ア	AND STATE OF THE STATE OF STAT	こくにょうじゅうしょうしょう こうしゅう ひょうしょう こうじょうじゅうしゅうしゅうしゅうしゅうしゅうしょう しょうしょう しょうしょうしょう しょうしょうしょう しょうしょうしょう しょうしょう しょうしょうしょう しょうしょう しょうしょう しょうしょう しょうしょう しょうしょう しょうしょうしょう しょうしょうしょう しょうしょうしょうしょう しょうしょうしょう しょうしょう しょうり しょくりん しょうしょく しょくりん しょくり しょくりん しょくりん しょくりん しょくりん しょくり しょくり しょくりん しょくり しょくり しょくり しょく しょくり しょくり しょく しょくり しょく しょくり しょくり	COLUMN DESCRIPTION OF THE PROPERTY OF	FAST CAUC CSF ESTATE CENTS AND STORE SELECTION		PCL1 FEOPYLEYS	FIRMS OXIES	PPO 681-111 CLEAE FOLYPHENTLENE ONIDY	PR 1201-0 1/E AS 1/10 BG POLYSTIPIDE	PR 1221 A/B AS 10/1 BE POLYSTLFIDE	PR 1506 CIEAR FRIMER		1/8 15 26/100 TH	1525 A/B AS B/25 BV PC	TARKET AND POST OF ST. BY SCHOOL TO COMPANY OF ST.	001/97 ST 8/8 17C1	PR 1531 PCLYULLIAME PRIMER			15.38 A/E AS

APPLICATION	FOTTING BOLD CPND COMP COAT	COAT COAT	MOLD CPUD POITING ADMISITE COMP COAT	COAT COAT COAT COAT	FOTTING POTTING FOTTING FOTTING FOTTING	FOTTING FOTTING ADRISIVE CORP COAT ADRISIVE ADRISIVE ADRISIVE ADRISIVE ADRISIVE	NO PER
=	FOT FOT FOT	CO N S	POIT POIT POIT CO BF	4 H O O O O O O O O O O O O O O O O O O	101 101 101	FOTT: ADBER ADBER ADBER ADBER ADBER ADBER	
ATRCS	NI P	A PIR PIR PIR PIR PIR					
CURE	70 60 82 25	82 82 82	20 20 20 20 20 20 20 20 20 20 20 20 20 2	55 25 25 25 25 25 25 25 25 25 25 25 25 2	8 2 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	25 25 25 25 25 25 25 25 25 25 25 25 25 2	25 25 25 25 25 25 25 25 25 25 25 25 25 2
CORR	208 1448 168	2 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	170 H 100 H		3# 24E 16E 16E 9E 72E 25E	2558 3148 550 550 1561 1661 1661 1661 1661 1661 1	26 H D D D D D D D D D D D D D D D D D D
SCVCH	2000	9 9	660 6 8	22 600	0 000	9 00000	.07 .07 .01 .01 .42 .42 .09
Kral	1.94		. 65 1.12 1.57 3.25	3.00	u		. 66 1. 35 1. 35 1. 49 2. 20 3. 43 2. 50 3. 23 2. 32
DATA	GSFC0800 GSFC354 GSFC2354 GSFC8345	GS PC B339	GSFC5429 GSFC6338 GSC10577 GSC10580	GSC10628 GSC10631 GSFC6596 GSC10784	GSFC7316 GSFC7511 G3FC7532 G3FC7400	GSFC7235 GSFC7235 GSFC6341 GSFC9556 GSFC4250	GSFC9482 GSFC3814 GSFC3814 GSFC330 GSFC10201 GSFC1993 GSFC2254 GSFC2254
ALTRUIAL	PR 1530 A/E AS 32/100 BW POITUTETRANE PR 1530 A/E AS 32/100 BW POITUTETRANE PR 1530 OFE. PE 1531 A/B AS 32/100 BB PR 1546 I A/B AS 40/100 BY POITUTETRANE THICK BLOCK	PR 1546L A/B AS 40/100 BW PCLYOPPTRANS TRIM FILM PR 1546L A/B AS 40/100 BW PCLYORSTHANE TRIM FILM	PR 1547 A/B AS 32/100 BJ PCIVIBETHARE PR 1564 A/B AS 7.7/100 BJ PCIVIBETHARE PR 1564 A/B AS 7.7/100 BJ/NV POLYMRIHAME CASTING PP 1568 AFFOSCI UASTHAMS COATING/F	1568 1568 1568 1568 1568	1570 1570 1570 1574	9P 1574 A/B AS 18/100 BJ PCIVURETHANE 9R 1592 A/B AS 53/100 BJ PCIVURETHANE PP 1660 A/B AS 11.5/100 BU PCIVIRETHANE FILM PP 16601 A/B AS 1/4 BJ AMBIS PCIVURETHANE IOT C21828 PP 16601 A/B AS 1/4 BJ AMBIS PCIVURETHANE IOT C21828 PP 16601 A/B AS 1/4 BJ AMBIS PCIVURETHANE PP 16601 A/B AS 1/4 BJ AMBIS PCIVURETHANE PP 16601 A/BCAB-0-SIL 3-5 AS 25/100/8 W/EGMI/DEFOAM 9P 1710 AFMESIVE FOR VITON A	PE 1710 FCLY SLLFIDE STALANT PE 1710 FCLY SLLFIDE STALANT PR 420 ORANGE ELIMER PR 420 PTIALE/ACETONZ PR: 240-AC FLUGACCARBON PR: 240-AC FLUGACCARBON PR: 240-AC FLUGACCARBON PR: 240-AC FLUGACCARBON PR: 250-AC FLUGACCARBON P

APPLICATION	7 18 18		COMP COAT	COMP COAT	TOTAL		18 SULATION	ISSOLATION			IL ASTONET	C-1110	11 15 TO 12 1	CALLY COMPOSITER		ADERSIVE.	COATING	BAINT			COATING		77	COBF COLT	!	COMP COAT		FAIRT CORPOSITE										COATING	† 	COATING			COATED PARRIC			BOLD CP#D				COIL COATING				CONF COAT
A780S		AIR ER				AIR ER				AIR OR		2	, =	ATH EA			_		111		VIN CO	_	-	AIR CO		_	5	.						AIR LI		A78					AIE		5	2	_			AIR FI		AIL C		Ĕ		AIR CC
CURE	25	25	25	100		52	100		83	0				. 25	2	25	22	25	99	121	e .	, e	0	3	25	52			52	150	171	260	121	771		12.	150	6#1	204	149	204	149			;	4 50	£2	22 F	: ;	2	9		35	52
CONS	7	16 H	16 H	24E		248	# 9 #		248	168				28.8	24.8	72H	# 0 *	158	158	1. SE	2 OH	3 :	= ;	¥ 5	7-1	24 H			16 H	24H	# OF	# 7	7	= :	= =	: =	28.	158	30#	158	308	24B				# (2		= ;	74H	E 7		6	7.9
SCVCH	.22	. 19	.19	96.	•	-02	0.	00.	-02	-03	. 23	40	•		•	00	.21	-01			59.	9.	07.	.03		-0	•	90.	.30	. 15	0		-07	0.0	•	-	00	00	,	00.			-0.	-02	.03	.03	9.	•0		. 32	7.28		•	5
STR1.	3.23	5.24	3.45	1.47	- 16	1.01	=	1.36	7:	1.21	. 50			2	•	.73	3.86	1.87			18.29	14.20	13.27	0.31		10.95	1.87	2-86	2-48	1.51	.52		2.37	= ;		?	1,12	96	•	.86			- 50	90.	•	3.49	3-97	2.16		7.72	1.55	6		1.49
DATA	44 PC 2275	GS PC 1198	GS PC 5589	GS PC 5621	GS PC 4040	GSFC6697	GSC10017	GSC10035	GS PC 0506	GSPC0450	SRI12517	AC 40-14-20	63113613	745 5 74 5		GSPC2753	GSPC6557	GS PC 2783			SRI10821	SRI 108 22	65 PC 16 48	GS PC#994		G\$FC 2993	GS PC 1966	GSPC 2332	SRI14023	SP I 14024	68FC 1183	i	GSPC1174	GS PC 7484		TLEU SU	52114502	16050450		GSFC5100			SPI 7.208	GSFC0323	GS PC 0 3 2 6	GS PC 1843	GSFC 3620	GS PC 35 48		GS FC 4284	GSPC 1954			GS PC 48 18
Asterial		PRINCE ALSO CONTRACTO AND THE SECOND		PRINT-ROTE GC 14-2 ON POIL	PROFIL P60/20 FCLTPEOPTLEME FORM/20% GLASS FIBER	_	PROOF BOARD CLOSED CRLL POLYTRETHAME POAM			00-04-10-04-			THE THE PROPERTY OF THE PARTY O	SECULO DOSTINATIONS TO THE PROPERTY OF THE PRO			CLASSICAL CARRACTURES OF CO. 40	PET #61/8-11 AS 16/1 BY ASTITUTE PAINTS			401/8-11 AS	2	4121 1/8			PT 750 A/P AS 3/1 BY POLTURETHAND	PUTTY VACOUS SEALING	PV 100 SILICCEE HELTE PAINT	PV 100 BBITE SILICONE-AINTO	PV 100 WBITS SILICOME-ALKYD	PYBALIE 12 FCLTIBIDZ PBZPBES		PYRALIM 3 POIYIMIDE PREPREG	COPPER CLAD 2 SIDES	FILE POITIBLES AND TRICK	CONTROLLY AND CLOUD BORNONS, ACRESC TERM AND			EC1811103 260 NA	DVDX-RI SE 642 SOLVINION 15 NIM PLASM/COAT			PURE-AL TYPE 1 ECLYINEDS CONTED GLASS	PTEOMAPH STANDAND BHITT STLTCOME OF ALUMINUM	PEROMAPH STABLARD BRITE SILICONE ON PROTE	NEO STA	P4151 BPCYY BEIRES	PS27 DRIMEF RECAT/POLYANIDE		O DOPE POINSINELE COIL CONTING	ž	OF 1886 MVION A/10 188 PIRTH GLASS		

CS APPLICATION	GERNS FOTTING FOTTING ADRESIVE	MOLD CPMD INSULATOR NIRE INSUL WIRE INSUL KHEFUR THENE	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	就是是 原 是 是 是 是 是 是 是 用 用 用 用 用 用 用 用 用 用 用	NAMES INSOL. SHEIME TOBING HIND INSOL. FOITING	P POTTING			PSI FILM ADMISTURE (APPLIED AND ASSIVER (APPLIED AND ASSIVER AND ASSIVER AND
ATHCS	ALE PIE	•	H H		4 1 6	A1R A1F A1F	AIE AIE	A A A A A A A A A A A A A A A A A A A	
CUPE	160 160 25		5	٠	22.23	2020	725 23 23		130 121 25 25 135 160 25
CGNE	30 H	Ę	101		~ 8	24 H 3 4 H 3 5 4 H 3 5 4 H 3 5 4 H 3 5 6 H 3 5	24H 24H 24H		18 18 18 10 10 10 24 24
KCVCR	5000	2.00	2.1.0.0.1.0.1.0.1.0.1.0.1.0.1.0.1.0.1.0.	00000	0. 7.1. 8.8	***	7.25		
KTHL		1.38 29.02 .72	2		. 80	2.	6.39 6.39 6.75 1.60	7.63	1.17 1.96 1.28 1.28 1.38 1.49 1.67 1.67
CATA SEFEFEEECE	6SEC10341 6SEC1711 6SEC1708 6SEC1708	GSFC5431 35C10715 1SFC5367 3SFC5364	63 VC 0242 65 VC 0239 65 VC 4802 65 VC 4801 65 VC 5961 65 VC 5983	6570703 6580703703 65807634 55010143 6580965	35 FC 2302 65 FC 6764 53 FC 3383 55 FC 1504 65 FC 1651	GS PC 1672	GSPC1516 GSPC4706 GSPC6482 GSPC6886 GSPC6886 GSPC7676	GSFC9760 GSFC2513 GSFC2378 GSFC3550	G3FC9527 GSFC6971 GSFC6971 GSFC9530 GSFC9530 GSFC7747 GSFC978 GSFC978
41.755.111	22-3067 OFF.CAI COPPING CORPORD R-199 CYCICALLEHAIC EPOXY "NFILLED P-199 CYCICALLEHAIC EPOXY "NFILLED R-313 A/P AF 25 100/8 BW F70YY	MALTIE 75 PATT-GYEC INTULATION BATEFIAL RAYCHEN CCAK 5026A-1211-9 ONANGE IMPE IMSDL RAYCHEN CCAK 5026A-1211-9 WHITE OUTEF INSTE	PCITY	PATCHEN FOLKLINES NO STATES INCIDENT TO FIND HE PATCHEN FOLKLINES NO STATES INCIDENT TO FIND HE PATCHEN STATES AND STATES INCIDENT STATES AND STATES INCIDENT STATES AND STATES AND STATES INCIDENT STATES AND ST		NO 5-1336 A/B AS 100/65 BW PCIYOFFFEE	NO 4-1336 A/E AS 50/34 SW PCLTUBZIRAND RC-85-1200 ANALSSTRIC POLYZTWYLENE FIN NC-85-1200E ANALSSTRIC POLYZTWYLENE FIN RC-85-2400 ANIISTATIC VILM FIN FRW/OFBES RC-85-2400 ANIISTATIC VILM FIN FRW/OFBES RC-85-2400 ANIESTATIC VILM VC ANTISTATIC CCMP/CLFAF RD 1875-3 POLYUFZTMANZ NO 1875-3 FCLYUEZIMANZ	RD 3327-6/ACC2L 4/F PECAP SI 503 ELMFORCED SILICON HOST REICHOLD POLYLALHAMA FOAN REICHOLD POLYLALHAMA FOAN	PRITECON 390 FILM ALBESTVE GRAY SMILABCHE 7115 CLOTH STPPORT 2FOXY FILM SWITZP CAN — SILICCMA 6180777 REMESANDT ELECK FILT MARKING PEN RYPERANDT ELECK FILT MARKING PEN RYPERANDT ELECK FALT MARKING PEN RYPERANDT ELECK FALT MARKING PEN RYPERANDT ELECK FALT SPOTYOLYFIN GRAND FOXY RYPERAND TOO 100 - 100 MARKING TOO 100 M

CURE ATRCS APPLICATION	AIB CCNF COAT					•	AIL T		_	PIE	AND CICA		IATIBEE		STRUCTUBAL	AIF	917	WYON					AIB	AIA						AIA	AIA	HIN.			AIR	AIR ADR-SELLANT	AIR	110		AIE FOTTING		ATE	AIR COND	AIR		SAISHSEV JIT	į
!		22 g			2 ×					H 25						52							Н 232																		25.		•	30 25	. •	25	•
CURZ	E91	· ·			HOL C		_		_	308						=======================================	=			300					H Z.	_				24H	24B		748		2 E					# O F		248		_		70P	
RCVCH	00	. 6.	.02	5	S .	.22	.05	.17	00.	0.		0		.50	. 07	<u>.</u>		֚֭֚֚֚֚֚֚֚֚֚֚֚֚֚֚֚֚֚֡֡֝֝֝֝֝֟֝֓֓֓֓֓֓֓֓֓֓֜֜֜֓֓֓֓֡֡֓֜֓֓֡֓֜֡֓֜֓֜֡֓֓֡֓֜֡֓֜	=		15.34	1.37	-02	2.36	7	9.0	3		-07	1.63	1.55		7/ -	6.	1.60	1-60	;	1.10	Ç	57.	. 37		. 22	51.	36.	1.01	•
47.41.	11.01	.63	. 16	-81	£.	1.79	.53	1:17	.0.	.51	1.50	2.01	.57	3.46	1.40	4.85	- 1		F C .		85.13	5.50	=	# C			9.6		.37	5.45	2.97	,		76.7	5.52	3.11		4.32	- ·	9.	1.08		.81	.72	1.60	1.96	•
DATA	9890488	48FC#336	35FC2281	38FC0912		G PC 5124	GS PC 5127	G3 PC 5529	35FC7592	35FC5763	EC 04 24 50	GSPC#642	GS FC49 12	GSFC49 14	GSFC5527	GS-C7220		6577297	47 F7 73 C4	•	GSFC9296	G7 FC 22 36	GS FC 2269		68 10 10 10	55 FC 3732		65016640	GSFC9170	SEI11803	SPI11804	3000	CODE 1 1 10	40L117.5	SBI 1 1807	SEI1 1808		GSPC9365	8711178	GS FC BY OR	GSFC#800		GSPC4688	GS PC6563	65010140	GSPC 9068	
IVERIEN	RESIDEL 7200 1/E/Sol 15 2/1/2 BE EPCT COLING	Becom 30-1215 PLASSGAR SEMSTITUE ACETLIC AFFESTUR	BEXOLITY 1422 SITERE	F 1006 BYLOH 6/6	AF 1740 A/S AS U/L DR POLITHENING (NO ROCK CHILD)	CLY ULL THAME PONT	RFF 263 PCLYCLLIBARA FORM GSLY - 48 RT METON BASH	NFI 4536 MILCE 6/6 H/301 GLASS/15g CPZ/SILICCHE	E ONTER CCVEBING	SHCPLSK A-619 PEES SERS ACTUIC RUH/FOIL SAMBRICH	30年间间10月0年度,如此是各种100年上年级,是200年间的基础,并不仅是,是是各种100年度		RIGICAMP 19010-1 LABLERING CHLY	-	FL 4540 NYICh 6/6 K/205 IFY/SILITOWE	PREC 18 A/P AS 4/1 BW CLEAF TPOTY		SOURCE SE AND			SOACO TI SETTE DE SEL BELL COMOR	PR 423 STITCCES FUBBER	HI 423 SILICON BOBBE	MATERIAL CONTRACTOR OF THE CON	THE MODEL OF THE PRINCE OF THE		STANDARD CONTRACTOR	SCHEDE - COOP COORD TO	NATERS EAST THE TRANSPORT SERVICE STATE OF THE SHALL SERVICE		STA 102 BRITE SILICONE			-		RTT 109 CILL SILICONT			11 SILICER	NIA II/I-IZ PO C.OR I-IZ WHILL STLICENT	PTW 11/T-12 AS 100/2 BH SILICONS	•	11/T-12/SILVER KLAKE 0.5% T-12/70%	SILVEF	THE CORPORERS	RTW 118 ONS CONFONENT TIANSINCENT SILICORP	

																										•		•																																		
APELICATION		STITCHER	PDH-SERLANT	PDESTAR	ADERS IVE	ADE-SEAL ART	ADBESIVE	ADBESIVE	THE APS-ROLDING			POTITUE CONTRACT			FECA ES-ROLDING		PHCA PS-HOLDING		10154712					POTITE	COLTING		Posesive	ADE-SEAL-SECAPS		ADR-SEAL - BECAPS	ADRESTUR	A D D R R T V R			AURTHURAL INSCRES	PORESTAR		ADBES IVE	ADBESTVE			ADRESTUR	!	ADH-SEAL-RECAPS				ADMESTVS	ADBESIVE	ADBESTVE	ADBESIVE	ADBESIVE	ADRIGITAR	10101111111111111111111111111111111111		AUBESIVE	ZAISZHOV	FOTTIMG-ADM	FOTTING-ADH	FOTT ING-ADH	FOTTING-ADH	
ATHOS		474	111	114	914	117	AIR	AIR	118		4 .	# T T	PIR	# I 4	AIR	A 1 B	AIS	AIE	1					-	# 1 4	1 -5	AIB	AIB	9-1	AIR	4 1 8	9 4	4		# T T	AIR	¥-1	8 I 4	AIR	9-1	116	4	4	· ·	1	4 0	4	LIE	AIR	AIB	AIR	ATR	3 - 4		4	X I	AIR	AIR	AIR	AIF		
CORE	57	Ç	23	23	25	25	25	25	, <u>,</u>	4	2	C 1	52	ŝ	52	150	25	250	2 4	3	2	200	57.	C.	52	177	25	25	5.1	150	5	, c	126		2	52	15	52	52	75	25	, c	125	ž		Ç	C i	52	52	5 2	52	2	90	3 4	C 7	2	80	52	52	25		
CORR	H 2	# 7 ·	9	70	70	24H	70	2 & H	246		E .	H . 7	Z.	=	8	248	=	2 B.H				2 6		9	2	16H	300	728	7.2H	24.	1500	160			9	300	28.2 2	300	2	09	9	2	. 4			2 6	2 ;	2	2	70	1 0	2		- 6	2 :	# #	I	24E	24H	24H		
SCVCH	 1.07		-	0.	00.	99"	.42	55.	7	•	,	7	<u>.</u>		09.		. 12	!	2		;	• 53	,		0		.76	.35		. 6.0			•	,		=		.57	.08			1,1	•	3.			9	-0	٠.	.0.	.02	9		9	3		•	.03	00.	.0.	.01	
STRL	2.21	.25	.21	7.	.22	3.42	1.59	1.72		:	•		2.06		1.09	•	1.1		,	70.	;			3.59	60.		2.97	. 65	l l	1.03				•	2.52	.63		3.30	54.	•		,	7 . 4	7 4	•	79.7	71.	=	=	01.	10			::		. 12	.13	. 23	*.	-	. 36	
DATA	 GS FC 0770	GS PC 1369	35PC7487	65PC9050	GSC10748	2676795	GSFCB198	M 15 24 20	6011111	27:11:40		SEI 11721	E9111724		SE I 1 17 25		SE T1 17 26			621.7329		GSFC 7362		GS PC 9 160	GS PC 46 16		GSPC5264	GS PC 25 29		90 T 1 1 1 0 0	100000	6286.7350	65rc 1386		GSFC 2661	GSFC6822		GSFC6780	GSFC6782				07447359	740 300 00	62863140	GSFC895M	GS FC 62 36	GS PC 6239	GSFC6282	GSFC6245	06 6 7 3 3 3 3 3 3 3 3	6700000	70001000	636.16863	23C10868	GSFC 5268	GSFC5270	65 PC 1681	GS PC 1357	33 PC 1372	15FC1222	
HATEDIAL	 BTW 910 SILICLEE CPED	Bre 136 SIIICCAR	THE COMECNESS HALT	THE THREE COMPCHENT WHITE	WILLIAM THEM THE THE THE THE THE		ARCICLAND REPORT OFFICE AND ALL PROPERTY OFFI	THE CONTRACTOR ANTER	165 SILICLER	RTW 30/T-12 AS 100/0:1 BW SILICOME		RT# 40/T-12 AS 100/0.1 B4 SILICONE	A1/7-12 AS 100/0.1 BW		ARCOLING FORCE OF CHIEFE BEE	10 : 10 /00		III 41/1-12 45 100/0:1 64 5:LICOTE		Mit 511 .007069 IN THICK		217 511 .007069 IM THICK		ATE SILVERS 9811 AS 6.04 BU CAT GREEN SILICORE	511/1-12 45 0-51			A 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	/ / / · · · · · · · · · · · · · · ·		•		Rtv 560/T-12 AS 0.1% T-12					HE 55 1/6/1 15 10-1/6/1/54 HE	THE CALL AND A CALL AN	- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			71 -1 4C.0/# HB Z/1 ST Z1-1/08/09/ ALT			RTT 560/9811	566 0.07% BM CAT S	SAG C. 075% EL CAT 371	SEC A DRE SE CAT S	111 CT 11 CO C C 200	300 0.038 DE CR. 3.14.	Des U. IX Be CAL CALLORS	SEC C. 1% BE CAT SILCON, 10: JR	566 C.1% BE CAT SILICON? IOT KA	566 0.1% bh CAT SILICON? 107	S66 0.1% Lh CAT SILICONS/DC	7 SAG 0.1% BY CAT SILT	SACK POR HE CAT STLTCOMP	1	12 40 400 BB KT O DOG B	NOT DONG CODE ON DANAGOVA	

ORIGINAL PAGE IS OF POOR QUALITY

APPLICATION	POTTING-ADE	COLLING- PDE	TORESIA					FO11 186			10174			POTITION						TAIDI MADE								CORP COAT	POTTING	FOTTING	FOTTING-BUCAPS	FOTTING	FOTT 18G	fortime-molding		POTTING-MOLDING	5349664			ADB-SELLANT		ADH- FOTT ING	ADS-POTTING	ADH-FOTTING	ADE-FOTT ING	ADE-POTTING	ADH-POTTING	ADE-ENCAFS	ADH-ENCAPS	ADH-RECAPS		JOH-ERCAPS	ADH-ENCA PS	ADH-EXCAPS
A THOS	77				17									N T T													11		T	PIB		TI	AIR		TI	NI V			1	I	AI.	NI R	118	AIR	AIR	AIR	AIR	N I B	A 12	AIR	AIR	AIF	AIB	AIP
CONT	52	25	52	52	Ç	5	0 (6) v	C 7	9	9 (52	S)	Q t	91	S:	Ç	Ç	67) (9 6	3 6	6 7	150	2,5	52	25		100	52	52	150	۲ <u>چ</u>	2	2 4	125	25	150	25	65	25	65	25	6.5	52	9	52	51	9	25	9
CURB	120	5	2		117	7 7	9 :	87	= :	= ;	2	7		2 ;	2 ;	2 ;	B (2 ;	2 5	2 ;	2 5	2 5		2 5		2 2	7.2		2	2		=	3.E	# :	7 d H		, ,	ָ ֓֞֞֞֞֞֞֓֞֞֞֓֞֞֞֞֞֞֞֞֞֞֝֓֓֓֞֝֓֡֓֡֓֓֓֡֡	: =	. 60	24H	1 6H	16H	16H	74H	168	16H	16H	24H	728	7.2H	24H	16H	248
SCVCH	-01	-05	-	.57	-			1.04		•		900			70.	70.	-	0.	6	5	- 4			-	-	3.	•	07	7	-02	. 8 3	99-	. 50	.81	i			17:		1.02	1	7.	- 28	.33	. 35	.21	. 28	. 15	. 23	.22		. 24	. 25	.17
STAL	81.	-51	<u>.</u>	2.99	- 6			3.43		1		7-73		7	7.	9,	· ·	-	Ç.	•							:	•	.72	16	1.82	1.41	1.30	1.30	,	1.25		7/-7		1.69	•	1.36	1.02	1.31	1.09	1.23	1.12	1.38	1.16	99.		.73	. 79	.87
DATA PSFERENCE	GS PC3736	GSPC 3720	GSPC6632	GSFC0281	SKI 118 10		2711118	GS PC 15 10		4746	25 PC 300 9	08107300	1187725	G2 LC 50 19	G2 LC 2013	GS7C 5364	GS PC 3969	6870509	GSFC6032	00707159				00 EC 30 33				08011080	GSC10020	GSC10023	GS PC 0887	GS PC 6757	GS PC 3071	SEI 11814		S1111815	7	01011110	99660450	SPI11728		GSPC0245	GSFC0254	GS PC 0266	GSPC0278	GSPC0257	GSFC0260	3SPC0341	GSPC0344	GS PC 2623		64FC0376	GSFC0379	4S FC 0 3 59
MATERIAL	RTV 567 C.35 BV CAT SILICONY	567 0.58 BW CAT SILICO	THE SAM O. 13% SE CAT SILICORE		MIY 580/I-12 AS 100/0.1 BW SILICOME			-	-		602 764-11	402/SEC 04 AS 100/1 BW	602/SEC 03 45 0.1% CA: LOT M. 203 VI	602/SEC 05 AS 0.25% CAT DEVOL BATCH	602/SFC 05 AS 0.25% CAT DEVOL BATCH	SOZ/SEC OS ES O.25% CAT DEVOL	602/SPC 05 AS 0.25% CAT DEVOL BATCH 25	602/SPC 05 AS 0.25% CAT DRWOL LOT BREWS	101 89252	BUZ/SEC US AS U. ZSV CAT	602/SFC 05	602/SfC US &S U.238 CAI	GOC/APT UD AD COAD CAI/CABUSE ALT BEAT BAILE	802/37C 03/14EBUTAL 1/10105EE BLACK 481,488C 05,440,46118EB	2820701/089/c0 Jac/209	/CD 245/709	AND AND AND TOTAL OF CIER	21 8/1 313	615 1/8 45 9/1 BW DEVOL AT	615 1/B AS 9/1 Bb	615 SILICCHE	616 A/B AS 10/1 BH	19 1/8 AS 10/1 BM SIL	44 1/01 AS 4/4 OF 8		ATA 632 A/B AS 10/1 BE SILICOBE		DITTE CCO	10 mg 1/01 77 m/m 0/0	: F		8111/CAT 9691 AS	8111/CAT 9891 AS	9112/CAT 9858 AS 94/6	8112/CAT 9858 AS 94/6	8223/CAT 9858 AS 96/4	.8223/CAT 9858 AS 96/4	9243/CAT 9858 AS 96/4	8243/CAT 9858 AS	3TY 8262/CAT 9858 AS 20/1 34		# 8262/CAT 9858 AS 94/6	9858 AS	F 8263/CA1 9858 AS 96/4

APELICATION	ADS-RECAPS			SITICORE		STITIONS		ADH-SEALANT	SILICONS	SILICONE	ADR-SEALANT		Ade-Serlant	GA SK BT	EEDRING BATL		BEARING MATL		ERABING MATL	PRARING MATL	CCIL FORM	NOID CPHD	INSULATION	CCNP COAT	1	COM COVI	-100		a standard	FOTTING	ADBISTUS	ADBESIVE	FOTTING			ADRICIAN			FAINT		PAINT	FLINT							TENDENT COMPSOI	TORING CONTROL			TAPE	14 P E
AT HCS	17.0				1 4	4 i	418	E I	PIV	AIF	AIR	AIR	AIB											AI.	TIT.	# I #		111	116	AIR	AIR	717	AIR	414	AIR	A I B	111		110	9-1	LIR	AIR	N I	8i 1							4 1 0	AIR	i !	
CURE	7,5	1 6	C 4	C 4	^ u	Ç	6	52	65	52	25	135	150											52	121	?:	2 .	Ç Y	3 5	2 2	00	52	80	5	פנו	5 5	3 5	2	22	121	52	52	6	52							906	52	,	
CUES	168		E :	¥ ,	E :	E :	5	¥9	2 4 H	168	24B	24H	24B											16H	158	# 96 F		•	E = =	2	=	248	Ę	S.	100	0 .	= =	= =	# 8 H	16H	2 4 H	E :	7 th	2							164			
RCVCR	2.1		97.	17.	07.	77.	96.	95.	.23	.21	.36		61.	.52	0.	00.	00.	-0.	00.	00.	0.	00.	90.	1.06	(.23		* 6	70.	- 12	91.	.03	00.				70.	•	.09		91.	.13	;	2		70.	,		40			20	91.	. 33
1624		?	- (1.32			1. 22	1.10	94.	. 173	99.		.62	1.76	00.	00.	o.	. 10	00.	00.	. 32	•0•	3.32	٠. 10	;	.61		7.		2.01	2.38	. 85	9 .		1	0.0		•	.42		. A 2	95.	į			75.		7 2				88.40	2.17	06.
DATA .	CAEA-425	20100100	- CONTROL OF CO.	15700350		25.00.00	12 FC0 388	16E05400	GSFC0 182	GS PC 0 385	ST 111901		SPI1 1402	32 PC 20 15	GSFC 3477	95PC3479	G3FC3481	33FC3501	GSEC 1503	GS PC 3505	43EC9341	G3PC6826	3SPC6035	45 FC 28 DK		48401817		6 2 F 10 1 2	00040405	69650450	GS PC7427	65 FC 8 20 1	GSFC7436			355063444.	2000000	10.77.169	GSPC 2245		GSFC5845	GS FC 5987		02804740	9780989	62109041	00000000	02047.50	OCC. 1400	01111111	00103100	Sal 10601	3SPC8780	GS FC 8267
TATERIAL	0 7 2970	- 1/06 C4 0000	6 5/56 SA 8688 . A3/5718	8172/CAT 9658 AS 95/5	8 1/2/CT. 585H AS 9:73	#173/CAL 9858 AS 97/1	8182/CA: 9858 AS 9	8192/CaI 9858 AS 9575	8383/CAT 9858 45 9	856 AS 97/3	89/1-12 At 100/J.		STITCHE	BRICKLES CALES ACCESS SERVE	BRIOR & STREET BILLED BEARING MATERIAL	CALCA STATE STATE STATES OF STATES	THE SELECT CONTRACTO CONTRACTO SOUTHER	BRITON O MORLOW MILLION BORNING MACHENING	TATISTICS ORIGING CHITTH MOTOR OF BOLLS	RATION 127 TEFLUS FILLED SEASTING MACESIAL	PY 401 SPCOL EPCAT/FIBETALESS	STION 3-4 SCINERINTING SPIRIOR/ROW GIASS	NOTEN - SCASSIS INTRIBUTED SEE SE	9101 PRCTICIANI COATENI		Re-3114 OAN DYFE SITTICONS - BEDG BILS - CLERE		ME-3477 CMZ PENT SILICOAZ/F	001 SY 101-3404 YS 100	-2018/H2-1404 AS 100/11	-2038/R2-3404 AS 100/88	49-2038/82-3475 AS 4/1 NW CLEAR 3POXY	-2039/H2-3404 AS 9/1 BH			29-2039/82-3561 AS 10/1 BW 2POXY	C /OI CT 1905-78/6607-	O-104 SITTICEE SOUTH	S-13-6 SITICCEL HELTS PAINT		S-11-G WHITE PAINT STAMPARD D234C	S-13-G-LO WHISE PAINT		S-13-G-EC ERITE PAINT A/N AS 100/1 DE A/TCENERE	STREET STREET FALLS STREET STREET	かりつくじょうしゅう かいきゅう はんしゅう はんしん はんしん はんしん はんしん かんしょう かんしょう しょうしょう しょうしょう しょうしょう しょうしょう しょうしょう かんしょう かんしょう かんしょう かんしょう かんしょう かんしょう しゅうしゅう しゅうしょう しゅうしゅう しゅうしゅう しゅうしゅう しゅうしゅう しゅうしゅう しゅうしゅう しゅうしゅう しゅうしゅう しゅうしょう しゅうしょう しゅうしょう しゅうしゅう しゅう		12 14 14 14 14 14 14 14 14 14 14 14 14 14		C # 1 1 2 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	OBIL CONTOLIN BILBS/BL13/WFCOM/ABLIN TALES.	0455 125 01150 1 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 1 2 1		SB 1020 GIASE FEINFORCED SILICONE BURRE TAPE

<u> </u>	1 1 0 5 0		
APPLICATION		ADB-SEALANT ADB-SE	FOTTING
ATRCS	2-1		AIR
CLPE	125	25 25 25 25 25 25 25 25 25 25 25 25 25 2	9
CARE	10 10 10 10 10 10 10 10 10 10 10 10 10 1	100 H H H H H H H H H H H H H H H H H H	16H
KCVCR		7-4-2-2 7-4-1-2 7-4-1-2	0.
VINE	7.23 8.90 1.19	200001-1-101-101-101-101-101-101-101-101	6
DATA	058C0149 058C0149 058C01149 058C01153 058C01153	GSFC9701 GSFC9745 GSFC9747 GSFC9763 GSFC9763 GSFC8117 GSFC8117 GSFC8118 GSFC8118 GSFC8180 GSFC8180 GSFC8180 GSFC8180 GSFC8180 GSFC7482 GSFC7482 GSFC7482 GSFC7482 GSFC7482 GSFC7892 GSFC8116	65FC7265
TVICILYA	SS 1020 GIASE ELLMPOICED STITCONS FRENES TAPE SBS THROUGE STAMELAD SBE ETBURT STAMELED UNC 1250 SCFWRCTALY WALMISH 170 SCT ESZ 80/5 GIASS FILMYDHT WOUND COPPOSITE	SCOTCREATE 4170 STUD LOCKTHY EED ADH-SEALIANT P/BOLTS SCOTCRECEN 4171 BUT LOCKTHY BLIE FROM BOLTS SCOTCRECEN 4172 SCEAM LOCKTHY BLIEF FROM BOLTS SCOTCRECT 4174 BEARING AST GEEN FOOM BOLTS SCOTCREAL 8001 FED ALUM LABEL TANCARD SCOTCREAL 8001 FED ALUM LABEL MCARTS SCOTCREAL 8005 FHOTOSHYS FILM/ATM/WINTCOAT/ACR ADH SCOTCREAL 8005 FHOTOSHYS FILM/ATM/WINTCOAT/ACR ADH SCOTCREAL 8005 FHOTOSHYS FILM/ATM/WINTCOAT/ACR ADH SCOTCREAL 8005 BLUE ALM LAUN LABEL/COAT/ACR ADH SCOTCREAS TE-568 ADOXY FOAM SCOTCREAS TE-568 ADOXY FOAM SCOTCREAS TE-508 AND AS 2/5 NU BROXY SCOTCREAS TE-568 ADOXY FOAM SCOTCREAS TE-568 ADOXY FOAM SCOTCREAS TE-568 ADOXY CANTITR ELUDE SCOTCREAS TE-540 AND AS 2/5 NU BROXY SCOTCREAS TE-540 AND AS 5/6 NU BROXY SCOTCREAS TE-540 AND AS 5/7	SCOTCECAST 282 A/B AS 2/3 BM SEMI RIGIO BLACK EPOYY

APPLICATION	FOTTING		FOTTING	FOTTIE	CONNECTOR	PRESINE	ADMES I VE	ADRESIVE	PASTERER P	20 51 62 63										ADERSTVE	ADMISTAN		ADRESIVE	ADEMSI VI	ADS ES IVE	ADBESIVE		ADBESIVE	ADERSI WA	AD BEST VE			FOTE	E404				HTOA	FORM	FOAM	FORM	CARPER	FOAR	FOAR	FOAM	FORM	FCAM DAMPER	FOAM	IODVER BLADS	INSULATION	INSULATION	INSULATION	FOAM
ATRCS						II	PSI	PSI					TI C		1			11	A T B	FIR	AIR	III	A I B	AIR	11	AIS	1-5	;	AIR	FSI	PSI		;	X T W		4 7 4			AIB	AIR	AIR					F-3				AIR	1-5	E-5	
COPE	2 3		2	i		52	52	52				;	52.	Ç	3 5		:	9	52	9	25	2	25	99	5	52	9		52	6	2		•	2	•	3 5	2 2	!	100	100	100					110				120	120	120	
CURR	168		X 0			2 4 H	# O #	# 9 #					= ;	9 0			= =	# # #	288	2 H	168	24H	180	2.5	2.1	0 .	70		# ~	E :	=		;	# 7	2	2 6	2 4 5	:	248	24H	7 d H					# B #				HS 9	24H	# 8 H	
KCVCR	6	46	1.58	0.	*	.90	. 19	2	.03	-01	0	0.	n v	9 6	9 6	9	9		E C -	.0.	.03	1	.32	. 15	.31	0.		-02	.07	=	.53							. 4.2	99.	. 19	•	-42	91.	.73	. 24	=	.43	.31	. 13	=	60.	10.	?
MAR	\$ *		7.59	3.60	. 19	3.48	47.19	4-99	.39		1.7	2:	76.	6/-				1.25	1.21	1.16	.76		1.60	1.60	1.75	1.09		£1.	99.	4.50	1.20					9	9 4	3, 22	1.81	2,53	.33	8.0	1.55	2.23	= -	2.81	2.57	.83	2.84	1.28	1.20	. 81	2.02
DATA	GS PC 7268	SOT BOOK	GS PC 79 16	GSFC2287	GSC10853	GSFC2749	02963459	GS PC 96 72	6SFC 27 35	GSFC2655	65 PC 26 53	65 109901	SRI 6522	100771100	COSC 7855		AL AL DE AG	GSFC3033	68 890489	GSPC6862	GS PC 8783		65C10128	GS PC6599	GSFC6623	GSFC6644		GS FC0317	35C100 38	GSFC 35 29	GS PC 35 31	6SFC 3696	65 FC 75 77	65 FC 7580	SCAL JASS	70440400	GOTC#4502	GS PC 4 3 24	GSPC#356	GS PC 43 30	GSFC#326	GSPC4222	GS PC 4002	G3FC3996	GSFC#000	GSFC4228	GS FC4310	6SFC 3998	GSPC 5731	GSFC3197	GSFC3261	GSPC3315	GS FC 42 34
RATERIAL	SCCTCBCAST 282 A/B AS 2/3 BW SERI BIGID FLACE RPOXT	1 1.E 16 3/1			SCCTCHFLT SCCKET COMMECTOR GLASS REINF FOLFESTER	SCOTCHGRIP &C 1357 CONTACT CEMBET ROBBEE BASE	SCOTCREMIP 2353 BLUM PACH POLTS	GRIP 2451 CRANGE P	PCLYRSTER FAS		SCOTCERNT SUBJECT MILLON BOOK AND LOOP				うくしょくしょう アン・コー・コー・マー・マー・ファー・ファー・ファー・ファー・ファー・ファー・ファー・ファー・ファー・ファ	2214 1172 434	21	SCOPERFIE 2216 BAR SELECTED BEST 17.54 DESEMBLES	11E 2216 B/A AS 5/7	SCOTCHBELD 2216 B/A AS 5/7 BW PLEXIBLE GRAY PPCXY	ILC 2216 B/A AS 5/7 BU B/48 R-5		2216 CLEAN AMBZR B/A AS 1/1	E B/A AS 1/1 BH	2216 CLEAR AMBER B/A AS 5/7 RR	2216 CLEAF AYBER B/A AS			3532		184 KID 288	TEDDOSTAIAL FOAR POLYESTER	POLISONER-CENTERS FORM - TAN	PCIVESTER-URETERN FORM - TABLES AND THE	SCOTT TOTAL TOTAL TOTAL TOTAL TOTAL BECKEN CLOSED CRITICAL SECTION OF THE SECTION	POPULACIONES CONTINUES DO CONTI	SOLIPSIES ORBIDS SOLS	POTTESTER-URETHANG FCAM 60 PPT	PACT EMARTEE - ALEST POR	PCLVES111-URETHAND FOAR	POLYESTEE-UBLINAME FOAM 60 PPI	POLYESTLE-DAEGHANS FOAM 60 PPI	T POLYBETHANG FOAM BLACK	POLYUSETHANG FOAR GENER	T PCLYOLZTHANK FOAM GI.EEN	POLYCRETHAME FOAR URITE	P PCIYULETHANG POAM WRITE	POLYDERIBANS POAM BHITE 90	T POLYDREINAME POAM/ALDM	PCITUBETHAKE POAR	T POLYUBELHANZ POAR/ALTH	T PCITUMETHANG FOAM!	T PYBELL FCAR POLYURETHAN

!	į																																																																
APELICATION		1011	FOLK	EL ASTORER	FLASTCHER	TLASTORES				THE PROPERTY OF	#1 hstorm	LLAS TOURS	C Brita-a Agree		TO BE DO BOTO	にたられる点は		C SING-GASKRT	C FIRG-GASKET	MOLD CPMD		4 10 C				MOLD CPS :	BOLD CPHD						BOLD CPED	BOID CPED				GASK RT	S111CO ##	2010 0000				MOID CPED		BOID CPED		el astone	SEAL			TLASTONED							TREE LESSEL	FIRE INSOL	WIRE INSUL	ETPR THSGL		Cable 11.	ADRESIVE
ATRCS		II	AIB									AIR	1				#1 T			FSI	1			177			AIR	¥-1	9 4		-	11	AIR	AXB	4			718	AIR					FSI	•	PSI	9-1	AIR	AIR	TI	AIR	1	91.4		4 1	MT V	8 i	177		1-1					AIR
CODE		120	120			200		967				200	•				200			166	210		6 2 2	74 3			163	200	27		200	216	236	204	92.0		717	249	204				1	163	200	163	121	250	188	177	249	•						507		125				;	52
CORR		=	248			=		7				3	;				=			108	78		2 2	# 7			258	-		EC 7	1	7 F	#9	-		;	2	E	æ	;			1	20	15	308	15H	248	=	= 2	168	:		9 4		E 7		E,		24H	٠,			,	20
SCVCH		78.	7	12	7			3		•	9.	.67	•		-	.62	:	10.	-61	50)	•	3	9	E0.	2.	-0	,	6	3			٥.	.07			9	.02	.02		?	70.	E .	0		00.		-0.	.32			\$1	::	7	3	50.	;	-	. 58	.03	. 51	-	:	-	•
STRL		1.10	1.22	5	17			?		1.05	1.37	1-12		7.	78.	1.70		.27	1.70		•	č	5	0.	٥.	61.	10	:		•			9.	- 22		:	6.	80	9	3	ָרָהָי הַיּ		•55	91.		.25		01.	6							71.	,	. 38	3.32	91.	1,37	C 4	- 0	7.88	4.86
CATA	REFERENCE	GS FC4274	GS PC # 2 76	48 T 1 26 AB	SB 71 26 05	A0 3C 1 1 0 9	2007 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1007 I J NO	21.170	SE112612	SRI12608	SPT12609	36 75 1 4 4 4	CI 97 17 10	SHILL	SRI 12610	S2112611	51112617	SPT 126 16	3757775			62FC0074	GS PC0071	SP 112619	SRI12618	GSC 1006B			65010071			GS PC 8501	444444		60000000	GS PC 45 46	GS*C0077	GSPC0066	0 0 1 0 3K A 1	LOOF TES	20 07 L I 38	SPI 12522	6SC10185		GSC10162		SPI12603	01/01/05			0C 3C 1 135	35 4 7 4 36	65 FC 39 25		GSFC 3927		GSFC 3858	GSPC 3744	65PC 379.3	GS PC 2119	GSECASO	0200000	GSFC 5853	GSFC8651
NATERIAL			PROBLET FORE BOLKSBORESER COMP. SPICE BEST AND STREET					SILICONE	36 13	3613	4000		3177776	3713	3713	100			027/71 FF 65 66	4 ,	SILLICURE ELECTIONS		U GREEFE	4404 U GENELAL PUEPOSE	1054					SE 45240 CLEAR SILICORE			SE BRAZER CHITCHE - PRE	##001116 OC 61/964	THOUTTE OC-CI/OCA	1-2802IITS 05-SL/951	5204			# F D#F		SE 222 BED TOR JEEP SITIONS	555 WH	SE 55540 SILICCAZ POOD GRADE FF		ST SSSM STITCERE FOOD GRADE GG		5 556 BTITCHE		TO CONTROL AS TOUGHT S DE			JOSEP / STITCERS	SE S65/WANDI AS 100/0.6 BW MITHMAR LCW TERP SILICORY		SE 565/VARTOR AS 100/0.6 BW ENTREME LCW TEMP SILICOME		SILICONE WILE	9025 STLICONE HIRE	9025 STLICGAE BIRE	STELLOS	SALE SELECTED STREET	A 4040 SITICORE RIKE INSU	SCIR-1-TIE CABLE TIE MYL	SPEKIT SP653K825AS BPOXY PS4 8040-30-916-9847

APPLICATION	EABKING INK FOLD CPUD HEATER FEATER SHINK TODING	FC1TING FOTTING FOAM	FAINT PAINT PAINT FAINT FAINT FOOTHER FOOTHER FOOTHER FLASTCHER FLASTCHER FLASTCHER FLASTCHER FLASTCHER SHEIM TUBING SHEIM TUBING SHEIM TUBING SHEIM TUBING SHILCONE FOOTHER FOOTHER FOOTHER SILICONE	SILICORS SILICORS SILICORS SILICORS SILICORS CONTING
ATHOS			SHEED THE THE PERSON AS AND THEFT IN THE THEFT TO SHEET THE THE THE THE THE THE THE TENT TO SHEET TO SHEET THE THE THE THE THE THE THE THE THE	
CONT	25 25 65	121 25 121 25 121 25 25 25 25 25 25 25 25 25 25 25 25 25	65 25 25 25 25 25 25 25 25 25 25 25 25 25	25555555
COER	70 12H 8H	0 1 2 E E E E E E E E E E E E E E E E E E		
ECVCH	00.00		9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	22.00.00.00.00.00.00.00.00.00.00.00.00.0
THE	6.33	1.20		1.56 1.28 1.29 1.02 1.02
DATA	GSFC4802 GSFC4891 GSFC6676 GSFC6676 GSFC6676	GSFC4424 GSFC4450 GSFC4452	GSFC1105 GSFC1105 GSFC1105 GSFC10664 GSC10664 GSC10664 GSFC0761 SSI12621 SSI12621 GSFC0761 GSFC0761 GSFC0836 GSFC4822 GSFC4822 GSFC4822 GSFC4822 GSFC4822 GSFC4836 GSFC0835 GSFC0835 GSFC0835 GSFC0835	65FC0851 65FC0851 65FC0848 65FC0893 65FC0890 65FC0890 65FC0854
ANTERIAL	SCHTFY SIAL REG MAKING INK SF 1006 WYOU 12/GLASS & 3 70/30 SH 212-2-5 MEATER - AZD SILCONS SH 3/AYS FLAILE - ELL SILICONS SH91BM TORING GFZM AÅY SH91MF-ERTE GTN SH91BM TORING GFZW AÅY SH91MF-ERTE	SHUR-LOK SLE 3009 EPOXY - GREEN SHUF-LOK SLE 3010 EPOXY POTTING CEND SHUF-LOK SLE 3010 STRIBLITC PORM PLUE-GREEN SHUR-LOK SLE 3015 STRIBLITC FORM GREEN	BLACK 7x9055 SILICOME BLACK 7x9055 SILICOME BLACK 7x9055 SILICOME B BACK 7x9055 SILICOME B BACK 7x9055 SILICOME B BACK 7x9052 BLACK 7x9052 BLACK 7x9051 BW WHITE	78-220 A/B AS 68-310 A/B AS 68-310 A/B AS 68-310 A/B AS 68-310 A/B AS 69-210 A/B AS 69-210 A/B AS 69-210 A/B AS

! !	.																																																						•		
APELICATION	COATING	SILICONS	SILICONE	FOTTING		SELLANT	STALANT	SZALANT		SEALANT	SEALANT		SEAL ANT	SEAL ANT		ADH-SEAL ANT	O-BING	VALVE SEAT	FOTTING	FOTTING		STLTCORE	Entring	200000000000000000000000000000000000000			#161C0#5	0 1 2 4 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5								GA SK RT	GA SK ET	STITCOME	SICICORS	BOID CPID	Jesai Main	- MPTTMG				IDBRICAT	FOAM	FOAM	POAR	POLM	SEALANT .	ADHESIVE	ADRESIVE		FILM DIRLECTRIC		
ATRICS	AIR	AIF	AIR	AIS	AIA	AIE	414	415	FIR	LIB	AIE	TIB	AIR	AIR	AIF	AIR		AIR	AIR	AIR	41	114	418	1			111	110		X 1 1		377		AIB			RIB		NI P				9-1	9-	9-1						AIR	AIR	118	AIP	8 i	11.	AIR
CUFE	250	25	25	25	9	25	25	25	150	25	25	150	25	25	150	. 52		204	25	25	125	8	25		35	1	643	90	C 4 C	C ;	Ç.S	2		204		;	200	•	232				25	125	52						52	25	52	9	% :	5	121
CORE	168	7	1508	24H	=	24H	248	24H	24H	24H	24.8	24H	24 H	24 H	7 4 H	72H		æ	24H	248	24H	90	744		7 7	9 6		,	<u>.</u>	2;	1.	=		7		:	16 H		7 d E				24H		₹						10	E	=	28	æ :	æ :	Ŧ
#CVCH	8	. 28	. 25	0		. 38	*6	. 85		.75	9.		96.	.93		.51	.22	60.	. 78	.80			1.07	•	•	8		•		5	.,	1		= ;	.20	0	90.		60.	6.	. 28	.07	. 12		,	-62	.52	6	5	<u>.</u>	•	4.27	.07		•		
KTHL	.02	1. 16	1,31	1.38		1,39	2.50	1.76		2.19	1.59		2.96	1.73		1.63	1.16	.29	2.95	1.43	•	1.63	- 1	***		•			9 6	3.30	80-7	,	1.57	62.	09.	1.51	= ;		-	٤.	1.25	2.53	2.34			2.48	98.	.31	-42	5 .	6	1.69	16.25		1. 40		
DATA REFURBICE	G: PC5489	GSFC0827	GSFC0860	93FC7670		GSF::0575	SP. 1 1921	SPI11922		SEI 1 18 19	SP I 1 18 20		SEI11833	89 I 1 18 24		GSFC#230	GS FC0302	GS FC 04 19	S1111825	SFI11926		GS PC 1423	SET11877	SET 1 19 20		00000000		001C1010		6301064	68C10568		G S P C 89 78	65 17 (898)	68108975	GSFC7241	GSPC7295	62102039	GSFC 2092	GSPC7172	GS FC 1495	GSFC 2757	GSPC 2879			GSC 10871	6SFC 3011	65 PC 3057	GSFC 3079	GS FC 3099	GSFC8270	GSPC 46 44	GSFC 3860	;	GSPC4428		
41.53.41	SIINSTIC 69-210 ICT EU 103007	STINSTIC 69-220 A/B AS 25/1 BW	69-220 A/B AS 25/1	SILESTIC 69-220 A/8/910 DILITER AS 25/1/1, 3 BV		731	STIRSTIC 732 BLACK SILICONS	732		CLEAR SILICON	IASTIC 732 CLEAN		STEASTIC 732 WHILE SILICONS	STIC 732 BELLS		SILASTIC 738 CER PART MON-CORROSIVE SILICCEE	75 SILICGHE	SIRSTIC 75 SILICOME	SILASTIC #81/CAT AS 100/4. A BW SILICCH?	R81/CAT AS 100/4.6		SETC 981/CAT AS 18.2/	PTC 881/C14/T-12 13 100/8.6/0.32 RU	**************************************	10 75:0/01/00	7 · · · · · · · · · · · · · · · · · · ·	TIMITA CONTRACTOR OF THE CONTR	STEEDISC FIG CREATE BOTCH TO TO TOOK BE DESTED BEBRIED	• /000	NICONAL DA PARREZY	STICOSEL 152 BELTE SILICOSE		VIBEATTON CAMPER	FOBBLE - VIDEALICE CARESE FIGT/GRAT	FUBERF MIL 22-7-765 CLASS IIB GF 65-75	FUBBLE MIL 22-7-76'S CLASS	PUBBLE MIL ZZ-3-765 CLASS Z GPALT 50 -	FUBBER CRION CER	ILCOME TUBBLE CALON CARBIDE	SITICCHE BUBBEL/FABRIC BYENTORCID WIL 33065 MTP2 HB	ICCA	SIIK WETTING STILE 5517	1			SHITATE COOL MICH PERSON CHANGE	SKYBCHD BI 7271-01 PLEXISLE FOLYINIDE FOAR	SKASCES BY 7271-06 ALGID POLYLHIOR PORM	SKYRCHO BI 7271-12 EIGID POLYIBIDE FCAR	SKIBCHD 51 7271-18 HIGID PCIVIBIDE FCAM	SLM 71271 A/B AS 9/1 BY RET SILICENE	SHCOTH OF INSIDET EPOXY	SMP 62/63 AS 1/1 BV EPOXY		SHE 62/63 AS 1/1 BV EPOSY		

; ;								•																٠																									
APPLICATION	CARPER	CARPE						ひましゅうし からしき	CONTRACTOR OF THE CONTRACTOR O		5	POTTING	CONF COAT	ECTTING	Potfing	FOTTING		COMP COAT				FO19116	FOTTING	FOTTIES		COMP COAT	FOTTING			CCBF COAT			COND CONF COAT		ADBESIVE	COMP COAT	CORF COAT	FOITING	COMP COAT	2011104	COMP COAT	FCTTIBG	FOTFIE	COMP COAT	CHING	CUSHION		FAINT	FAIRT CORPOSITE
B##CS	AIR	118		A I I			7-1		a T v		811		AIR	. AIR	AIR	ZI T	# I W	HIN.	# T F	0 1 1		TI	ATE	AIR	=======================================	AIA	AIR	AIB	AIR	ai :	11	118	ATR	B 18	AIR	AIR	ar i	HIT	AIA	# T T	118	118	4 4	AIR	1	£-3	AIF	AIR.	AIA
CURE	901	501 001		52	7	3	3		25		16	9	25	52	52	20	2	6	C 4	0	2 %	25	25	25	52	\$	20	52	. 52	2	2 1	Ç Ç	52	52	9	52	52	e (2 ;	2 5	2 9	; ;	5.7	52)	9	5	52	\$ 52
TIME	74 H	1.0g 1.6#		248		B 4			5	. c		16H	70	70	5	168	70R	7 E	7 5	2 4	1.		11	7.	2	8	15E	2	2	3 (2:	: =	0,	11	.	24H	70	20H	H 2	E 4	E #	2.1	168	7.		Ξ	16 H	50	2H 96H
NCVCR.	.13	.19	-22	7.	7		•					60	0.	01.	90.	0		E 0 .	Ŝ.				-		0	0	•00	-05	0	8.	9			.02	.01	.03	.03			2		00	00	.03	.51	.57		90-	70.
STHE	1.11	1.52	1.67	1.56	97.7	60.						9	. 30	7	.37	Ξ.	. 32	-28					4.2	9	•	.57	99.	. 56	8.	-29	֚֚֚֚֚֚֚֚֚֚֡֞֝֝֝֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓		.62	36	=	.50		-	61.			. 21		09	1, 36	1.45		8.95	1.78
DATA BEFERENCE	GSFC6806 GSC10685	GSFC 7088	GS FC 7091	GS FC 7199	62 10 130	62 10 10 29	6560400	02 FC 33 17	02514033	68610753	20100	GSFC0113	65 PC54 33	GSPC7223	GSFC2266	GSFC 2387	65 FC0248	GSPC4254	GS FC 10 66	200100	65 FC 76 16	65 10 1186	GSFC 1189	GSPC7314	GSC10257	GS PC 64 10	GSPC 7946	GSC10736	68010751	GSC10754	65010760	GS FC 1623	GEPC8177	GSPC6266	65 PC 4206	GSFC4252	GSC 107 39	GS FC 22 12	G3 PC 10 69	GS PC 1585	65510263	GS FC 24 70	6456745	6SC 108 11	GS FC 1957	GSPC2635		GS FC4 280	GSFC7706
HATESTAL	SEED 100 (43-3) FILLED RYDFOCARDON RUBBER SAND 100 FG		100190	SEED 100740 CKCLOMEKAEN GASS - INTERNAL BORTION	100790 CICIORETARE WASH	TOOLSO BEN AESTE	Section 1 and the section of the sec	75 4 4 4 4 4 4	5 -	113/11/11/11/11/11/11	113/4 D-MED /FEB	113/100	113/300 AS 109/100	113/300 AS 100/120 BW	113/300 AS 100/150 RW	113/300 AS 100/150 BW	113/300 AS 100/73 BR	BB EL/001 ST 00E/ELL		08/001 87 006/611	113/300 AS 100/8	113/300 FORESTE NOTES ENTERS	113/300/CAROSTI	113/300/CABOSTL	113/300/CABOSIL #5/CABBOLAC 1	113/300/CALCAPLO	113/300/DTDL 1S	C/A	113/300/M-RETHYL	FRAME 113/300/001.09.0L	113/300/00K DBOL	SOLLTERES 113/300/I-12 AS 23/10.23/10308 ET ACTIONS 113/300/I-13/200/II-15	MAME 113/300/5-12/SIL	113/300/TIPA AS	113,300/TIPA/ALF	113/300/TOLUBRE	BARE 113/300/TRIBTHY	THE 113/300/ZHO AS 20/14.6/1 BE	113/300/328 15	SOLITHBEEL TIS/SOC/SZE AS TOO/44/A DE FORMULE TI	113/300/328 AS	113/300/328 43		TERRES TIP/300/340/3000	11 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ITHANE 29		GAND 4-B-33 FLAT BLACK COATING	SPACE GRED 4-5-33 OVLE RANGCIPH PRIMES 155/F

															•																																								
APPL ICATION	FAIRT COMPOSITE	COMP COAT		CONTROL FROID	CORF COAT		LHTHA			CABLE WEAP	Camper				CAMPER	CARPER		LAMPER	COATING	COATING	COIL COATING	COIL COLTING	COATING		COATING	ADBESIVE	JORESIVE	ADBRSIVE	ADRESI VE	ADS FOR TAPE	ELASTCHER.	1LASTORER	O BING	ILASTONS B	FLASTORER		COATED PABRIC	COATED PABRIC	COLTED PABRIC			ADD PATER			ADE PE1155			_	STATING CPMD	STAND-OFF	FOAR	POAM	FOAM	FOAR	
PERCS	1-2	71			# # # # # # # # # # # # # # # # # # #	TIT	A I E	PIN	MI			1-1		AIR	AIA			AIR	AIR	AIR	AIA	AIS	AIR	AIR	A 11	AIR		AIR	AIR	AIR					AIR	AIR				dit		7	4	# T P	110	1	1	# T =	AIR	<u>.</u>	BIR	AIR	AIF	AIB	AIP
CORE	100	%	;	۲ ۲	Q i	67	57	121	316			125		138	177		•	177	3 2	150	150	150	65	25	125	25		38	99	25					150	150			;	52	2	c7	500	Ç :		150	3 4	C7	25	<u>`</u>	99	105	120	52	99
CORE	248	20		74 E	21	2	5	2	=			248		248	22H			42H	24E	248	2	24E		5 0	=	30H		1.5E	128	24 H						2 4 H				2 th H	7	H 6 7	# 7	7	246	H # C	,	-	7.5	•	12H	#	7H	2 N H	<u>=</u>
RCVCA	.03	0	70.	0.	70.		5			-05	4.92	1.60	0.0	0.	00.	9	-25	.23	- 6	9.	2.71	2.86	2.60		1.42	.75	1.00	-27	=	5.09	.39	. 18	€.	.85	09.	1.51	Ę.	.39	# (7.87	07.	70-9		C			9	? ?		00	00.	00.	.0.	90.	
ATRI	۲.	9.46	.53	5.72	27.9	3.44	. 29			3.03	14.10	2.74	.91	.71	.07	.03	.53	84.	3.04	1.22	3.76	3.52	6.00		4.87	2.48	2.09	09.	-28	10.37	2.39	1.40	.93	2.00	96.	2.48	68.	.70	- 62	22.67		79-61	C0.1	23.76	77 98	26.7	70.4	70.0	5.43	10	1.78	1.32	1.37	.87	
DATA REPERBICS	GS PC 7898	GSFC4278	GSC10428	GSFCB0 Z7	GS FC 3904	GS PC 66 56	62106659			GS PC 64 13	GSPC9611	GSPC9889	GS PC 6700	GS PC6703	GS PC6804	GS PC 9808	GSFC6664	GS PC 6887	GS PC 28 18	SRI 109 14	SRI10916	SPI 10917	GSFC0110		SEI 109 18	GSFC7421	628C6679	GSPC6682	GSPC 7709	GSPC 1768	SRI12511	SRI 12512	GS PC 1804	SB I12515	S3112516	SEI 109 15			SPI 7211		H (H (SR1 66 14	- (6810733	60 FC M 33	65 PC57 13	GS PC 5829	3SFC5855	GS PC 5857	GSC 10442	
AATBIIAL	SPECY GRAF 4-6-33 OVER PADCLPM PSIANS 154/F	ប		SPIRO-O-PIQUE AND OPAQUZING LIQUID		SPERST GO-101 VET BIGE 173P COLTEG-SELTE SILICOUN	BIGH THEF COLTING-UNITS			SPISE STICE CARLE WELP 500013	ROPEGE SIL B61308 TYEE 1	WHERE MEDPESME MIL B61308	BBFBF SILICONE 145 3195 0.0316/CI	WHERE SILICORE ANS	SPONGE BURBER SILICONE ARS 3195 0.0314/CG IN	WHEEE SILICONE ALL	RUPRER SES269/SES46 AS 1/1 BG	RUPBEL SHS269/SS546	BLE COATING	1	220 SILICCHE VAL	SE 220 SITICON SAMISM	290 STITCCME (SE		SB 290 STIICCME - SB 98/SP 220 AS 1/1 BW	529 STIGETP STLICONE PSA	585 SILVER FILLED SILICONS	SR SES SITUE FILLED SILICONE ON SILVERED TEFLON	SAS STIWES FILLED SILICONE ON SILVERED	TOTORNE		634-70	SE 638-70 BLITE O FING STILLMAN NUBREE	722-76 ETHYLEMB-PFOP	SP 722-70 ZIMILANG-PROPYLEME	STREET APPEALS		9	SRGA 0214 SILICCHE COATED ALUMINIUM GLASS	SS 4004 SITICCEE BEIRES	SS 4004 SILICCEE PRINCE	101		5	4101 STLICCHE	SON STATE OF THE PRINCES OF THE PRIN	S 4120 SILLCONE		ONE-STREET COLUMN CANTE TIM TRECTAR MILLOR STREET WAS COMPANION OF THE COLUMN C	STREET OF DECK SOLES SOLES THE THE TREET OF STREET STREET OF STREET STRE		HAND BIZC-2 (FORMERLY	817C-2	G-300 60/CU FT	

																													•		٠																															
1051 17 14101		SECTIVE COAT		#U1041 F041	C2 - 60 C2 - C2 FE C C C		COLTING-POTTING		STAKING CPUD		DETTION DETTION	STILOS	FCTTING		ENTETES		FOLLTEC		FOTTING	FOTTING		IN SULATOR	LIBLECTRIC	BOLD CPMD	40 M					FOAR	1018	FOAM		E CA	1011		9400 4400	COST COAT		CONTING	COATING		ADBESIVE	FOTTING		POTTING	FOTTING			FOTTING		FOTTING		FOTTING	ADRASIVE	ADBTSIVE	FCTTIME	POTTING	1011116			
0 7 8 6	A 1 mc 3			3.4.6	4 1	# T #	LIE	AIR	AIR		4 1	¥ I ¥	AIR	A T B		4 1	# T	FIS	A I E	AIE	AIR				31.4	100		4 1	4 I A	7 1 3	AIR	AIR	AIP	31.4			4 4	4 1 1	AIR	AIR	AIR	AIR	AIF	AIR	AIB	AIR	AIR	AIR	AIE	AIR	AIR	AIR	AIR	AIR	AIR	HIG		AIP	4 7 8		4 1 4	AIP
	178 P			400		Q.	52	2	65	,	C)	95	95	4	2	6	Ç	150	65	65	150				4	0,5	2 %	Ç;	65	00	25	ş	150	40	671	3	֓֞֜֝֞֜֜֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֓֓֓֡֓֜֝֓֡֓֡֓֡֓֡	25	150	25	25	150	107	107	150	25	75	100	120	100	150	52	7.7	25	100	25		25	120	2	30	150
	TIRE			:	E O	1	7.	H8 8	16#		9	=	H9	240	1 6 4	50.	¥0	2 4 H	# 8 H	₩8.	248					E :		E .	<u></u>	24H	24.11	Ξ				E :	H 7	16H	7#H	168	16H	24H	168	16 H	24H	# 8 H	16.8	#	=	16H	2 & H	16H	Ξ	24 H	Ξ	180		Ξ			E 5	
ŀ	XCACH		16.1		9	. 20	.15		5		17.16	. 18	4.03	•			5.12		=	٥.		40				2		.0		.06	05.	4	•	•	9.	9	6	. 16		.	.12		0.	.0.		=	1, 10			• 0 5		00.		.01	0,	0		2			7.00	2
	1 H C)		7.3	•	2.	1.31	1.07		40		19.37	17.33	15.12	1		29.86	28-25		99"	.58	:				67.		i	.7		64.	5	a	•	;	9	71.	1.67	1.20		1.74	.57		.33	. 12	!	2.80	2-03)))		. 18	,	=		. 12		4	7	-			10.61	- 6
	DATE		GSFC239.3	G 2 F C 2859	GSFC2887	GS PC6759	G5.PC6.152			(15, 15, 15, 15, 15, 15, 15, 15, 15, 15,	95090488	51111712	17117	7 7 50		STI1174	SET11715		2711716	SPT11717		36 4306.00		19000160	15010565	GSC 10131		GS PC 3680		6.0000000000000000000000000000000000000	3020		(5) FC 34 34	•	GS PC 5465	GSFCB366	3BI11620	GSFC5485	•	55110823	SRT10824		45050891	S2111621		SET 1 16 22	C 21 1 16 2 3			45.1116.2B	1	GSFC2517		1 AFF 74 P.D.		F C C C C C C C C C C C C C C C C C C C	13FC707	20000000	651.0993	GSPC#580	SRI11625	0291 1 1620
	Marin of a gr		STREET PERST COATENS	STE DEPR VELLE SILICONE VINE INSUL	THE SEL COLUMN COLUMN STATE OF THE SECOND SE	SEMELAND ALOC OF W. CAYOOK DV MAY 1945 TA SEED THE SEED OF THE SEED THE SEE	SERVICE CONTRACTOR OF THE STATE	STACKST CTC 10 M/D NO NOVICE TO THE TOTAL CONTROL OF THE TOTAL CONTROL O		PERST COC 18 1/8 85 100/12.	A. A	DESCRIPTION OF THE PARTY OF THE	1/C SV 0/V 17-363 ESTOL	TORS C.C-21 1/8 15 5/3 94		UP 1/5 24 8/4 CC-2C2 TOTAL	MARKET AND THE STATE OF THE STA	TURNE CEL-22 1/10 NO 1/1 101		CONTRACTOR OF THE PARTY OF THE PROPERTY OF THE	ACT CEC-41 VA TO 10 Lotto		MI K 500 DIRE	RIMIK FILLED BPO	THE FULLSTIF SH	CTTC157 1090-51/24LY AS 100/23 RW EPCYT FOAT		MEDITAL OF THE THE THE TOTAL OF			21 /000 ST 11/0601 IS	ST 1090/9 AS 100/4 SH EFOUT FURN	STYCAST 1095/11 AS 100/12 BW SPOXY FORM.		1/001 11 11/5011	6/001 51 6/5601	STATES TO TO THE AS NOT SECURE	5.10451 4.10 4/4 12 10.011 82 PPOTT	C1 /001 CT C/1171			TECAST 1211/9 AS 100/13 BX		STICKS 1263/31 AS 100/3 AS SPOAT	ST 1263/31 AS 100/3 BM	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4		ICAST 1269 A/B AS			STYCAST 1269 A/B AS 20/11 BW EPUT		STYCEST 1461/CAT 9 AS 197/1 BM 15041		2057/CAT 9 AS 100/6 PM 3PORT	2651/CA1 11 AS 100/8 BW 3LRCR	2651/CAT 11 AS 100/R	STTCAST 2651/Cal 11 2POYY	2651/CAT 9 EPOXY	2662/CAS 14 AS	2741/15 AS 2/3 TH	STYCAST 2741/15 AS 2/3 3W PPOXY

!																		•																																								
APPLICATION	FOTFIEG	FCTTIEG	POTTING	FOTTING				000000		ADBESTAS		ADERSIVE	FOTTING		FOTTING	ADERS I V.	ADSESTUS	POTTING	FOTTING	FOTTIEG	FOTTING		FOTTING					rom.		BOTO CLEO			多州部门高山	FEIRER		BAPE RES	STRUCTURAL	FIRE INSOL	INSOLATION	FILE	FILM	ADBISIUS	SILICONS	FOTTING	SILICONS	FOTTING	FOTTING		SILICORE	ADHRSIVE	SILICOMS	FOLD CPMD	SILICORS	HINDING COAT	FA STREET	ADRES 173		ADHESIVE
ATHCS	111		AIE	AIL	AIF	AIR	ATO			# T #		A I A	11	AIR	a ra	a II	BIZ	A 115	AI 6	AIR	AIR	ATA	AIB	114			1			,	9-1	AIA	AIR	AIR	AIR							AIR	AIR	AIR	AIR	AIB	AIR	AIR	A I B	AIR		I-1	AIS	A I		AIF	AIS) IF
CULT	149	į	2	0	120	160	200	9	9 6	Ç	9 6	57	S	65	65	7	25	120	11	77	52	126	09	4		0 4	2			ì	C :	00	100	52	2							52	001	25	170	65	65	150	9	25		121	99	1.0		25	65	52
CURE	=	;	H07	3	0	304	28	: =		1 C C		2 5	H > 7	5	===	24H	2 4 H	16#	168	16#	728	H06	E	141		346	9						728	7	308					,		J C	22H	70	28	.	=	2 th 18	E	24H		Ŧ	7 2H	16 H		25H	2.8	2 6 H
RCVCH	80		5	.0.				8			•	9.6	70.		<u>.</u>	0.	.02	•	00.	90.	10.		.01	~	•		•			5		<u>:</u>	. 19	.21		.21	00.	.03	90-	•05	60.	:27	.33	.33	87.	. B.9	.62		. 59	#6"	1.20	-	.80	69.	.01	.03		.03
TEAT	.27	. 25	•	•				•			;	7	.,		*:	.52	.52	. 32	1.04	.68	.75		1.10	2.06	;		70	97.		07.	7.6	66.7	1.51	5.03		5.09	00	- 28	.55	9	.39	1.19	1.10	1.09	1.01	1.77	*6.		1.80	2.19	2.54	1.25	2.40		.02	1.24		2.28
4 2	G3 FC 7271	12 8 C 24 24	65FC 71 24	69590455				400000		The shales	30000	65704193			Ge PC 94 34	GSC10299	32C10296	Sp. I 1 16 28	GSPC6149	33111702	35010176		GSPC6077	CDTITAL	•		7808080	800000000000000000000000000000000000000	270000000	62.0000	34610269	35010419	5SC10431	G3 PC 96 89		GS PC 3039	GSFC7796	GSFC0338	68 PC 0 3 35	65PC 4572	GSPC7544	35 PC 96 92	GS FC 0365	GSFC0444	GSFC 2080	STI11832	SRI 11833		SS PC05PH	GSFC7127	GSFCO7FK	GS FC4334	G3FC 1005	GSPC 3387	GS FC 5601	GSFC \$2 39		GSFC5461
TOTAL CONTRACTOR OF THE PROPERTY OF THE PROPER	STYCKST 2762/14 AS 25/2 34 PLACK 290XY	255671/5 45 10771	STEERS ZESOFY II AS 100/4 34 ELICK EPOTE	2850E:/11 45 2971				285084 / 11/9 1	・ できませる まました マイ・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	061 54 4747/130632	C C 00 1: 0 30030C	AKOAR M	7 TOOK 7 TATE 4 5 27/1		STATES 2850K1/LALV AS 25/1 BU BIBS EPOXY	2850E1/11 AS 100/2.7 BH 91T	STACKET 2450M1/9 AS 103/2.1 BU DENT TPOYT	STYCAST 2862 A/E AS 1/1 34 T20XY	STYCHET 3050/11 AS 10/1 BY MAFOCH TPCYY	STICKSI 3050/11 AS 100/9.5 DW SPOXY	STATEMENT 3050/11/E40A MICHOBALLOCKS		STECAST 3050/9 AS 100/8 BP ZPOXY	SCHOOL ST 1/0 1 1/0 DE SELECTION ST 1/00 JANUARY			GOGLA SALES SACLETAN FECTARANTES CO. CER TERRITORS	THE TANK THE PROPERTY OF THE P	STITUTES TO THE TRANSPORT OF THE STITUTES OF T	OZ/OS TOTOLOGICATIVE TOTOLOGICATIVE TOTOLOGICATIVE	SASSE MORNE PROTECT PROTECT PRINTS GIFTS THORE	ACENT ROBORCE PARTY PROTECTION PROTECTION TOTAL	STATE MOROGOD FIGURE TENTESTING CONTRACT STATES	SUPPLY ROBORCE BLUID INSISTANT PLIMES GREEN SPORY		12 F2 F 10:	SPEPRATCH SOO PRETERRIC MICH/ONGRETC BIEDIE		SECRETAL MESSERVICE OF SERVICE OF SERVICE OF SERVICES	STRIP SB IGBORER FILE	L'H	STEGRED 170 A/B AS 1/1 TE BER GRAY SILICOND	STIGARD 182 A/L AS 10/1 BU	SYIGARD 182 A/B AS 10/1 BH	STEGRED 184 A/b AS 10/1 BU	STICARO 184 A/B AS 9/1 BW	STIGRED 194 A/B AS 9/1 BJ		STICATO 185 A/6 AS 10/1 9W	186 A/E AS 10/1	STICKED 187	SYLCARD 187 A/6 AS 10/1 BW SILICONE	SYISAAD 51 A/6 AS 10/1 BW	ITE PC 307 VALNISH	_	A/B AS 100/7.5 BW BL		TAMP 700 A/B AS 1/25 BW ACRYLIC DASE ANH

S APPLICATION	SAPE SOURCE EASKISK	COATED PABRIC	SOLVERY BRANCHER	CASIE CLARP	ADBESIVE						SOUNT FLATS		FRLT		COMPANIES AND STATES	CORD BURNESS A		CARPER	CASPES.	FILM/SHRET	COATING	12226/8114			ひかしている インストランド		11285/N111	PILH/SHEET	FILM/SBEET	INSULATION	FILE		1488 1203			BESOR	PCID CPND				INDEX LABORI			1 0 4		204	TAPE	11 PE	1188
ATRCS	614			ATE	•	AIR		LIE	1IE	PIB		11	AIR				•	<u>.</u> .	1 -5																				AIA	di T									
CUFZ	18.9			125	:	125		125	125	20	123	2 %	9	;	2	7 0	•	121	121						5	2													121	171									
11 22				7	;	# O #		24B	# 8 F	16 H	248	24.0	74H		2 4 H			8	# 8 H							Ē													E (
MCVCN	17.	5.0	0.0	7	1.72	.0.	.02	00.	ē.	-02	-6		29	0	.21	9.6	70.	0.0	.01	00.	.05	60.	01.	96.	9.0	95	90	50.	.0.	00.	0.	00.	0.0		8	.13	00	. 02	50.	-28	57.	77.		97.		6.6	2.	.02	•0
73 B.L.	.38	-05	1.59	5:	99.9	1.05	1.61	1.02	1.05	2.15	1.30	D •	70	-0.	09.	70.		11	9		1.	60.	.23	= :	70.	35		50	.02	00	00.	5	8.	36	0	3	.03	. 12	.5 a	1.13	2.55	2.90	- :		ָהָרָ הַרָּי	1.69	.22	=	.19
DATA	GSC10155 GSPC3852	SRI 7206	GSPC3119	65 7 6 7 5 5	GSFC3263	GSFC5170	GSFC5049	GSPC5152	GSFC5172	GS PC4998	GSFC9455	68705067	GSFC 3674	GSPC9868	GS FC4756	GSFC#758		09/4/20 08/4/4/60	GS FC 4764	ST 7915	38FC2723	53I 7917	SRI 7916	GS FC 1999	GS FC 1249	GSFC4692	65C 1050	2067 142		69900455	GSFC4930	GS PC 48 28	55PC4476	GS PC 48 34	65FC10850	63771636	GS PC 3455	GSFC#971	GSC10209	65010233	GSC10074	GS PC 0598			884C 3830	G 5 F C 2093	65010502	35109221	GSFC3363
	TARE TRAICE GOAT THE FILM/SILICONE ADM/F	_	5	AC 404 44-FAR BYICE CABIN METATON	102 TY-EAF MYLOW CABI	CARLO MICHU SCHAU GENAP STOR OF		1112 TV-11P	TO 1112 TY-EAP MICH CABLE CLAMP		TC 628 TY-EAS BILCH HOUNTING PLATE	-PAP MY TOM CABIT	AND COLORS CRIMING THE TANK TOWN	171740 0840 -5#	TECKNIT 72-00002 SILVEN FILLED SILICGED	THURKIT 72-00002 SILVES FILLED SILICONE	_	82-124571 SILICO	12451 STITE	TRICKELL BY CALLER OF SELECT BURDENS	CONTING OR ALLEIN			150 B1 30 CC 51AC	PEP INSCIATION TX22-731	MAR SELLER TOBIES	TERIOR FED TYPE A 5 BIL FILS				PER FILE SHEET T	PTA NCLUED SPECINEN "E-9704	PPD FELLETS (PER	FFA WINE SLEEVIN	SCHOOL WAS THEN SINEMALES THE CONTRACT THE C	HOMEICH WHICH COMPECTOR MANGES CHARK ANGESTACH	HERECONCENTED AND AND AND AND AND AND AND AND AND AN	PRESENT PRINCIPALITY OF THE PROPERTY OF THE PR	TERRIT GEO 135 ELACK POLYCLEPIN SHRINK TUBING	PRETT GP: 135 ELACK POLYCISPIN SHRINK TUBING	TELATERP MCLEL 110 TERP RECORDER TAPE/F	PERP-PLATE 240/500	772		TEMP-E-TRUE A-471 TEPLOM/FIGURGLAS/ACRVIIC ADM	HERELETEN C-400 TENTON PER/SITEICEN ADM/S	TRADER TO SEE STEELS OF STREET STREET AND A SEE STREET STREET STREET AND A SEE STREET		THE STATE OF THE POST OF THE STRUCTURE AND A STATE OF THE STATE O

ATHOS APPLICATION	STATE STATE			T-1 TABL COMBOATER	2 87					1405 14651														TOSEL SELE				THE THEOL		11.00		AIS FAINT		-			-	A T T T T T T T T T T T T T T T T T T T				481680		METHON				BA BK BR		SHRIME		SHEINK		NATE OF STREET	TOBIE		SHRIBE TOBING
E CUPB		6		99															740		;	52							•	140	204	6	,	150	225	250	225	25.	200	9 4		920	900	777	000				175		125			,-	125		
TIRE		7		268	!										•	5 5	7	= ;		5		2								=	=	10	;	=		=	v		,		-	8	-	E I	= ;	C			Ę	į	7	Ē	000	30	158		
ACVCH	-	•			6		16	200	-						9				•	:	3	5.	70.	00.	-0	00-	.17	80.	-01	00	:	.36	3.5	~				2		9 6		•		9	07.		.21	90.	.05	6.	- 28	•05	. 19	.21	9	. 19	*
STRL	=:			*	9	1.07	9		7.1		•				•					•	30.	200	F .		.	00.	1.46	-27	- 02	F 8 7	•	8.55	-	5.04	0.9	S	44					•	70.	00.	2,5	7/-1	1.24	.97	.72	. 2	9	. 15	1.16		-	.68	.61
DATA	GSPC3624		4 7 P C 36 22	95547450	05 PC8756	19863450	GS PC 2308	CC0077	#C050450	679756	7000150			PELL 23 CE		63 FC 4431				10011	GS FC4 / 42	68 70 353	65 FC 36 36	GSEC5859	GS PC 5246	GS PC 5244	GSFC54 17	GS PC 45 22	GSFC3159	BB \$6 J& 50		GS PC 36 00	65010377	SPI 13211	GC BUG SO	S=111209	7. C# JAST	CD 113210	70141414	20141100		100100000000000000000000000000000000000		63664324	SKI13208	65 FC 94 10	GSFC8099	GSFCB807	GSPCBA 31	GS FC8 102	G SEC 29 79	GSPC6935	GS PC 30 13	6SPC 1015	GSFC 2369	GSFC0557	6SPC0554
SATESTAL CONTRACTOR OF THE CON	4-100 KAPTOM/2 SIDE SILICOME	KAPTON/2		というに、おうとはなる オーンパン まれにもうご ジョオストンション とうに しんごうしゅうしゅうしゅう オーンパン ガルロモンネーバーコーじつ 日本 アード・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・		TREP-E-1905 15-400 1520.08/STLTCOSE DDR/S		THE STATE OF THE S		いっこうじょく くしゅうかい かんしゅう こくりこう くうこう しゅうしゅう マイン・ファイン・ファイン・ファイン・ファイン・ファイン・ファイン・ファイン・ファ	THE STATE	EADS OF ABA 60 102	CALLEGE STATES OF STATES O	TOUG FLIED THEN AND AND AND AND AND AND AND AND AND AN	1 1 1 1 1 1 1 1 1 1	THE POOP WILLIAM				THEFT 33//32/BER/BERCK DIE	HARREST PALLS ALCOHOL THOUGHTON			MI-24 TPS SLY	1x2-20-1932 g		TRESTACICE 6351444 OUTER WHITZ LACQUER IMPFEG NTLON	FICH IMPAZG FIR	THEFREN THE CH IN MINE INSULATION THER R	COUNTY COLL CONTING		THESHELD G 3334 BLACK ANDI-TRACK COATING	CONTRACTOR BOOT	CEN BIACK TEPA	CAN CITAB	;	7		CAR SEASON	TOTAL CONTRACT CONTRACT TITLE TO STATE OF STATE	ATHER LEMENTALL	MIZO VIIOS - DERCA	TARE TOO CEEAR	PAPE-100 CLEAR	TOTAL DOLLARD	#11-100 TI	KI 102 BLACK P	AT 1600/1 HT TAS UNITE BEAT GR	AT 1800/1 HT THS WHITE MARKER SIESYE	PT 218 BHITE	ET 301 BLACK	KT 850 KYMAR SHETN	BI 676 POLYOLE	HOPIT ET 876 POLYCIPPIN	F1 876	•	- 13S

•																							•																																					
APPLICATION	SEBTEK TOBING			CENTRY MADINES		SHRIME TOBING	SHBINK TUBING		CHESTER PERING	A 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	SELECT ARTHUS		SERVER TOBING	SHFIRE TOSING	INSUI SLEBVE		1011200		2000	TEST PET TO	TIE COMD	TIE CORD	11 E CORD	EAINT		STARTER COND)	BACK DATE			1401		BCLD CPR B	IACOURE	ADE SEALANT	SUPPORT	ECTTING		FOTTING		POTTING			ACHESIVE	ADRESIVE	STATES CPED	CHECK CHECKER	SIRATES CEBU	AUDIO 1 VB	ADRESIVE	STAKING CPND	ACHESIVE	TDRESIVE	ADBESIVE	ADHESIVE	ADHESIVE	ADEESIVE		
ATHES	AIR		AIR	AIE	P I S	1 T T	AIF	e I V	4		4 4		818	AIR			ATE	4		<u>.</u>				AIR	116	4	4 1	111		# Y !			174		A I b	AIR		AIA	AIP	AIR	AIB	AIB	ATA	AIP	ATR				474	4	AIE	AIR	AIF	AIR	AIE	P13	AIR	A I E	AIR	A I E
TERP	225		140	001	1.0	140	100	0	1.13		2	100	140	150			125	,	9 4	C				100	25	9	9 6	7		9 :) - (5		52	25		20	90	20	80	105	5	175	9					Ç	25	25	52	25	52	52	52	52	9	90
 CUSE	58		0.54	£	0.58	0.58	28	5		5	EC. 1	7 H	0.5R	E			3			7				Ŧ	=	: :		<u>.</u>		E :	1 . 7	E .	#O.			24H		128		12H	=	_						1 2 1			72H			70					7H	2 H
KCVCB	.20	.25	. 26	. 26		.34	28	:	•		67.	.24		00.	00		,			5	- 20	• 0.	=	6.	0	•	•		•	=	•	65.	,	00.	1.08	00.	.02	.42)	06	,	- 47	•		5			9	[·	. 15	.62	.05	.05		٥.	90.	0	.01		
ATHE	.47	69.	.76	.63		. 8.		•		70.	9.	. 52		-0	00	90			0.10	-	5.09	.15	. 37	60.		•		2.18	•	9		1.82		1.05	10.16	10	1.89	4 4	•	1.33	1	2.39	:		1 7 1	36		7.90	1.45	3-40	3.16	1.01	1.15	2.27	5.06	1.95	.65	.72		
 DATA	3SFC4712	GSEC6104	63705000	G57C5002		C 5 0 5 J 6 5 J	OLOSO O			5 1 1 2 2 C 3 4 1 3	G 5 F C 5 0 7 3	GSPC5076		SET 13203	7.8.7.16.8.7		7 7 4 0 5 0 0		61 / F D L S ()	GS # 0 6 9 3 8	35 FC 6995	GS PC 57 15	18852455	2676787	1100000	20100		331C 1977	-	GSC10146		35 FC###0		65 PC 96 74	GS FC 36 72	GSFC0981	3510 1125	CET1170		SC 1 1 1 2 0 5	7 7 7	A071119	20.41.12.00		000000000000000000000000000000000000000	15863119		GSFC6131	3SFC6848	GSFC 29 37	65 PC6 134	35 PC 7901	GSFC6107	G3PC7661	35FC#118	GS PC £249	55PC6251	GSPC6254		
Tercette		501 - 5050.0	ACL BIACK CHIA: SON	コランカン インバー・アイ はいらくかん こうしゅう アイトラン アイト アイトラン アイトラン アイトラン アイトラン アイトラン アイト	1		THE ENGLISHMENT OF THE PROPERTY OF THE PROPERT	PROPIT SCI		F YOF T SC1	PEROFIT SCI BHITE		435 17 101 17	7086400000000000000000000000000000000000	THE PROPERTY OF THE PROPERTY O		PRESENCE ANGENDS 1200 PERESENS SIFEY	THISCH BO-694 LEMINARY PRINTS - BIDE	THIACH O-311 PERSHERE SHIMEY - BECKN	AS 1/1 ST ST STREETS TO F FACTE	CHARLES - EDEMANDE CONTRACTOR	Continued any continued to the	CONTRACTOR STATE OF THE CALL MINISTER OF THE CALL M	4 0		TILE COTE 1201 A/B AS 1/1 BV WHITE FOXE FALRE		TILE COTE 1202 A/B AS 1/1 BV PLACK EROYT		TO-1000 SYNTACTIC BOAM AHIT?		TO-1000 STRIBGIIC FORM PHILE		ECHAPTOR CONTROL OF THE PRINCIPLE OF THE	TORISON THE TAXABLE OF THE TAXABLE OF TAXABL	TO ACCOUNT ALCOHOLD TO ACCOUNT	TONE SERIE A/R AS I/I DV	as a state	THE TO BE 100/1 BM POLICIES LEWE	1	Tod-3/10 AS 100/1 BW POLIZIMILENS	•	TOH-6 A/B AS 25/1 BM POLYBENIES			2101 EFCXY	21065	2111 STAKI	STAKI	2113 FEGEY	AXOGY NINE OF THE	Alla Caras atony Kit	A TION FROM I DATE OF THE PARTY	VECTO BIONE DIES	Describerty Broke Bills	TEMPERORY NEEDS ESCAR BETTS THE METERS OF THE PROPERTY AND THE PROPERTY AN	21430 FOL	THE MADE TO SELECT TO SELECT THE	TABLE STATE THAT THE STATE OF T	

OF POOR QUALITY

•	!													•																																							
APELICATION	AD BUSINES AND		CCHD ADHRSIVE	FILM INSOL	THEERST BLANKET		POTTING	FOTTING	FCTTIES	,	TOPING		CARLE TIE		CABLE TIE	CABLE TIE	CABLE TIE	_	CABLE TIE				IACIBG TAPE		CABLE TIP		CABLE TIE		168190	10 BI BG	HIRE COATING	CCNF COAT	CONF COAT	IDBSICANT	LUBRICANT		LOBRICANT	COMP COAT	INSOLATION		ADH-POTTING	POAR	9	COMP COAT	8100 4100					COMP COAT		FOTTING	COMP COAT
ATRCS	AIR	AIF	A 1 6			DIR	ATF	AIE	AIR	4	•	AIE				AIR		AIR	MIE		716					AIB	AIT	AIR				AIR						a I			AIA	¥ 7 7	;	AIR	-	4 4		Y I	9 1 4	V I B	9-1	MIA	AIR
CUPE	25 25	09	9			115	52	99	25	9	.	166	•		٠	125		001	125	!	125					0	125	125				125.	٠.	•				2	;		20	Ç	,	5 2	ر ر ۲	:	25.	33	5	5 2	75	83	93
CORR		7 E	7			20II	7 # E	æ	=	. H	:	248				24H		16E	24H		24H					76H	24H	24H				89						128	;	87	= ;	# 7	į	2H 2B U	H 4 1		20M	20M	2.0	2.H.	24H	16H	38
SC VCH	9.7		.03	00.	.12	.	.01	<u>.</u>	.02	1	-26	*C.	-05	00.	00.	-02	.02	00.	-0		00.	.02	8	00.	• 05	90.	-0-		14.96	. 19	90.	0.	.27	16.00	ō	24.00	1.30	1.25		Ξ;		7.	5	6	90	9	70			80.		1. 18	6.11
4T1L	1.43		1.06	1.26		. 25	9£.	.60	. 85		.75	60.	1.74	10	.03	2.49	2.33	1.90	?	2.49	7.85	. 65	1.83	2.60	1.61	. 85	5.06	1.98	32.91	**	99.	2.60	12.07	24.50	1.69	96.00	5.47	6.26	•	2-71		70.0	80.	0	2.44		1.65	: •		2.43		18.28	10.71
DATA	GSPC33090		G3FC3177	62010275	3SC 108 3S	65C10859	GSFC2491	GSFC 3722	35 FC7766		GSFC47 18	65704766	GSFC0057	GS PC 8126	. GSPC0782	98FC6155	GSFC5055	68705103	63PC5150	GSFC5174	GSFC9677	GSFC4134	G3FC 2591	GSFC0662	GSPC#9B2	GS FC 4984	GSPC9458	GSPC9461	GSEC9389	GSFC4598	GSFC 3862	GS PC 54 37	G3FC#308	SE I 10205	SP I 1 0 2 0 7	SRI 10204	SPI 10206	GSPC7514	6880389	635750046	654065	1001 (1001		1971-744.3	GS PC8225	65769173	GSFC 36 26			3SFC9026		GSFC 1840	GSPC 1276
HATERIAL	TPA-CCH NI12795/2793 MPONY MITTPA-CCH J1156/k-8 AS 50/6.25 BW MPONY		PARAGE TTL SCHOOL AND THE SILVER FILLED	TITE COLLEGE BOX COLLECTO (B)	THE PROPERTY OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND THE PROPERTY OF T	THE POSTER SOARS DECKON FELT	111/901 AS 100/J.	CCURE 901 SPOXY	TO-0590/460-0158 AS 1/1 BW 37 PP B PCITCHERE		Ā	ING-SILICCAL-BED GEADE 60 CL2 SP2C			307 TY-RAF TLFLUH CABLE	TY 348 TY-LAP NYLCH CABLE TIE	-	464 TY-EAP MYLCM CABLE	TOTAL MANAGEMENT OF THE PARTY O	THE STATE OF THE PARTY OF TABLE THE	- 1	F MINAK LAKAL ILB	HATTER TO THE PARTON PROPERTY OF THE PARTON		TY-EAP MYLCH	Z3N TY-EAP NYLON CASLE	MICH CABLE	TYP 25% TY-LAP NICH CASET TE	**		SHENET LIKE	SCHOOL A-4940 SILICORE	311 7-4486	TOBETTO POLITALKYLZNE G	SOUR TOO ECLYALKYLTI	SOURCES FOR MALKALE STATES OF	100119 i	CORLEGIA CASE OF SECURIOR CASE	. AFE/VOLDE .	SERVER DOMINA CREMINA NOTE AND ADDRESS	. 4	•	JOH CCIVICATION	- THISTOTT'S #77	22H	22H ECLYUBETHANE	FULIORETHAND 2			SEALARE 22M/BDAC FLUGESSCHAT TERCER		5712 L/B AS 2/1 BE	DRALLANE 5738 A/E AS 100/55 RW

Afecs APPLICATION	IP COMP COAT	E COMP COAT	Ī			E CONTING	IN COMP COAT	CPT								BOLD CPHD	ROLD CPRD	TREAT STREET	EARL SLEEPE			2712 44 1772 E-1772		BIR JERRAD SHALLET	AIR		国際の日本の日本の 日本の 日本の 日本の 日本の 日本の 日本の 日本の 日本の	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	一		FASTERE	PP STREETS	海外書館にいる中				10年217年2	ALE PASTICAL		CCMD POAM		AIR ADRESTUR	IUBRICANT/OIL	ICBRICANT/GREASE	thrustonal
!	AIA	a i		ATE	AIR	AIA		í	;	AIA	7																											4							
CGR	52 60 80	22.5	9	5. 5.	w «	%	# 75 G	3	1	82	.6	25	00								135	25	ì	7.	121		100		105	•								25	1			52			
1188	===	:=:		2 E	14E	24B	76 H	;	į	2	101	7.0	548							į	E :	. T		B	Ë		16H		28.8									110				248			
SCVCR	E0.	.03	-0.	-02	.03	. 17	7.55	ě.	.54	-	5	.07	54.	*			-02	=	00.	.07	.31 .31	70.	-62	9		2.04	ē.	5		.01	0	00.	.05	70		7.		1.70	.02	.29	.21	.63	5.51	3.63	00.
STRI.	-	:	.45	1.01	.73	10.00	13.69	3.03	11.09	2.19		3.52	-	56.		91	60	.58	٠٥.	9.	1.82	96.	1,61	3.99		5.33	2.39	7.6.7	30.6	0.02	. 52	.55	1.08	1.50					70	5.45	.67	7.47	96.9	5.70	3.35
DATA	GSPC7322	65107325	65105370	GSFC7535	GS FC75 3B	GS PC 14 58	GSFC7568	GS PC 06 15	GSFC 1531	GSFC8369	24 L L 20 30	GSFC0743	GS PC 0751	95 PC 6852	GSFC0042	10 10 10 10 10 10 10 10 10 10 10 10 10 1	GS PC 3578	GSFC5419	GS PCNN 06	GSPC8030	GSFC4430	GS PC 4890	GSPC2637	GS PC 4025		G3FG3879	GS PC 85 10	65 FC 3881		GS PC 28 69	GSFC3883	GS PC 3885	GS PC 29 39	35 PC 7964	65 FC 2320	45 FC 5199	55 PC 68 34	92 C 9 J 4 S C	GSFC6356	3S PC 6 1 10	GSPC1963	03FC9769	SF 110214	SEI10215	65C10056
TATESTA	URALANE 5750 A/B AS 18/100 BW	URALANY 5750 A/E AS 18/100 DW	5750 1/1		CRALLER 5753 A/E/ALURIRA AS 1/5/3 BW	DRALLANY 8267 IKANSPAESHT POLYDRETHANE	US 0009 A/B AS 100/35 BW PCITURSTRANT	ALTRIBUS SETTO SECTIONAL TOTAL SET SEEDED BY AT	69 OPTICAL CERENT POLYN	V 357-80 A/B AS 1/1 BH BLACK POLYURYTHAND	TO TAKE THE PROPERTY OF THE PARTY OF THE PAR	TATORES STREET SERVICES TO A TRANSPORT OF THE PROPERTY OF THE	WACCELL SILICONE LEAK SEALES	WAICA TAPE 7910 PIEZ FILM/SILICONE AIR/F	WAICCE O SIMG - RTW 75	WALON STO THERESELESTIC POLYRICAL CONTROL OF THE CO	THEORY AND SERVICE TO THE PRINCIPLE FOR THE STATE OF THE	THE STATE OF	S-1600 1YPE H PI	SPEC 4307 GLASS/	STEELING THEFNOF	VARBISH STERIING THANNOPORY T-653-188		こうしょう フェーフ・マー・ファー・ファー・ファー・ファー・ファー・ファー・ファー・ファー・ファー・ファ		*	HI-LIE PASTEUER W	BI-AIR PASTENEE N		10-000-700 RTT-IB	はいこしから ままりまさまし なりじょう カット・コード・ファート きょうしん ままりまごまじ ボンイルモン かっていまい おりまり おりまり おりまり おりまり かっちょうしょう	WIDTERP FASTSWEE	MYLCH HCCK AND LO		HYTCH MAR PASTANE			WATCHO 100 PCINESTER BOOM AND FOUR	##ICFG 100-003-01/-032/78 #0124 404/1005 #/#58	##FC#0 100-007-017-017-017-017-017-017-017-017-		101/ACCEL 11/P	VESTITUES F-50 SILICONS OFL	PEPSILURE G-300 SILICONS GREASE	WESPEL KS-105 ALANID

ATROS APPLICATION	SOLID LUB	BCID CPED	\$011 D 12 BE	SOLID LEDE	SCIID 1688		MOLD CPUD		1001		ATE FEDE COATING	FRIE			C BING	25.51	1485	28 AL	SIAL							AIR FOAM	•	LUBRICANT	CHANGE		_	ALE PURSIAL							AIR ING		AND INK		AIR INK	AIR INK		AIR IBK				418	AIR INK		F-6
CURE									25	204	180	25	100									70				204	52					25			,	25		7.70	25	09	52	09	25	63	5	52	5 6	<u> </u>	£ 6	149	52	99	51
CORE									24H	28	304	246	9									3 9				16H	# 1 2					24B				308	300		308	2.11	308	28	20	= ;	7.2H	= (Ē.	= =	158	#	20	H.	72H
SCVCB	9	9	10		00	0	00	.05	**	-02		.01	10.45	.02	-02	• 05	-03		.03	0	5	90	0	60-	0	-0	0.	e	-17	0	00.	-02	6	-0.		-		-	.05		. 18		•0•	.01		-02		S	•		-05	•	
STEL	97.	1.24	. 58	5.5	. 57	45		.30	2.37	.57	6	98.9	43.89	.21	.21	. 29	-27	.35	5	6	9	£.	.30	. 85	. 16	.91	99.	-67	=	8 0.	61.	1.80	40	-0.	0.	5.99	Ç		10.94		9.16		۲.	98.		0		4	:		9.94	. 4.63	
DATA	GS PC 34 11	SPI 9321	GSPC 3405	GS PC 2407	GSFC 2997	0 8 P.C 34 D.9	GSPC 3459	35700909	0.5010149	GSPC 5487	GS PC 44 78	GSPC 3139	GS PC 5226	GSPC2071	GS PC 24 34	SPI 12623	SBI 1 2625	SEI 12627	SNI 12629	GSFC4302	GS PC 1696	GS FC 4 188	6 SPC 24 22	GSFC 2511	GS1C4474	GSFC#208	GSTC 5028	GS PC 9572	GS FC 5224	GSC 10362	6S PC 0951	GSC10175	GSPC 5972	GSPC5893	35 PC 5895	GS PC 4210	0400000	04707160	GS PC 42 14		GSPC4212		GSFC 2482	GSFC2751		6SFC8243		34000400			GS PC 24 79	GSFC2605	
8142111	#01/21 VOLVETTE SCILLETTE TO THE TENTE TO THE THE TENTE TO THE TENTE T	SP-1 POLYIMIDE	SP-1-D-1 ECLYIMID	SB-21-(-1 PCLYTATA)	SP-22-D-1 POLYIMI	CE-S SCINININE NOT A STATE OF THE STATE OF T	SP-S POLYIMIDE/30	7 PVC 35% FIBER GLAS		TIES FIG F 8530-2 PLOIDINED BED COLING	WIERO-PIO R-301 EPOXY POWDER COATING	TERSTET TE AU-1/85 215 AS 1/2 BV	01, 77	T TOR T		-	_	-	4110H L 44111-990	60	B Dreom	ė	C 805K	INPERCHATE DACACH DOFONT 84-061	-	ij	TORITE 63 PCITUREREDES COLTES		ELKETIELD THEABLE GEASS 120	HASHER FOLYPEENLERS SOLFIDE 404 GLASS FILLE	BP 1606 TRERBOPLASTIC POLTESTER/FIB GLASS AS 70/30	WIICO FIST SEL EPONT 2 PART KIT	SIET IESOIVION TRICON/BROSE	FIRE INSCIDENCE ORANGE MIL-4-22759/16-20		HOTHOW CAT-L-INK SO-100/CAT 20 AS 20/1 BW WRITE	CASSISS TREETED AND AND SACTOMES OF THE CONTRACT	TORROR CETTLES DOLLOCKER 3/30-300 INTERES ENTIRES	BORNOW CAT-L-IME 50-121969/CAT 28 AS 20/1 BM ALUM		HORMON CAT-1-1MK 50-300/CAT 20 AS 100/6.4 BW GRZEN		CAT-L-IMK 50-407/CAT 20 45 100/7.	CAT 20 1S		MOSTOR R-2-N EAL/CAT 45/T-1 THIMMEN/F		SAMPLE CONTRACTOR SAME SAME SAME SAME SAME SAME SAME SAME	•		SPRIES N BED INK 8-2	COFFOR SEPIES B CHITE INK 3-9-E 5.0% CAT	

ATRCS APPLICATION	17P ALSE		TAISTUS TIT	-	-	_	_	AIR ADRESION		8			AIR FOAR BLAFF	ATP POLE CARPER	1				FILE	A15 198151VE		AIR FOTTING	Alt forting	10 10 10 10 10 10 10 10 10 10 10 10 10 1	_	601TING		_	AIF COATING	CONF COAT	101	•	9				E-2	AIK VAPUISM	AIR VABRISH			•		AIP FOTTING	PID FAINT	AIS PEINZE	1.44	101
CUTE	32	;	52		125	?	52	22	Ş	ננו		-	125 (3	3					2	2	2	9	32	2 %	: %	: 3	7 :	. •	2	3	52	52	9	2	2 %	Ç 2	Ē	=	125		×	9	S	52	2		
201	=	;	100		=	191	1	7	3	=			2		Ė	=				7.	=	141	3	= ;		: 3	; ;	=	= ;	;	7	2	2		•			50	208	24H	:				•-	7 H		
NCACE.		. 0	1.3	=	=	1.06	1.51	.02		••	=	9	9			?		7.0		25	.20	. 52	. 59	7				1.26	1.22	9	=	•						. 24	.0.		77.		67.	. 12	00	1.16	•	=
7887	2.07	1.53	2.35	5	. 20	15.72	17.61	96.		=	1.06	-29	•	•	:	•				1	1.60	1.29	1.39					3.55	2.29	2. 2.		2	= .		•	2.20	÷.	1.27	95		-			1.11	2.54	7.97	•	7.
DATA PPFREEECT	33010688	45 FC4694	44FC7186	25FC5266	Q\$C10134	35 PC 14 86	GSFC 1498	45 PC 09 24		05 PC 65 20	43 FC 2067.	GSFC 2931	4810185	LYCEJAS		75FC7424	65 PC 1291	10 E C 10 10 10 10 10 10 10 10 10 10 10 10 10	6276 3017	346.5082	GSPC5005	15157290	G3 FC 7283			15 FC 3 F 16		48 FC 8 1 8 3	G3FCB186		128C 7885	43010509	GS PC 7994	•	GSEC#391	GS FC 02 09	28103	65157520	GS PC 7664		GSFC5200	067C24S9	CHOL MASS	69163189	I WOULD	G3FC2791		65 PC 4048
	THE STILL STATE STREET			A TAN TAN TAN TAN TAN TAN TAN TAN TAN TA		:	SEMESTICATION OF STATE OF STATES OF STATES	٠.		CONTRACTOR TO BE SELECT STRUCT STRUCTURE STRUCTURE	11455 AS 80/	7	THE 1514/FCCCSFLEELS ST 18 1/2 RS SYMPLCTIC POLIT PTEF			IN 1529/PCCUSPALERS ST AS 1/2 BY STRIBCTIC POAR PIRK	473-8C-158 PCENTATO.	TO TOTAL CENT OF	TRIBLE ROSERVE PULL PULL SANCERSON AND STREET	AN MODEL OF THE PERSON OF THE STATE OF THE S	いとうしょうけい かんばん からば アアカラ・ナザーに対し かまつした マイ・スト かけっけ イスト かけっかっき イン・デント	10.6	2/3 Bb 350VH			THUSTINE LA	HIM-DOSI/ME-DICS DS I/I ME BINCK FOLLUF - HANK	711 45	T40-119/CAT 231/672 735 15 454/1.3/0.1 288		THE NAME OF STREET OF STREET	TINFOCKS B/B AN COCK SO THE SITIECTE CONTING	1-25-1 1-2 15 10-1 14		1 by CLEAN SILICORE	1-2577 CIEAS SCISDINSTRUL CILOMASE - CHT P.	E3-6022/CLT 6060 AS 10/1 BY SILICCRE/PRINER [C92-023		TOTAL TENEDRAL TENEDRALIST TOTAL TOT		ULLTIO	THE STATE SOLOKE ADE ONE CORPORTE	TIBLET 1160/6/2 POLIUESTAINE PORMILITION	THE LA MORAN CONTRACTOR AND	POT TELEFORM TO SECURE TO COMPANY OF THE COMPANY OF	116 mulestro ()		THE THE BURNAL OF THE PORKING CLASS FIGURES

AND 1825 COLUMN TIME AND OCCUPANT OCCUP	24104.1	12.53	8000	200	3 î.	13861	ELIA NITE SCOCE COSE CUSE AIMES DOMINISTON
	11. 1964 11.		242 44	ia	22		MIS CHI MIS CH

.

.

. •

•

SECTION C

MATERIALS HAVING A TML

OF 1.0 PERCENT OR LESS

AND A CVCM OF 0.10 PERCENT OR LESS

. .

APPLICATION	10655178	Abbistus	A DERE 37 E	CORE ABBESTOR	ADELSTUR	CÉRD ADRESTVE	A DRES 1VE	10815172	CCMD ADMENTED		CCBE PDB181AB			-			PILE ADERSIVE		FILE ADERSIVE	ADELS 14 H	CORP COAT-ADR	FILE ADDRESSAR		***************************************	STREET ADDRESS OF	CORE ADDRESTUR	ADM POTITION	ADDESTOR	ADR PCTTING	ADER SIVE	10115 17 8	PORES 14 M	ADRES 14 B						ACRES 14 E	ADERSTAR	ADERSTA	ACM FILE	ADRESTVE	ADMESITE		Aches 17 2		
17.808	TIV TIV	=	15			=======================================	111	111	111	111	=						=	=	111		=			1				AIA	11		AIA	AIR	71						=	115		-		AIV	7-1	AIB	a :	
	22	: X	52		3	5	150	150	X	Ş	150	5	2 ;	::	;	3	2	16.5	125		2	2	2			: 5	: %	ž	3	;	ŞZ	\$	Z	2	2 :	2	n y	ÇX	×	i K	3	121	707	901	180	2	150	7
12 E	25	;	2			301	100	101	=	=	9	2	2 ;		3	3	=	=	=		3	=	= :	= :	= \$; ;	2	30.		24.0	=	15	15	- 2			2 2					: =				= ;	•
SCACE	79.	3	•	•	8	3	00	5	=		ş	;	5	5	3	9	5	8	3 .	=	•	Į,		;	3	3	=		9	ā	8	8.	.03	,		-02	70.		•		: 2	9		4		.02	•	
1117	. 15	.75		•					. 62		.2			3.5	7.	:	6			=	.42	7		;	4:				=		-	59.			7.			Ċ.		-				5	?	.7		
E CODE	976	91	2	:	1	֚֚֝֝֞֝֝֝֝֟֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֓֓֡֓֓֓֡֓֡֓֡֓֡			710	<u>:</u>	MC		1	2	1	ָ ֭֭֭֭֭֡֝֞֝֞֜֝֡֓֓	֝֞֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֓֡֓֓֓֓֡	7	1	711	710	770			710	1		;	; ;	;	7	2	747		A PC	1 %C	- PC	<u> </u>	1		֝֞֝֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓			1	1	H SC		
	L-11775 A/B AS 1/1 BW BFOXT - PROUB		1-12/3-8 1/8 12 1/1 58 38738 RPOXY PRF 888 132			LEIPECHO 224-6 L/B AS 100/7-3 NU BPOIT	A 7-95		INTERCED 41-0 LPCII		TICE TIPE TIPE FILLED FPOIT		1-971	ICE S	5011	204	POLICIAL SOL GIAMO CLOTA/B-MARCH SECTION FOR		1-0-5	2000	ABIESISH 240-6 JULIURIANA ABIERTE 240-1 A/B BS 100/179,2 BW POLIGIESES	(-149			ABLESTIK 761-6 A/B/V9 LG AS 100/5/223 BE	1912:1858 6-2 1/6 15 10/1 DF RPOIT	16-1/81DDERES 22 AS 16/1 DE SILVER FILLED FFCH	LEALDITE AT 100/50100 AS 1/1 BE FFORE	THE STATE OF THE SPECIAL STATES OF THE STATE	INDICATE STANCE AND ANALYSIS OF STANCES	INVESTIGATION AND ARREST CONTINUE FOREST STREET		ASSESSED AT 2 A MA 25.7 BM		1845TRONG 1-2/L 45 50/3 BV	Ţ	ï	BENSTRONG A-31 A/B AS 3/1. 6 BU PPOXT	_	J	C-7/ACS W 25 2/3	951	OI TEOM MCARYCOMB ADM	BONISTER LEAS L/U AS 10/1 BF	٥.	007 888000		

SSCF.OF 1 -- ABMTSTV25

		,																																	
APPLICATION	1118371	ACE18 378	20120101	10 111	101 F118	10115100	ADDES 194 184 4 5 5 6 5 6 5 6 6 6 6 6 6 6 6 6 6 6 6	AEBE: 198		COSE ADMINISTER		10115373				5 C 5 E 5 E 7 E - C 6 E 7 L 6 C	80000000000000000000000000000000000000	A1625 170		A D B B B B B B B B B B B B B B B B B B	ACRESTA			A D D D D D D D D D D D D D D D D D D D			7 TAT 518 74	46.028.328			7 P 7 P 7 P 7 P 7 P 7 P 7 P 7 P 7 P 7 P	ACHMAN	CCSE ADDESIVE	40000	1020374
11801	==				25	=	==	69		125		1	11	12	=		1	=		1	=	=		=	1:		=	714	111	=		=	=		=
52	rā:	zis	i :	==	•	:5	ž z	3 £	*:	23	R 2	:a:	:	£	3:	C X	×	2	c x	: 2	2	ĸ:	C X	z	2:	:3	2	22	2	? :	2	3	2	į	=
22	32		22	=	# F	Z	; ;	==	"		;	2		:	5:	;;	2	=;	: :	:2	2	21	2	=	:	= =	2	::	=:	= :	3	12.	=;	;;	3
ACPC	3.	÷.	•	÷	÷	3	: :	•	3	33		ş		Ę	•		s:	į		7	į	ē	•		\$		=	į	8	2 3	=		•	3.	•
1	\$	÷	•	. 78	32			ž.	60	3.5	:	S:		2.	;	=	*:		=	:	=:	:		=	94	•	•	*	:			\$	ę.	¥.	=
260	700	V CC	619	8 13		5	# D C	308	QHO	0	•	# 50 00 00 00 00 00 00 00 00 00 00 00 00 0		Ü	4	30	200		2	200	0	٠ د د	រូដ្ឋ	ŭ	***	•	R D G	30		# 00 00 00 00 00 00 00 00 00 00 00 00 00			97.6	MY S	413
17: 6001	B? 34 RECET ADMASTER	BP 34 CPCH ACHISTUL	ANTHERESOCIARESTRICATION OF SHARE	BAL 30A PLACE LIGHT LESPEPOTTED ADMISTER TILE	mot old with this undertunism boming the C. 64/Ch; 4 is 106/5.) 44 dolf thoughloss	CASTALL 1 J/B AS 10/1 BY 49AT 12031	CAPACICA 20% BURNISH WHICHM GROWN	CHRAICF 220 BURSING BLACK	CRC-PCBD 1024 (CBBCT192 SILICORE	CATAROTTO SO-OF SERVED PRINTE BROOKE CONDER N-20 b.r bs 30,00 Be came proper		COMPLEASE LE-LA A/B AS 190/EN DR POLITICIDADE COMPLEASE LA-24 A/M AS 190/EN DR SOLVENSEES	CTEST 3135/2111 AS 1/1 DE 18011	CF279/NE972 CILAL ANDER OPOVE	DC 6-150s 1c1 s 2014e1m3	577 1011-9	A-1131 LOS	4-1101	1/6 15 10/1 12 S:LICONE	43-500 A/B 45 10/1 PR SIIICOBE LCT	41-500 A/B AS 10/1 34 STLICOBE LOS	43-500 A/E AS 10/1 B4 ASSISTED	13-560 A/B AS 11/1 38 SIEECOMP	41-500 A/B A5 20/1 RE	35174 3057 152-6-64 A/8 AN 186/1-5 65 3357 A 3557		DER BELLE AS 108/27 BE SPORT - AUBIR	DES 112/10/63/13/14/648 AJ 13/17/69 36 FPORT - CPEAN		252 332/1115/11288855555 55 100/14/110 50 510/11-05117 253 332/1115/1138855552/1288-0-611 50 100/45/315/1288	DER 112/11/12 125 AS 1/1 PL BPOTY	DEP BIRIC/VILLIAFID IND AS 6/7 NO EPOIT	DOMEST SECTION OF THE PROPERTY	TA 9 A/R AS 100/L Bd BS12H BPORT	24 901/21 At 100/11 to 1901f masors

1974	44	LIBE	SC DCB	C0 12	31	1100	PP11C11104
	2005						
TO SERVICE AND ACTION AND REPORT	2	=	=	Ī,	25	110	
		;	1		33	::	ABRESTUR
	8		Ė		3 %		April
21 21 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2	•	į	•	Ç	:	1000000
11 644 RDX1	2		•				FILE ADRESTUR
		•			×	AIR	ACRESTA
DAGGER R-20 LIBER KIT A/D AS TOURL BEADS PT TUBES					ž		ABEISTVE
TARTEST E-254 A/B AS TOWNE LEMSTER FFOR TUBES UNITE		•			: ×		TARISIA
PASSETT E-48 A.F. AS BOYAL LEBGYES PECH THES GRAT			:		7	ATA	ADERS 14 K
	=		ļ				A 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
EC 224 2501	===	=	•				
B48 41012 B477 12		:	;				
SELECTION OF THE SAME AND SELECTION OF THE S	i	=	•	= :			
AC 1980 B/h ht 4/2 on 5/24 hours	=	:	•		= :		
TO 1990 THOSE STREETS AND THE RESIDENCE FROM	34	.52		3	• 7		
MCCOMONE 164 b/o to 164/44 by Repli	SHC	=	3	₹ :	3		
#: CD_cd_cd_cd_cd_cd_cd_cd_cd_cd_cd_cd_cd_cd_				= ;			
•				ż	97		DETER CORP. INC.
THE - BACK SEE AND THE STREET	2	ž	į	7	3 :		
MCCOUNT AND	<u>د</u>	. 28	=	3	70		
AND SOUTH TO THE PARTY OF THE PROPERTY OF THE PROPERTY OF THE PARTY OF	Ę	3,	3	2	g:		
1000000 250/2414 45 45/2 of prome	240	7	=	Z	2		
BC008030 385/8 45 75/1 PE BENE	340	=	?	ž	ĸ	PIP	
ECCODORD 51/9 AE 100/7 DE		4	3	7	Z	111	
SCCOBCID 55/5 15 50/6 32) (1	-	3	191	Ş	111	10110101
1CC01019 55/9 15 50/6 B#	7			7	×	AIE	LBEES 14 R
1CC08010 55/9 45 50/6 88 CP017) ر ا ا	7		5	3	AIL	L DELS 14E
55/9 15 5	1			1	*	AIA	CCRE 10BES1VE
	<u> </u>		•		X		ABS 24 B
54 67 375		. 23	•				
			į	= ;	3		STEERING LESS
Carrest and are no not be come about site;	¥	3	5	2	9		
PCCONCAS AND	7	*.	7		5		
ACCORDED ST. T.M. D.S. T.		G.	1	=======================================	25		COLUMN TO THE PARTY OF THE PART
PCCOBCHU TAC A A A A A A A A A A A A A A A A A A	14	=	?	=	Ş		
	121	59.	Ę	7	3	II	
1210/6121	144	.,	3	2	ž		
#110CED 1210/8061 45 3/1 55 EFFE	104	•		2	2	11	
BF1BOND 123/CA1 9615-19	:	5	3	3	ĸ	11	
\$P19C40 4510 4/E AS 10/3 BU	5		=	3	52	112	2 DEE 5 14 E
Private 6251/40E 5/Fillsa/converte - truss		•	1	3	3	AID	
		•	3		902	118	CCBE ADMISIVE
		9	=		_	AIA	A DEES 148
		:		20		111	L BALS 17 E
		ij			150	A I &	CORD 19821VE
CPC-TER 8270 4/6 AS 10/1 92 SILTER PILLED FPOIT		: 5	*		150	AIA	CCRE ADMESTAR
COLORER SILVED FILLED BPOIT		֚֚֚֚֚֚֚֚֝֞֞֜֜֝֝֝֝֝֝֟֝֟֝		•	400		
AND THE MAINING SILEKA PILLED RPOXT SINGLE CCREOGRAF	_						COME ADMEST OF
				: :	2		CCHT ADRESTVE
		= :					TOWN ADDRESTUR
	u di	. 20	8		<u>.</u>	•	COLD DESCRIPTION
	2 F.E	.27			2	-	
	121	=				_	
CHOOL STREET OF THE PARTY OF TH	E P	35.			2	-	
MAR A/D AN ACAN THE CARTE MOUNT HAS ALL THE COLUMN TO THE CARDEN MOUNT TO THE CARDEN MOUNT TO THE CARDEN MARCHET TO THE CARDEN MARCH	7.3	. 22	8	3	52		
	ZPK	2.			2		CORE PRESSION
The state state of the cold							

SECTION 1 -- ADRESIVES

	5	\$18L	. BOADA	8	5	17805	APPLICATION	
								ļ
THE THE TAX A T A STATE OF THE TOTAL STATE OF THE T	121	7	.	=	31	11	CCOO PRESIVE	
	į	. 3	•		6 9		CORE ABBISIVE	
PPC-11K B41 A/B AS 10/1 BW G019 FILLID PPOIT					1		CCSE ADDRESTOR	
THOUGH HAIR 1/4 15 1/1 BY GCID PILLED EPOIT					2		1685343	
PPO-TER 920 RECKY ADMISSIFF		:	1	4	3	AII	TAIRE COSE DAS	
200-12K 910 1/0 18 100/1.3 Su FILLIS 37017		~		151	3	=	Acresive	
SPCH 1-24 EFCI)	•	•	•	:	×	15.		
				7	x :			
		;	•		2 ;		A C 6 0 5 10 0	
		ķ		;	2 3			•
EPON 015/111 41 10/1 DE COME 4	1	: :			; ×		10128301	
19CB #15/4 140 AS 3/1.4 SF 19077) i			: 2	×	Y	A 35 18 10 18	
	! :	:	1	=	:3		ACRESTA	
			3	;	×	=		
	105	;	3,	Z	=		4 C B B B A B	
##C4 626/881/6081 45 168/86.3/1.3 78 7.01.	1	•		=	11	=		
TION IN TAX AND ATTENDED TO THE	\$ B.L	*	•	7.	3	=		
	311	. 2‡	5	Z	F 1			
	SBL	.	1	3	£			
	3 11	۲.	\$	٩.	C:			
SPECE BOOK TO THE TANK THE TO THE AS 10/5/1 BU LPORT	HYC	٣.	3		S ?			
	2 II C	•\$.	•	2	٤:			
THE PARTY OF THE P	281		3	= ;	2 %			
	į	;	•	2 5	C X		ADERSTA	
TPCH #28/WE SAMID 125 A3 100/75 SE PROTE	3 2 2			•	×		A DETECTIVE	
	980	: 5	•	2	: X		CORE ABURBITUR	
			3		×		100000	
		6	•		: ×		A161230	
175 21 1/500	1	7		. 7	3			
	=	•	-	-	=======================================	11	10018178	
SPOR 901/P-3 AS 100/23 5W SPOTE	2	:			175	111		
	-	11		2	175	11	1011110	
Troit		=	=		125	111	10153101	
TACK THE PA 100/1 BK FROKE	. .	. 95	3		×	PIE	A DE 2 2 4 4	
PROBLEM CONTRACTOR AND AND STATE OF THE STAT	SIL	2.	=	2	2	1		
	185	=	Ę		×	=		
STOR 300 F/S FM TOO / STORE TOOLS TO STORE TO ST	385	=	3		2			
THE PARTY AND THE PARTY AND THE PROPERTY OF THE PROPERTY OF THE PARTY	47.8	=		2	C:			
SECOND TO THE TAX PROPERTY OF THE PROPERTY OF	6; =	=	10.		G t			
TOTAL TANK TANK MADEL TOTAL TO	918	•	=:		2	=		
TAREPOT 10/VELSANIO 140 AS 2/1 BE :POT	210	= :	8.3		2	=	A DES 2 2 2	
PPCXY DIELECTARC A	L T O			= =	2 5			
	1	1	•				ACRES 146	
FIGURAL STATE OF STAT					1	A II.		
		•	•		2 2		ADD 711.0	
	֝֞֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓			٠	7	- S	ADD PILM	
PR 123-219C PECK AUM FILM PRPPLE/F	ָ ֖֖֖֖֭֓֞֝֞֝֞֝֞֝				121	414		
-					121	PSI		
	֝֞֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓				11	11	•	
-	ָ עַרָּי	-	ð	=	13	=	•	
THE PARTY OF THE PROPERTY OF THE PARTY OF THE PARTY OF THE PARTY.		•						

		٠		11			
	-			:		AIR	ADE PILE
	Ų		3		::		ABB BCAB
	ບູ	?		2 ;			
	201	-	ë	•			
	PCC.	51.	Ę	=	173		
		3	=	7	52		CCRE PRESENTA
			1	2	2	11	PARTETAL
				24.8	52	AIB	A DE 18 34 B
THE AS ACT AS 241/101/10 PRIS SEES 198					3	AIS	
	1	•	*		×	117	1 1 1 1 1 1 E
CETER AND SALE AND ANALOGETIC PRES SEES AND		3	}	2	3	AIB	
	•	*	1	7	2	PI P	10065171
GENERAL 185/WELSARID 115 AS 1/1 ON PROIT	ر 1		}	128	3	11	
		;	•		1	154	FILE SPRESIVE
TAIS SECURE DESCRIPTION OF THE PRESSING	ŭ	7.		,		154	
		;	•		216	ATA	ADD 731.0
		= :	8		:	}	ACRES 1VR
	# E	7	•	;	÷		11111111
	115	S .	8		= ;		TATEMENT TOUCH
	17.5	. 32	=	-	9:		2554144 5100
E-16 E/E AS 3/1 DM COURSELING STOLE	27.2	. 32	į	•	C:		
	110	=	=		2		
		. 23	3.	٠.	7		
		3	8	=	121	111	101 711
		! :	=	_	16.5	117	100 5310
	3	•	•		3	AIA	101 1111
		•	3		:	a z	ADDESIVE.
	2		•		8	7 18	
		•	1	7	150	114	CONC ADDREIVE
	7 1		3				2 SIBID TAPE
101/2 510/7		2	3		130	AIR	2 SIDED TAPE
ADIL/2 SIDE					2	AIR	1616111
					2	111	ACRES 1VE
-	3				17.7	111	
	:	\$			×	110	# AT \$ # # # #
SPORT		2			2	111	1011111
	4	•		_	135	=	1
		. 25			9	118	Abers 17 E
POLITER BPC 60 BLUE LPOIT POUDEN	,	:			•	11	
				201	;		
		98			99	7 13	1 AT \$1407
				=	22		
		36	=		×		107 6 1 1 0 1
				=	121	TI	
	2		9		52	4 1 4	
De 18 ACRYLIC CERENT		•		=	200	=======================================	
PROFILE BY CLUIK SUPPORT/ACTUIC FILE ADM - ARBSH	2				154		FILE ADURSIVE
TATESTON DISTRIBUTED AND PORTS AND THE PORTS AND THE PROPERTY OF THE PROPERTY					121	PSI	TIPE PERSIAN
WILL SHOOM LEGICARY SECUL STILL SHOW AND THE STATE OF STREET					140		A DERS 1V E
CHILLIAN MODE SALE SALES	2						ACRES 14E
AIOCH AN INC. AND THE THREE PARTY OF CO. IN THE PARTY OF CO.	27.5	78.			2		ACRESIAN
PRESENT OF THE PROPERTY AND INC. AND INC.	12C	5	=	: :	33		
					ž	514	AGRESIVE
TOURS PORT OF THE SERVE PORTICE ADM/TOTAL SAMPHICA			٠				
		•			2 %		ACH-SIALLET
SECULIAR PROPERTY SELECTED STATES STATES	010	17:			ř		ABERSIAN
CACCIONAL STATE STATE OF THE PARTY OF THE PA	Ü	~			Ç		

ORIGINAL PAGE IS OF POOR QUALITY

APPLICATION	A0115 27 E A0115 27 E	100153743	10110141		1500000	40445142			LORESTVE.			11 - 51 11 0 d	10015 141					CCRE ADRESTEE	ADDES 14 B	ADDRESTOR						ACCES 181		1	A DORS 14 E	ACE 15 17 E				A DEFENDANT			40101111	* > 7 7 2 4 4 5	A DRES 1VE	A DE ES 14 E	1	CCBF COAT		
11808	551		2		=	=	=	25	=	1		PI	1	=			:		=	=	=				==		=		11	=		-	AIR	=				==	11	11	=		= 1	Z-3
24	ZZ	iar:	i X	r R	*	£	Z.	e e	3	2	£	×	×	X:	3 :	e :	3 5	12	2	ĸ	=	;	K:	Ç:		X	×	9	×	*	%	121	\$	2	€:	2 2	2 5	2 %	125	£	S	x :	X :	\$
22	25		2	2 2	: =	2	2	25	;	7	=	9	2	2	7	Z		3	: =	3	2	1	2		3;		ž	7	5	24 E	2	į	Ē	728	7	.			Ξ	2411	3	=	≢ ;	= %
BCACE.	88	ë.	3		į	~	į	3:	•	Ę	2		=	=	?	į	•	3	7			~	~	\$	į	•	3	3	3	•	. 62	8	. 62	.0	=		•	=	=	.02		3	8.	
2.18T	22	. \$	21.	==		=	=	==	2	=	7 .	45	=	Š	Z.	2.				*		=	*	?	E:					.52	. 52	~	3 .	59.			•	.	. 20		ı	2.	۲.	
18	200	9	218	91 0	1	200	910	25	ָ עַ	280	20	6	9	2	=======================================					=	!	2	1 00	191			ָ ֭֭֭֭֭֭֭֭֭֡֡֞֝֡֓֓֡֡֡֡֡֓֓֓֓֡֡֡֡֡֓֓֓֓֡֓֡֡֡֡֓֓֓֡֡֡֡֡֓֓֓֡֡֡֡֡	-	CHE	2	240	110	130	111	TEL			124	1	S A 8	:	2	DCC	
	hry 142 OHR CCAFORER WHITE SELECORE LOT JA 107 hry 560/1-12 As 0.18 1-12	nty 560/577/1-12 as 1/9/0.5% by sillones	SA6 0.073 by	STO SEE 0.0752 EL CAT STLICCES	Mind Soft G. Good by Chai Willingship	;	BAT SAG C. 15 BM CAT SILICONY LOT JO 133	3	TAT BILICOST FOR EA		A1 STLICONY	Bry S66 d.7s by Cal Silicon?	•		15 10/3 BU PPOUT	2	HL" 1838 B/A AS 1/1	PLE 2214 MD ALGH FILLS	CHERID 2214 HIGH	SCOTCHARID 2214 BAY CONTINUE FOLD ACCAPAGE TO 2214 BAY BAY SAN BAY BAY CAN-0-811		SCOPERARID 2216 SAMBUICHED DETERME ALDRIDER	13/300	CERD PILL	A 100/3 BE EPO	2451/CAS 11 AS 100/0 00 BLACK	2651/CAS 11 AS 100/0 DE	285011/24	PROSE NO C 67 ST ST 9. 3003ST 12005ST	305005 /11 18 100/2	2650#T/9 AS 160/2.1 BB	12-60002 SILTER PILLED	CCHD SPOZE A	2151 1FER COMD RP	BOND 2248 SHIRCIROPIC HI-			SPALANT 5753 A/E/ALUMINA &3 1/5/3 BW			7/001 57 100	AS 10/0.	0 VS 10	

A DAFS IVES
-
83C:T08

A DESTINATION	THE STAL SCHOOL CARE LINES ATTACHMENT		STATES AND TOTAL AND	
			AXS	1
			7.01	1
	2 ! 5 i		1	!
			1	•
	Sint.		•	225
	446	CODE		216
				THE CENTRAL AND CENTRAL AND CENTRAL

SEC-10# 2 -- CASLE INSTINCT SEFERE TRAING

•																								٠	•														•																
AFFICATION		losai	WIRE COLTING	actor stabled	SIELVING	SLEEVING	S1220186	ELECT TRIBEL														TACES 1410H														CABLE TUSOL	LINE COATING	UIFE COATING	_	HIRE INSUL		SEPTER SERVE	SESSEE TREEDS	SEFIER TUBIES	HILE INSUL	_			KIFE CONTING	WIFE COATING	51111118	105186	SEPTE TORING	AIPE INSUL	
11808	 AID						ATA																																			A IR											11		
202	35						44.				777	767	757	Ē					•	22																						×											150		
22 22 22 22 22 22 22 22 22 22 22 22 22	3						46					2 2		2						5										_			_									3.7			. =			-			•	•	= 0	8	
RCVCB	 Ĭ,	?	3	-	1		•	6			3	5	3	70.	3	-	Ę	=	\$	3;	21			3		~	3	:	3	3	~	.53	2	S .	į		į		=			3	-		5	6	8	5	3	2	3	•	00.	•	
41aL	 \$.	9	•				:	•		÷	=	=	į	=	-02	. 02	€.	=	8		E,	7		3	- 02	۶.	. 27	₹.	٤.	5	- 15	=	=	3.	5	?			-	S	2	7		•	70	4	7	5	Ş		. 02	[8	. 12	
# 1 E	25.5	100	2			P 1		E C	F	- -	ì	ř	e I u		11.3	-	912	ť	2. 9.		Ş	CIC	# 3	ž	¥	=	7. 6	Ī		710		E T	E F	# -	1	919	912		, .	1 1						ָ ט נ	ט נ פי	,		ָ ה ה	38	0 4	. <u>.</u>	BCC	
123871		בני הוווני כם	4	7	BALLORG BAN STAR WALLES TROUBUR 41 OF ACUA	Ξ	ARTHURY POINT C-2 POINTIC-CIASE WINTE	'2	56 34-1-620	0 / 0 0 5 4 3 0 - 1 - 13 2 2	2/1 1/2/1/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/	248 854 19-1-122		20.25.4	CANCO MINER MAIN TANK TO COUNTY AND			CENTER SELECTION OF THE		かかけのない 単名のはない だらい かしょうしょ もくま		CONTRACT TO THE PROPERTY OF THE PARTY OF THE		NAT			CIFFERING RE	CITION OF PLACE	STREET OF SELECT	1	SAM POLYESTER PILAZIO		1 CTP: 2544 POLITYER PILL/WO		APPORATE INSULATION RESCS	CLAVE CABLY INDIA INSULATION	CABLE ORING INSTINCTION	OO WELKEL SILE COATING PROPER 1900	RIFE CONTING SPONS 180C	1400-1/20		MARKAN SERVICES TORONOS TORONOS MARKAN STATES OF THE SERVICES	RESIDENCE SELLING SELLING SECOND SECO	EVENT SCIENT SLEEVE BITH POLICY BELLEVE TIMES	CTERS SCIERS SLEEPE KITHOUT COLUMNISTE BINGS	THE STATE OF THE S	ARGART SIAE COATES ACATEL POPUSE	3 - 1 -	HILE CLISS	HEAVY	THE REAVE BL FOLK			SMEATHER II-KEI FERNACEARDER ORIFE INSTI-	

SECTION 2 -- CABLE INSULATION SMAINS TUBING

ATHOS APPLICATION		WIRE INSOL. WIRE INSOL. WIRE INSOL. WIRE SERVING WIRE
	2 2 2 2	112 5 12 12 12 12 12 12 12 12 12 12 12 12 12
22		######################################
#CAC#		
RINL	2	
140	A STATE OF THE STA	THE STATE OF THE S
	MATERIAL MATERIAL BATCHER PCITAIRIES MIRE INSTITUTOS TRICKE BATCHER PCITAIRIES MIRE RADIATIOS CRESITERE BATCHER PCITAIRIES MIRE BADIATIOS CRESITERE BATCHER PCITAIRIES MIRE BADIATIOS CRESITERE BATCHER PCITAIRIES MIRE BADDAIL-20-9 SENTE BATCHER SPIC 44,041-24 SPICE GRITTE BATCHER SPIC 55, IRRADIATED SATER GRITTE BATCHER SPICE SPICE SARIER FORTER ST 144 BATCHER SAILE FOUNDATION STARM GSFC3744 ST 144 BATCHER SAILE SILCONS WIRE THERE ST 144 BATCHER SAILE SAILE SAILE ST 144 BATCHER SAILE ST 144 BATC	THE MATER'S TATA-16-1932 MAIR BIRS INSOLUTION TO THE MEN AND THE MEN INSOLUTION TO THE MEN AND THE MEN INSOLUTION THE THE MEN AND THE MEN INSOLUTION THE THE MEN AND THE

SECTION 3 -- COSTORNAL COATING

ATBOS APPITCATION	119 COLTIFE			-6 001718		8	8		-				A10 COST 10							119 COLTING					8	COM	AIR CCAP COAT	C-1			ALE CONT COAT			•	AIR COATIBG	111 CCA1116				ATR CCBF COAT	_	AIR COMF CORT	;
	•	•			2	_	_	_	_	•				.		Z:	-				_	2								112	2	~ 1	: 2	2	===		50	£ ;	ç <u>:</u>	×	120	۲ ×	Ç
	2							2						•	• •																							=				25	
22	=			• • •								2							- • •					:						;			_								-		
SCVCB		;	e.	*	}	•	Ę	=	Ş	=	•		÷	•	•	7	•	ļ	Ŗ	•	3			•			=				Ä	•	Ŗ	=	3	1	:	•	S.	. 67	ž.	= =	•
STOL	=		=	**	!	2	2.	=	=	£.			.7	:		3.		. :	76.				.59		į	51.	=	;	=		9.	1	•	*	*	*	:	;	6	. 19	. 17	£.	?
1100 COBR	108			٢	í	0.5 C	200	204	00	113	104		8118			144	3 8		1 E S	980	100	! !			30.0	110	14	:	246		PRC	•		2110	2		h D		9 1 0	0.50	=	700	100
	BLSS CONTING II 401057RFW FIREIBIE 609 BPOIT		CONTINUE OF 1155/CRITOSCIAR POINTE NUITICARE	-	DC 3148	42111212 4000-2	DO GLOCAL CONTRIBUTE OF PARTY SECTION OF A S	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	A 1121C/TEESARID	AL-A DEL-LOSE RECENT FOUNDS COLUMN	DURATLE 300 SESTES RESART		AA 434 A/B AS 100/33 BV GRAT UPOLT		ECCOCOAT PCL/16 AS 50/1 BE EFOIT	18 20/3 88 189	111 13	020/VEKSANID 140 AS 70/10 DE	22 22		TOOL DESCRIPTION TO DESCRIPTION OF SOME		IC-2 PCITIFFILENE COATING		MID BOLLESTE/POLTIFIE	A/100 TO 10	THE POLICELY STATE CONTINUE C		PD 147 (RTF 511)		PA 15EGI 1/8 AS 40/100 BE POLIBBIINE TRIB PILE	!	pp 15461 A/B AS 40/100 BE POLICHETHANT THIN PILK	30735354103 - 360/3 ME 4/1 34 3/4 64977	_		Prie-al Pr 692 folymeds 15 min Plesm/Coly		MTF 511/T-12 AS 0.5% T-12 BE SILICONE		TOTAL BETT TO TO THE DESCRIPTION OF THE PROPERTY OF THE PROPER	-	SOLITHREE 113/300 AS 100/100 RW PORMULA 4

SECTION 1 -- CONFORMAL COACING

5									200													•-	
	COLT															1100			7 CO17			188	
	2	2			8	200		200	3	3	30	3	3	2		CCE			200	100			
1180	110	11	=	=	11	===	11	111	110	=	=	1		=	=	AIA	114	AIE		A II		11	
181	2	55	3	2	52	×	X	;	52	S	25	2	×	32	3	2	Ş	3	*	: %	: :	×	•
110	201	24	5	4	=	2	=	Ä	4	218	2		9	=	7	3	! #	;			2	2	!
. ACACB	3		1		1	3	3	7	3	=					:	=	2	•	1	•	•		}
1111	2			: 3	:		=								•	•		**			-	1	
4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1	,		2 5	֓֞֝֝֝֝֝֞֝֝֝֝֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֝֓֡֓֓֓֓֓֡֓֓֡֓֡֓֡֓֡֓֡֓֡֓֡֓֡֓֡֡֡֓֡֓֡֓֡֓֡֓֡֡֡֓֡֓	ָ ֓֞֝֞֝֞֝֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֓֡֓֓֓֡֓֡֓֓֓֡֓֡֓֡֓֡	֓֞֝֓֓֓֓֓֞֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	,		2 9	2 5	,	100	2	1		-					4	
14.7.7.14		SOLITBERE 113/300 43 100/73 BW POEMULA 3	SOLTHERE 113/300 &3 100/71 BM 705#814 1	SOLITHING 113, 300/Calciflos BRITA/T-12/RIBE	SOLITHINE 313/300/24-336 AS 100/73/1 PU FOLIBLA 21		_	SOLITERAL 113/300/Quibblo PCBMPLA 26			_		_	SCITCHING \$13,320/SELERICIS 9 FORMETA 29	HPATANT 5750 A/R AS 18/100 BW		NE 001/01 27 8/7 05/5 EMILTER		4911116 5750 A/E AS 4/25 BV UPSTOLEE	FORTER & PCITCASTRANS COLTING	11-2541 4/6 AS 10/1 Bd CLPAS SILICCES COATING		41-2561 3/8 AS 10/1 68 CERTS BULUCUS COSTES

		14.5			25	ATHCE	APPLICATION
jorghair	1400 CO 611			11	Trus		
							1891.47108
							FILE 1884
146 FRED THE SLEEK BLOCK 204307-6-70-39 IPOUT	R		1				788 388
AR SPOR - MIL SIEM BLOCK 200367-6-76-39 ETLICORT							CCBE 1880L
AND SECTION OF SERIES 110 BIRE FIGURESTINGUE		•			233	4.7.0	
コマンシア・マス・アストリング は大田を日本 のかる 日日からして コントレーニコーレー・アイフィア		= 1	5				
THE THE PARTY OF THE PARTY OF THE PARTY AND THE PARTY OF		•		!			
PERSON CHICAGO MONITOR SEASON ASSESSMENT AND ASSESSMENT OF THE PERSON OF	3		=				
CARCE ABOUTH BUILD VESTER DIVISION BOTTON	CIE	•	2				
5956 EDF JASE 96-D RECULE VILLE NOT THE TOTAL TOTAL	CV3		=				
MARCH THE CONTRACT TO A CONTRACT OF THE PROPERTY OF THE PROPER		=	~			•	
		7	8	•			
MECOLINE DAG AN CONTRACTURE CONTRACT MORE AND MO	Che	=	=				
6756 E64 LETS YELL BECCHOOL ADDITION BUREAU	CAN	=	=		1	,	
Charical Crawler base were ready and a series of the contract	CAI	Ξ.	3.	3	2	_	
Chadom Pilon Pir Comm Spinster Like Ster Anthronia	5	. 24	3,				CCERCTOR
COMMEND 45 / CONTRACTOR AND	DE T	=	3				
CHANGES OF ACTUAL ACTUAL SECTION AND ACTUAL	1 30	•	Ş				
	5	G.	*				
COLUMN CO	C E C	.52	3				
		. 52	.				
COLUMN TO THE TAX CONTRACTOR OF THE PERSON CON	121	:	5				
COMMICTOR STATES OF THE STATES	306	. 15	- 65			•	
THE STATE OF THE S	908		3				
J-64 488- 5-10-0-10-0-10-0-10-0-10-0-10-0-10-0-1		=	8		•		
	HYC	5.	=				
Charles and the second of the second			Ę				
CHARLEST AND THE CONTRACTOR THE PARTY	.	•	3,				
THE MENITURE OF THE CONTROL OF THE PARTY OF	-	:	3				
CAT STATE AND THE TAX THE CAME CAME CON THE CO.	5	=	3				
PRESENT CONTRACTOR OF THE PROPERTY OF THE PROP	D 3 0	. 3					
PARTY OF THE PARTY	12 C	Ξ.	-				
THE PROPERTY AND THE PARTY AND THE PROPERTY AND THE PARTY	E A	. 22	5.				
CCHARCTCA		6	į				CCHNECTOR
CCMMECTOR	2	2.	5:				CCHRICTOR
		22.					COUNTCION
		77.					CCHERCION
	0	• •					CCBNCTOP
DESCRIPTION OF THE SECTION OF THE STATE STATE OF THE STAT				_			TERRIBAL BLOCK
BEBISCH CAT SALING TERRITARE BLOCK BEB STRICCHE DELY		? :	•				TREMINAL BLOCK
DESTRUCT TERMINAL BLOCK TA 112 06-01 STRECOMS INSTITUTE				*	=	=	COMBECTOR
BIBIE 52-70-70 SHORT GLASS PIBER/EAP			3	2	9	414	Arscreamt
SCCOSOR FE THE THE WASH - 3	7 2 2		\$		2	117	ABSOUBLET
ECCOSOND CL-2 124 1/0 LS 104/1 du SILICOUR ENSK	, L	=	•	=	2	=	A BEOT FAIT
9CC05088 C1-124 L/1 AS 50/1 88 TPOUT	ے ر 14 ا	. 20					APSCRIANT
SCCOSORD COS SECR FILLEY SILICORE) <u>-</u>		=	_		•	DIELECTRIC
3H 7017 15CM			8	•			DISISCTATC
ESB 7045 TICK	7 2 2	.21	3	•			DIFLECTRIC
ADST OFFER		=		~			GASKET
CASTRA DATE TO SEE COMMISSION NAME SALLONS				•			GPCHAFT
CARCARA SECRETARIO SCHOOL STRUCK OF THE PROPERTY OF CARCARA SECRETARIO SCHOOL STRUCK S	200	2	3	1 34 H	125	1	
THE TAIL STREET STREET STREET STREET	121	.02	5	=	202	11	
HINTER LIN 265-20	7	2.		1 201	155	I-1	ERVI TAPE
FEBTING THIS CLAYBOAN LABS N-16-2 DC 202 SILLUNG/	į	•		=	155	E-3	

SECTION 4 -- BLECTRICAL COMPONENTS

#01#1		1110
DPF11CLT1ON	MEAN TAPE MINT TAPE MINT TAPE MINT TAPE MINT TAPE COUNTY MINT TAPE MINT TON	PRDE COATING
11808	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	=
100	32322 3	
22		į
SCACE		
11at	20 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -	
2400 2000) 41
MTLAIAL	RENTING TAPA CLAIROLD LESS 3-16-2% SC 202 SILICOBE RENTING TAPA CLAIROLD LESS 3-16-2% SC 202 SILICOBE RENTING TAPE CLAIROLD LASS 3-16-2% SC 202 SILICOBE INSTITUTE OF LAST SCALETARE DIRECTRIC RICEDOOF CCALACTER AND SILICORS 185287 RICEDOOF CCALACTER AND SILICORS 185287 RICEDOOF CCALACTER AND SILICORS 185287 RICEDOOF CCALACTER AND SOURCEOR INSTRICT AND SCALED LAST S	WIRDO FLO E 6530-2 FLAIDITEE ERE COATING MICEO-PIO H-301 KROIN PORDER COATING

SECTION 5 -- RIBERAICAL SMINES

		91618 G14				_			ATT SOILE	AID SPINE		21000	-	==			117	A16 581869				710			413	-			118	;				A E SOBEANT			NI W	
!	-	5	11	. !		12	12	55	5	171	111		1	55			36	55		177					711	115			117		2				:	£	111	
	32	5	= =	,	= :	·	2	15	2	75	= =	3	12		<u> </u>	12	1 2	51	1 2	7.	٠				26	2			248		3					=	178	
		~		Ş	??		•	ë	=	•		į			į	į		š			*		?:	=		2	Ęŧ		!=	ž.	? :	ē. 3	. 8	8	8	8.3	8.5	, ,
	1818	3		*	į	•		*	. 29	=		7.			*	Š		÷.	*		.61	•	¥;		5	2.	= ?			.15	9.	5.	22		=		==	•
	8	95		OH U	9			9	9	5	;	C NO	9			E	•	000	080	}	000	000	0	1,40	, ,	130	C)		16 P	242	Z#C	E.1 C) U	ENC			Ē
		CRO-SEAL 1212 SILVE FILLED SILICOUS 125 GRADS		1214 STLEEK	ER PILLED STLICONE	1215		CHO-SEAL 1215 SILVER PILLES SILICCUE 125 GRADS	6819 521 2003 11150 918CBG117CONE 125 6819E		CHO-STAL 1217 SILVE FILLED TRUMBUSLICOUS IS ALLES	CRO-SSAL 1226 SILVER FILLED STLICORE 200C GRADE	=		CHO-SEAL 1221 SILVE FILLES SILICONE ATROSPICE 200	CHO-SPAI 1221 SILVER FILLED SILICOR ASSOSPACE 200		CHC-SIAL 1224 SILVES PILLED SILICCUS AUDOSPACE 200	COC MUNICIPAL ANDICATE ACTION	THE TAIL TO A STREET AND ASSESSED ASSESSEDANCE ASSESSED ASSESSEDA ASSESSED ASSESSED ASSESSED ASSESSED ASSESSED ASSESSED ASSESSEDA	CONTROL OF STATE STATES AND STATES	ALE FILLED SILICORS		ILLE STLICCOR	CONSTITUTE OF THE STREET OF THE STREET	COMMIT MEDICE MARK DAILY FARTS SALANCES	1-1010 6101-1	EPT T	MUCORALINA SHIP STEAKE ALLEGA SCINCES	SILVE PILLED		110 LAON FILLTD	WE 112 ISON FILLED	MCCOSCRP 40 114 150M FILLING FROM	21111		STYCES! MIMIN FILLED EPONY	IECON CS-14 12% SILVER FILL TO SILICONE

SECTION 6 -- PILMS SHRET MATERIALS

)S AFPLICATION						INSULATION	FILM	CICIB	TRANSFARECT	#11#	CICIB						TOTAL STREET	TERRET BLANKET	FILM INSULATOR	INSCIPLIN	OPTICAL PILM	OPTICAL FILM	512 HK 21	BLANKET	31222		GASKET-SHAL	GASKET-SEAL	CONTROL BARRIC	CCATE PARRIC	CCATE PABRIC	INSULATION	PERS SEES FILE	INSUIATION		115		FIIM	FIIS	FILE			CICIN TAPE	CLOTH							TIEST 10 TO				
ATROS								2-2																																				:	•	HIN	1	•							
CCRE								125														•																							•	305	150	,	150						
11 EE								72H																																					•	# 06			24 H						
RCVCN		e:	5	ē.	8.	00.	-0.	-02	00	6	. ē	8	9			8.8		: 8	33	5	6	ð	5		5	2	6	5			5	5	3		9	8			.9	.05	. 02	90.	.03	. 08	e:	5	.05	. 02	-	20.	6.	8.	5 3	5 5	.
STRE		٠. :	6.	ş	. 59	. 03	.95	96	7.			3	•	-	- :		::			•	3	-			:				77.		5		3 5	: =	5			. 23	.63	. 38	.21	. 50	9.	Ξ.	.23	. 25	.42		Ξ.		= ;	9 9	£ .		:
31.00	-	₽ 0€	916	91P	CAY	STE		B. (*	9.5				2		¥ :	= : : :	E (1 2 2 2 2		0 1	, () (4			1 .	1 2 2	4 U	2 10		H	HEV	AME	R S. W	HHY	FIC	P H V:	SIE	9-10	PC 1			576	4 11 10	200	210	E ()	,
最後的ではなる。		ACPVLITY PC: VLIC SHZ: T	FILE 160350 DL	Tac E	ANTEN IVE	OF ST COMMITTEE THE THE PROPERTY OF A STATE OF THE PROPERTY OF		CONTRACTOR REMARKS DETRIBUTE FOR THEFT THE CONTRACTOR THE CONTRACTOR REMARKS THE REMARKS THE PROPERTY OF THE P			•		•	N WEST EZA		11.16	FOLVESTEE CLOCK	- 1	THE CHECK SOOK ADV 12	7	=			PARE IC	FABELC	FAEALC	PABEIC		V 50080		0/0-08	PANY PRINCIPLE BOLOGO TIPLOS CONTRA PORTE PORTE ALCON PANY AND	DEPGIASS	PLICKOPILM DE-1200 TEPLOM FILM-KOMILL ADE	HOTCGLAS 369-7 SEIA	CALLES CONTRACTOR OF THE CONTR	C BOLD THE B WINE WILLS AND ALL LEL AND THE COLUMN AND A STATE OF THE	CLEATURE OF THE STATE OF THE ST	ATTENDATED AND LANDING	MATS. LEDTAST	NS 1002 NAPLASTICIZED PWC FILM CLEA	HE NOT DAPLESTICISED	TR 110 134	BALL SEAVE	GLISS FLOOTC 195/50/857 SQUARE MESH COATED WRITE		RESTOR BELLE FELLER WAS CLOTH 104	POS S FILE 5 EIL	PON H FILM/LINONSA	P=0H 20	FOR 200XH667 PCLYIN	RPOL B GAUGE FOLYCARBONATE	KAR 9034-112 FOLYCA	∃	MAINS ISAGING FILS N/CLUCUITST

TION 6 -- FILMS SHEET HATELIALS

ATHOS APPLICATION	FILE INSERT		A16 SERING TUBING		FILE/EEPST	101111011	scont	E-5 TRERBAL BLANKET	_	_	_	AIR POAM		AIR FCAR	TREFELL CONTROL	FILM/ EBBET	FILM/SERRY	COLTED PADRIC			20102	FILM	P118	1114	STEUCIURAL	STECTORAL	FILM/SBBT	AIR FIIM/SREET	AIR FILM	CCATEL PARRIC	FILM	THEFAL CCHTROL	#114	FILM	CCATTE PABRIC	FILA/SHEPT	CCATING	FILM/SHEST	FILE/SBERT	FILS	INSULATION	PILE/SHIET	FIIM/SHEET	FILM/SHEBT	PIIN/SHET	FILM	BLANKET	AIR TEPPAL BLANKST
CONT			110	10				125		125	100	100	100	100 100														180	117																			115
C2 E2			E O C	1 0				H 0 H		30 M	24 H	24 H	24 H	24 H	•													30#	=																			20 H
SCVC R	8	8.	.05	.03	8	- 02	8	. 02	. 02	6.	*0	2.	.02	.05	80.	.0	9.	.01	5	8	. 02	<u>.</u>	8	.02	8.	8	.02	.05	8	9.	\$	8	.05	60.	S	ş		60.	٤.	00.	8.	8	8.	.05	5	8	. 02	5
7 1 W T	.15	. 59	89.	-62	. 24	.03	٠.	.92	60.	.03	.41.	. 12	E	₹.	.72	.12	. 30	.53	-	.57	.12	3	. 20	=	. 02	60.	6	.07	Æ.	. 50	. 29	<u>.</u>	0	. 39	.05	. 4.7	=	6	. 23	=	.02	.0	90.	.03	. 02	00	. 12	. 25
1000	4.0	9.10	51.6	٠ ا	o ro	340	32 9	טנט	306	100	6.13	318	9 F.E	es Fi	JSC	JCC JCC	1 00	61 C	HC#	BC:	1	308	3C1	91.0	HEC	000	0	0,79	o d	911.0	LOG	Y DT	\$7 1-1 ()	97.0	DIP	916	3 P.C	316	910	900	HTH	d uc	S. P.	DAP	976	338	200	TRO
1476364	4718 IA 646 - 7 MIL PILA	A COLL FILL SELLISHING TAILS		TATES DESIGNATION OF THE STATES OF THE STATES	4411 500s	MORYL GFE-3-801 MOD 2PO	ACCAL-MODIFIED FEO	DECOTES THE TO EASTCH/HOMEN THRESTO/POLYMENT BINDER	2 7195-121-2	P-2103 PCLISUIFCHE	P-65 POTETERS DEFINERS FORM BRITTS H20 1858	P-65 POLYTHE LECTHAR FOR BEITT 150-00718 SASH	P-65 POLYETEE LESTHAME FOAM BRITE METOR WASH	2-65 FOLYSTEEL LIETHINE FORN THITZ METON/HZO HATH	SPEASOL GI-76 LESIBACE MYLCH/SYLAF/SIPR	CREATED C POLICY PARTIES.	SECRETARIAN PROPERTY OF THE PR	PRESCUENCE OF SECTION	PLEYISLAS WS-100 OPTICAL	PLEVICLAS 11 LVA	POINCARBCHAIR CLECOII CHAD GUIMA	POLYCRSONT FILM 8 MIL	BOLYNING PILE APTISTACIO DF PIES	POLYTRATION FILE 2 ALLS FLATHOR BESTS-DEADCHED	POLYSTERIOR LICAN AIGH MOLICOLAE AVIGNI	Manager De Contraction of the Co	SON SON COLCENSIONS DESIGNATION OFFICE	POO CANALANT CLEAR DOLLARS DESTRUCTION OF THE CONTROL OF THE CONTR	PPRATTY FILE FOLKERIUE 2 MIUS THICK	PTRE-11 TTPL 1 FOLVINIOS COATED GLASS	SC+25+1200 AMSLESAGIC POLYTCHYLZMA FILM	SAIL CICTE ALUBINIZED	STREET STREET FILE	SHELY W 1652 2 MIL BAGGING PILM	THI-PTPM FILCECCARBUM COATE GLASS	TELLAR ATJOHN FOLTWINKL PLICEDE		TESLAP 190863611 FOLYWINE STRORIDE	TECLAR 1008G3UTE POLITIMAL PLOOSIES			2						TROTTUP 1-9.0-195 HOW WOVEN DACSON FILT WHITE WASHED

SECTION 7 -- POAMS

MOTO ACTION		PORT COMPOSITOR	MAJE POD		POT FOR		POLNED ADR	PCAR	IPSOLATICA	POAR			8404	PCAB	FGAR	POAM CAMPER		POAR	WOAH PAD	18801.17108	1000111				FOAB		TREES LOUVER	THERE LCOVER	POAR	FCAM		FOAM					FOAR LABER	FORS	LOVE	PCAM		FOAR	FOAR	FOAM	FOAM	FOLM	FOAS		! !	POAR	FCAR	FOLK	PCAB		FORM	FOAH		FORM CARPER	
			914		AIR			7 I B	110	110			4 1.8	¥-2	AIR	AIR	9-2	0 T 4	1					į	A I B	LIR			AIA	AIB	AIA	AIR	ATA	:		:	HTW			AIR	A I B	AIR	AIB	AIR	AIB	A I B	1 18	A I B	2 I				N I N	A I E	AIR		AIR	# I	2-2
	188		5	2 (F 60		17.7	90	100	120	2		C	150	52	100	125	ķ	:						204	00			120	8	100	X	9	2		•	001			99	200	001	100	000	000	200	52	65	121				X	9	125		204	125	99
	11 12			H 7	58		5 R	248	E	-		E .	# # -	728	H 9 4	28	28.8	1 2							16 H	24 H			24.8	=	218	E C		,		;	=			E 0 +						24 H		=							24 H		,	¥.	63
	ECACE CONTRACTOR	1	3 8	3	ē.	5	5	.03	. 63	9	2 9	?	5	8	3	60	}	S		3	3 8	5.	5	0	.03	8	.02	90.	5	8		ŧ		5	3			5	5	.05		10.		.05	8	3	.03			8	<u>.</u>	5.	. 8		8.	.02	.01	8.	
	Alar	•		•	9	.33	9.	- 85	. 65				.97	. 59	. 23		•	9	? :	76		97	. 24	.38	. 12	₩.	0	. 53	F 8	2	•	"	•	;	?;		64.	.92	16	. 53		£.	88.	98.	69.	.33	. 11			Ε.	. 12	5#.	.87		. 3¢	. 26	.91	. 80	
	CODE			770	NC	Y BP	E	CPP	81.1		3	070	13C	DC O	CMA				1	110	100	800	B00	105	INI	FOF	181				1					67.0	5 P	e .	PBE	PFC			SCT	SCT	SCT	SCT	SLK			MON	HOL	NON	၁၁၁		OH;	PDR			
	- Identity		E	t	AND PACKATE PACKACOSPERRES ST NS 55/45 BB - BRITE	PERSONAL MAJORICO FORE 2004 GIBSS FIREWS	THOSE CHARLES AND THE PROPERTY OF THE PROPERTY	EVEN TOROUTE AFTER 1 ARREST ACC. THE TOTAL TOTAL TOTAL TOTAL THE TOTAL T				CPP 17-2C POLIULIBLE FOLM	THOS MARKHMUSALLA CONC. CO.		1111Cate 1011	AND THE PROPERTY OF THE PROPER	ECCOROLS EFF-14 SIETECTIC TORR - IRLIOR EFOLD		MAI 2745/88 951 SYRTACTIC FORM	3115	TOTAL	BTERFORM 900 POINZINIER FORM 49/CT PT	600 POLYETHYLENE FOAM		PIROTOSTITCOM CIOSED CILL EXTENDED FORM - BROSE	TOPPERSON N. 1. DOC 14	10 p. (100) 4 p. (110) 6 p. (110) 6 p. (110) 7 p. (110)	1704 -16-01 -1 -3k	90747	THE STATE OF THE POST OF THE POST OF THE PARTY STATE OF THE PARTY STAT	TOPE TORENE AND		ACESSETO 1619 PCLYAFIEL-UPACHUSTO TORGANISTO			FOLK	POLYDERTHANK FUAM	P-25 FOLTOELTHALE BOAR OPEN CELL	BROWN BEALVO FCITEBORISMS FORM/204 GLASS FIBES	THE ROLL OF THE PARTY OF THE RESTOR OF THE PARTY OF THE P		HSAB Role 28 acyc man - saca shaneschillanescharch engage	TOTAL STREET STREET STREET STREET STREET STORE S	TA ALL AREA TO	FORE BOLTE INC. TO POST TO THE PARTY POST AND THE PARTY PART	ESCH HOLDE HOR OF ENGLE PERSON INTERVENTION FECTS	MANAGEMENT STOR CLECK THE BOLD STORE			erearm by 7271-06 aigh polylyld FCAM	STANDED BY JOYALTO MICH POLITICISM POLITICAL	STANCED BY 2231-18 DIGID POLITIFICATION	CTESTED BE G-306 66/CD PT BHITE		GHYCAST 1095/11 AS 100/12 34 EPOXY FCAM		BLL EXTRACE	THE 3529/ECCCSEBBES SI AS 1/2 BU SYNTACTIC FCAM PINK	

BCTION 7 -- POAMS

ALTEIAL ATRI SCUCM CJBS CUBS APPLICATION CODE TIME TRUP	M P P	STRE	KCVCH	11 12 13 13 13 13 13 13 13 13 13 13 13 13 13		ATROS	NFR STHE SCYCH CIRE CORE ATROS APPLICATION
XM 3529/RCCOEPREES SI AS 1/2 DE STUTACTIC PCBM PIEK ANG .02 .01 2E 100 AIR PORM DAMPER	A ISC	. 62	ē.	- 55	23	A18 8-5	.01 2E 100 AIR FOAM EARPER 0H 66 E-5
TH 3529/ECCOSPHEES SI AS 1/2 BE STRINCTIC POLE PINE AND	AAC	8,	.02 2E	3	100	AIR	FOAE CARPER

SECTION 8 -- GREASES LUBRICANTS

ATROS APPLICATION	GERRSE	GENERAL	GREASE	AIR LUERICANT	LOFFICANT	GREASE	GREASE	CREASE	LUEKICANT	_	IN PECKY LUBY	5	AIR		AIR SCIID LOBE	PERRING MATE		PEALING NTL	G		BEAPING MATE	BEADING MATL	PERFING MATL	BERKING MATL	SCIID LODE	SCIID LOBE	SCIID LOBK	SCIIC LOBS	SCIID 108E	LUBRICANT
				=							4	=	=		~															
CLAE				52							ž	8	116		190															
CARE				24 H							Ξ	Ξ	R 97		16 H															
RCVCR	-02	.0	8.	.02	8.	.03	.0	ð,	ē.	8.	8.			8	60.	8.	.05	00.	8.	8	8	10.	8.	9.	8	<u>.</u>	ē.	8.	<u>.</u>	80.
LTML	.25	0	.0.	.27	6.	.07	ō.	60.	.02	.13	0.			٥.	.67	.05	.,	.01	00.	00.	00.	₽.	00.	8.	€ .	. 58	. 52	.57	* 5.	.67
MFB CODS	C 14	E.	97.0	393	300	300	30C	3 0 0	EOC	000	OH.			C.F.B	123) á c	224	904) I K	XIC	ΧIC	NI.	XIG	1.3	d 110	93.6	916	0.1P	D 0	d LG
NATURAL	TOTAL STATEMENT OF THE PROPERTY OF THE PROPERT			BLACK SAGIC BOLY SPRAY/FOLL - AZSCSCI 4052	ERRYCO 8152 CLEAR CIL BATCH SIMI	PORTOGRADITAR CHREST BATCH DID'S BRITIS	BPRYCOTS 31+36-NS GLEASS BATCH DLG GSAT	ESAYCOTE 31-38-1P GELASE BATCH CLT7 VILLOR	DESATORS 31-38-28 GREASE BATCH VLAS ELECK	CA-1101 SILICUNE GRUASE	SCCCOLTP 18-24 LCS PRICTION EPOYT			BERGAL HR-25 ANCHATIC POLYBSIZE/MEE ELPRE TAN	SIECTSOFILE 4306 PHENOLICANOS2	FLYCEOSTET SOO BLCA PILLED TER	3		LED BEAFING MA		C TEFICE FILL	11.0		RAIOM 123 TZELCh PILLET SEASING VATTEIL	TESTEL SP 211-5-1 POLITHIDE/154 GRAPHITE/107, PEPLON	MISSER SCHETATOR 1-1-4-AS TARSEN	PESPET SS-21-5-1 FOLTHINDE/15% GRAPHINE	WESPEL SP-22-L-1 FOLYIMIDE/GRAPHITE AS 60/40 BW	PESPET SP-3 FOLITHIDA/15% NOS2 POFMENT SP-31-D-1	WYEAR 1000 FINCECIELERSP

SECTION 9 -- LACING TAPE & CORD CABLE TIES

S AFFLICATION	CLAMP	CIVI COD	DIRI CORD	LACING TAPE	IACING TAPE	LACING TAPE	IACING TAPE	LACING TAPS	LACING TAPE	LACING TAPE	LACING TAPE	LACING TAPE	LACING TAPS	. LACING TAPE	LACING TAPE	LACING TAPE	LACING TAPE	LACING TAPE	LACIDG TAFE	ELCING TAPE	CAPLE CLARP	CARIE MCONT	TIE CCED	TIE CCED	CABLE TIR			CABLE TIR
ATROS	AIR			AIS			N I R			FIR	AIA	AIR		•							AIR			AIR				AIB
CUEE	17.7			125			9			00	150	=					•				125			5				100
C: 88 TI R:	74 H			24 H			=			24 B	24.6	158									24 H			=				= 9
KCVCH	8.	2	.05	ē	60	5	.02	.07	.02	.03	8.	.03	5	-02	. 02	5 .	.05	-02	.05	8.	8.	5	9	٥.	00.	00.	.02	90.
VIRE	=	9	9 0	=	. 33	. 19	.07	1.00	.0	. 24	₹.	. 20	. 51	=	=	. 38	G.	- 36	. 24	. 24	.	. 63	. 15	60.	.10	.03	.05	. 85
4 P B C C C C C C C C C C C C C C C C C C	718	20	BIG	010	∵	RIG	DIN	0 H	80 (7	E 5	G & R	GBE	GBE	GB 2	GPX	GAL	APC	683	11	207	¥: =	110	MIQ	N Z Q	THI	TBT	181	181
SATESTAL		A.	DIAL CORD 753-24 TER CONTY GLASS FIRMS	LACIES TAPE LABUME 2047 EACTON - COATUD	TAFE LACE	LACING TARE E 775-476 TIS TVPLOH/GL155	LACTEG TAPE E 775-476 IFS TEPLCH/GLASS METOR GASH	TAFE GE	TAPE GULL	-SPACE 1809	TASE STUE	TARE STUE-D-LACT 1838	TAFE STUB-D-LACE	TAFE STUK-D-LACE	PATE STUF-D-LACT 18DF	TIPE SUPEE	ALITCIDE SA	PAPE TERF-LACE H231H II	LICTRG TRFE 1225-LACE R256H TPFION BEATS/SYM BT39ER	LACE 230 TS	LE CLANP		THE CORD I 761-1330 THE PUBLICA/CIESS	8 IFE TEFTON/G	TY 254 TY-EAR TERZEL CABLE TIT BLUE/GREEK	LOM CABLE TIE		TTR 238 TT-EAP MILCA CABLE TIE

SECTION 10 -- LAMINATES CIRCUIT FOARDS

A A A A A A A A A A A A A A A A A A A	a de	KINL	SCVCB	29.00	200	ATRCS	APPLICATION
	200			71 BE	TRUL		
	PC A	94	5				CINCUIT BOARD
CINCOIL BOFFE CCREOSITE METE GIO MICHOS 1122		7	10	28	163	AIA	ADE FILM
COAST RPOTE FEEFERG F161-83-108-R		•	•		2	AIA	
				= =	204	AIR	
	•	•	5	16.51	16.3	AIA	LABIBATE
COAST BPOXY/GLASS PREPREG P161-83-1PC8/20	2 6		5	•	!	i i	CORPOSITE
CONFLIR GRAPHITE/BROXI	9 6		i				CCRFOSITE
COMPAIR GEAPHISL/BPOXY/SI203/Atuminum	: פיני		į				LANTHARM
BOST B-17511	200		5 3				1 1 1 1 1 1 1 1 1
4-126 RPOIT/FILERGLLSS LABINATE - POITING PORMS	I de		5				
	PLI	- 20	ë	į			
GENT MINES TO THE TARREST OF THE PROPERTY.	119	5	8	87			
	111	. 9.	.03				
THE PROPERTY OF THE PROPERTY O	S R T	.22	<u>.</u>				Labin 21 E
SEPECHACION CONTRACTOR SEPECEMENTS OF SEPECEMENTS O	910	. 55	đ				STROCTOBAL
COCOMINA DESCRIPTION OF THE PROPERTY OF THE PR	27.2	97	.0	3	=	-	STEDCTORAL
Companies where extended for a city of the companies		50	ð				LAMINATE
GT 5500 COPPER FOIL/HYLLS LARIESTE ON S SIUK	, ,	4	9				ST FOCTO BAL
GT-70/T-30 GEAPHITE LPOTT CCMF0SITE) :		5		17.7	AIR	LAGINATE
GY-70/5208 GEAFEITE EPOTT COMPOSITE			: 5		17.7	III	LABIMATE
GT-70/5209 GEAPHILE EPOTT CCMPOSITE			5	=	121	PSI	LAGIBATE
BERCEL 1953 BECKE GLASS PREPRIG	1 1 1		3		:	1	LASTMATE
FRICEL P174-120 GLASS CLOTH/POLITHIDE PREG 7CUPE			3 6				ST SUCTUBIL.
RF1 4036 ACETAL 30% GLASS/15% TPE	بر الر	97.	7.5				
TET ASIA HOLIAL/30% GLASS/15% FFE/SILICORE		£.	70.				
ET BERG BOUTEL/204 TER/SITTONE	<u>-</u> 2	ć.	5				
TARTER 11-300 G30 FOLTINIDE/GIASS - BPCSM	111	G	8				
TENTANA MINISTER TYPE FL-GP H/O CCPPE	11.	. 29	3		,		
	7.1	. 42	3		- :	101	
			ì	_	66		
THAT STATE ACTION SPOTY/GOAPHICE	51 14 14	=	6	7	171	100	
MILITARES/INOSZ 8061/F-SE STEETS	3 2 3	<u>5</u>	50.		2	Kor.	
THE STATE OF THE S	0	- 25	ē:		;	1	
	21,	-62	8.			7	Tenter
				= •		121	
THE THE CASE AND AND AND AND THE TORK	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	*S.	60.	_			
	S S	. 19	.02				
	E 7	ē.	6	-	1	177	8 1 4 B 1 B 1 F 1 F 1 F 1 F 1 F 1 F 1 F 1 F 1
	E 5	.02	5	_			
	LC	Ε.	5				
	21.	=	ē.	_			
	T	. 28		_			
	3 X E	.93					
	116	. 30	8		121		
		,	•	#9.	232	A 1 K	
TRATERY PASILES TO SICROMANZ SUBSTRATE W/O.COPPER		5	8	.			7 12 H 1 C 1 C 1 C 1 C 1 C 1 C 1 C 1 C 1 C 1
	SPA	Ξ.	00.	_			
	EEE	51.		0			1.45.1847.2
	111	.12		_			2 (4 6 7 6 4 4
	1	Ξ.	•	_			
	X a T	. 27		•			
	ATL	. 30					
	#CP	£ .					
	30E	6.		- (9 * 9 2 2 2 2 4
) d 7	. 42	•	.			
	N A S	66.	5.	=			1 1 1 2 4

SECTION 10 -- LAMINATES CIRCUIT BOARDS

S APPLICATION				21701077	Potting cur	LASTBATE	LAMINATE								LANIMATH	ILMINITE	1.5 51 51 51 51	Laminate	PC BOARD												PC POSED	LARIBATE	LABITATE	LABINATE																	112186						PC BOARD	
A TEO 8								1					1	184							150	!														-													¥		E I		:		-			
COST								121	11				į	171							16.3															127	: :	3											. 40		?		:	2 5	=			
25								A 5 M	7	!			•	200							0															100													9	9 4	= D		:	= 2	E 7			
SCUCE	 10.	:	•	3	ē	ē	9.	8	}	8	=			70.	-05	6.	8	6	00	0	0	8	60	00	3 6	3		3 8	3 8	3	5	8.	6.	8	9	2 5	5	5	8	8	00	5	8	3	6	: 3	•	8	2	2	9 5	3 3	9.	5	2	5 6	8.	
Stat	 •			76.	-	=	¥Ĉ.	- 29		10.	2			=	?	. 29	=	.91	. 62	96	-	36		=	2	<u> </u>	•			75.	.63	. 25	. 24	.30	,		2	11	. 23	82	: =	2	e .		60	•					כי	47.		-	×	7.	6.	
# 4 B COD	 0.50		,	9	4	N 3C		200	}		a E				4 0	1	1 0	づいる	HC.	40 E	28.0	AC.	T I	74		2 2	, () (1	2	ខ	0	00	2			į	GEC	27.2	2		2				,	1 4		ָ ט ט ט) (֓֞֞֝֞֜֜֞֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֡֓֡֓֓֓֓֡֓֞֜֓֡֓֡֓֡֓֡	2 6	i.	7 2 3	11	ATL	
AATEBIAL	LABIDATE GR 11 REGILT/FIREFGIRSS	AT1 B18		CCTOSTACT COLUMN CONTRACTOR	HIBRY CER-FF 4300	HINATE GLASS CLOTH	MATE 610 HESTING	HIBATE		LAIBATE K 6098 T	ANIBATE KAPICA	STEATE STANDS		BINGS CICARI	CARLERY RICARI SG 8247 3/C COPPER	MINATE FICAPI	NIMATE MICAFI	HIBATE PICASI	HIBATE PICALI	P RICAFI	PICAFLE 102-11/6-10 EPOTF/GLESS	APENATO MICAPI	HICAES	BICALT	WICALT	NIMATE SICALS	ATHRED MICAS		TELT 0111-	STREET COLUMN STREET	MINATE SULTIFIER P	RIBITE N-105 PPOXT,	RIBRER W-205 REGAY,	NI HAT P	MIRATE M-4105 EPOX	HIBATS HALACO 3203-	NTHATE HAFRED 3203	ARIMATE MAKACC 6517	MINATE WERE PERS B	HIMATE MENA G-10 GE	MINATE NEBA G10 MES	HIBBTE WEAR GIO HES	TERRET NVP FLAME AL	MINATE BYF G-10 GA	STANTE PC BGAFD IN	TANAL CHEMINATES	NIMATE POLITICIAL/G	THATE SHIB ALGRIDA	STREET SIN SKADE AS	NIMATE SHARE ALLESTON SASE	THE STATE OF	MITTE OF EFUL	10 10 10 10 10 10 10 10 10 10 10 10 10 1	1. NATE WOL 32010 OR		RIMATE TEL	MINATE 6	

SPC"ION 10 -- LAMINATES CIRCUIT BOARDS

441.541	. M.P.B.		SCACH	CO DE PI R	CURE	ATROS	CURE ATHOS APPLICATION	
AND	NO3		8	# 06 # 06	125	118	LANIBATE	
TATAL TO STATE STATE OF THE STA	NO.	9.	.02	90 H	120	AIR	LAMINATE	
MATRICE STORY ESTORY STREET				28	180	AIB		
CARROL ANDREAD CHECKER THE COURTS CHECKET FOR COLUMN	COM	. 29	00.	85A	17.1	AIF	IBEREG PABRIC	
				3E	163	A I B		
	0.82	.62		Ŧ	135	AIR	LAMINATE	
	0.0	. 52	00.	30 H	177	PSI	LANIBATE	
CONTRACTOR TOTAL TOTAL TO MINISTER	:			28	260	PST		
MOTER State of States of Court States and States	900	*	8	Ξ	17.7	AIS	LANIMATE	
CONTRACT CONTRACTOR CARTACON CANA CANA CANA CANA CANA CANA CANA	416	.51	9				LABINATE	
MUCKETT TOOLOT TOTAL CENT	100	50.	00				LAMINATE	
Production of the Control of the Con	503	.03	8	•			LABINATE	
CONTRACT OF THE CONTRACT OF TH	504	.03	8				LANIMATE	
THE PROPERTY OF THE PROPERTY O	11	. 22	.03	=	2	LIE	EAMO	
THE STATE OF THE PARTY AND THE THE THE STATE OF THE STATE	1	,		=	107	AIR		
				38	149	A IS		
				. #6	177	AIR		
BULBURE BELAY FULLY FULL BETTE BETTE TO 1500	SCT	.81	ō	_	120	E-5	INSULATION	
SOCIAL TOTAL PROPERTY OF A CONDUCTION OF THE SOCIAL STREET, SOCIAL	SAE	2.	8.				STAND-OFF	

OF GOOD GUALITY

SECTION 11 -- MARKING PAISSIALS & INKS

	CODE	This	SCVCH	CURR	CURE	ATROS	APFLICATION
READY MARKEES E-953 HT-200/F	27.5	5	.02	24 B	150	AIR	RASKE
BRADY PTORA CLUE LABLES SPROTAL	9 H C	. 52	8				LABEL
CHENGIAN 2004 6/58 CHEDAIC OXIDE PICHER	HCC	. 63	.03	28	52	AIR	HABKING INK
				3. E.	9	AIB	
TPCH 815/W 140/EMS 175-FD AS 50/50/5 BV SSITE EPOYY	SHL	1 9.	.00	Ŧ	9	AIA	HABITED THE
PASCAL 710 CRECHIZED POLYSSIES/ACRYLIC ADH/S	A C. Y	.42	-0.				HAMEPLATE
MPFKEM 7224 Grazh INK 497-F	RIN	.45	-02	=	121	AIR	
BREKTY 7906 41125 INF 3/8 NE 8.18/1 PK	# 1 F		-0.	5 8	121	AIR	
MARPELATZ ANCOIDED ALON 7/3% TAPE 667 ADH/F		.63	90.				
MARKPLATE ENCIC ALORIBIA WARP ON FOIL	1.1	.10	9.				BARTELAT W
SCCICEON BOOT FLD ALLS LINET CHCOLING	ľ	60.	8				PCII LABEL
6001	K F	.17	00.				FOIL LABEL
8001 1 ED	E	. 12	5				POIL LABEL
1 8005 FHOT	F	. 10	00.				DECAL/MARKSE
8009	E	. 19	6.			٠.	DECAL/MABKER
8002	N N N	90.	٥.			٠,	FCIL IABEL
9000 ELU	EFE	. 15	6.				FCII IABEL
SCOTCHCAL 6009 BLUE ALTH LAFEL/FILM 7730	# # #	=	<u>.</u>				FOIL IABEL
1800	300	.97	8				PARKE SLEBVE
NACATS CONTROL BUILTY OF AN INCOME TO LIAUTHORS	300	.72	• 0	54	175	AIR	SEELER TUBING
BOTHOR CAT-1-1MK 50-100/CA1 9/50-900 THINNER BRITE/F	d d A	.62	٠٥.	308	\$2	AIR	日本元
				308	138	119	
				Ŧ	149	A I.R	
HOFICH 4-2-M ALL/CAT 45/1-1 CHIMER/F	ar ar	•	.02	E	52	AIR	INK
				15.8	149	AIB	
				F	149	A I R	
HOPRON 4-5-M GLEEN/CLT 45/1-1 THIMMER/F	4 6 9	=	.02	=	22	118	IBK
				154	1# 9	AIR	
				Ę	5	AIR	

SECTION 12 -- BOIDING COMPOUNDS

SECTION 12 -- MOIDING COMPOUNDS

I ATHOS APPLICATION	ACID CPED	BOLD CPED			MOLD CPED			HOLD CPRD	MCID CPED	BCID CERD				aci E		2101	1136	A 18 MCLG CPTD				ACTO CPED	BCLD CPID	MOLD	2108		HCI D		3138	ALE MOLE CPUD		MOID CPRD	PSI MCIC CPED			9108	WC I D	AIR MOLD CPED	AIS SCIE CPRD				PSI NCIC CPUD	PSI NCIO CPRD		AIR MCIC CEND	0 0 0 1 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0	2011 112
18 E															2	•		_							22	3	85		•	-	20.5		16 6	210	249	5	;	9 2	163	200	216	232	2 5	163	121	11		
															=	;	= ;	=							2		H				E 00	:	108	Æ	24 H	# * 2		22 m	25R	H.	74 H	E ,	5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		15#	26	H 9	
SCVC1	. 0	đ	-	6	5	10.	5.	-03	ā,	- 02	ē.	9.	8	3	5	6.	5:		9	9	- 02	8	8	8	2	. 05	6	5	3	5		8.	.05		8	8	0.	5	8		;	8.	8	8.		ē.	1	
\$18F	•	.09	.17	. 13	=	.17	. 20	. 17	.17	. 17	2.	÷.	Ξ.	EC.	- 75	E:	77:	:=	-	. 25	.73	- 12	. 30	.33	9	. 52	•	6				. 60	. 15		90.	9.	£ :		.07		;	ē:	•	. 25		. 12	54	•
CODE	229	320	030	219	229	249	0.00) <u>2</u> 9	9	220	910	G J C	<u>.</u>	0			7 6		2	E C	PPC	202	7	acc.	٠ ا	<u>ن</u> و) i			9		d Ha	285 68C		U (2 2	910	ر و	GEC) 	נ פ	9 EC		GRC	d F	
AATBBIAL	101-111 FCLF	101-112 FOLT	107-112 FCLY	LETAR 130-111 PCLTCAEBORATE	131-111	131-112	133-112 PCLY	169-111	141-111	INTER JOHN TO THE PROPERTY	LFIFE 249-112 PCLYCLEBOALTE	LEALE 500 POINCERPORETS	MANA POLYNINAL	SEATHER SCIENTS CHEED - GIVE		ACTION ACTIONS OF THE STANK STREET AND TO ACTION AND THE STANK STREET AN	_	TO TOOK PECATORS ALASS IN JOAN		HOSTL HIGO BIACK	ALPARASSE ILO BOLLE GERETALE AR 19 LEISTLAND	~	POINTS 221 ELLCK		TO TO TO THE PROPERTY OF THE P	THE TARGET AND THE TARGET AND THE PROPERTY OF THE TARGET AND THE T	THE TOTAL TATUE OF THE PROPERTY OF THE PROPERY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY	TO THE STATE OF TH	117 A4 3445			BYTOW N-4 ECIYFEENTINE SULPIDS/40% GLASS	SP 4401 SILICORE RIESTONER GFAY SHOFF 140		AN TAGE O CRECATE PURPOSE SILICONE	SCORES TRIBERS O SON	7 001/17	1716 #1717 #4764	SE 4524n CLEAN SILICOME		7 10 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	AN SECOND SILLICIENT OF SECOND		SE 55540 SILICUR POOD GRACE GG		SE 565/FFOR AS 100/0.6 BM ENTRINE LCG TEMP SILICOME	SP 1006 MYLCH 12/GLASS AS 70/30	

SECTION 12 -- NOTBING COMPONES

1414311	APS CODE	KTHL	KCVCR	C1 BE	COED	ATRCS	MCVCN CRBE CUIS ATRCS APPLICATION TIME TRNS
SILASTIC 65U8/15-50 CADOX AS 99/1 BW SILICCHE	DCC	. 20	8	2 6 5 2 6 5	116 216 121		ACIE CPUD
\$ 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	DAG	. 29	6.	•	!) 	MCID CPUD
ATTENDED DOO'N BILL DOING TENDER GIRS	es es a.	.53	8				MCID CPND
ACTUAL MADO, DO BOLYS, LYDON / FIRE GLESS AS RO/20	49.2	. 20	٥.				HCIL CPHD
FIRE CIPACION SARABELLE STATE OF STATES	MAC	00.	8.				STEUCTUFAL
TOLG-PL PRYIDIOS CAUTE and ALLEGY	6. F.C	5.	8	••			
CHOING MACHINOSCONIANCE SCRIPT THE RULE OF	9 L O	.00	8				BCID CPRD
TEAP 1901 CETHY LENE	ور د	.03	8				ACID CEND
07/09 St 15/12/27 17/12/27 27/12/27	LRP	.37	ົວ.				CIC CPSD
STATE OF THE STATE	GEC	. 20	. 02				HOID CPMD
SSTID NOC/GREATHING CHARACTER CAS COME POINT	226	. 16	. 0				MCID CFND
SCHOOL PORTOR PROPERTY CONTRACTOR CONTRACTOR CONTRACTOR	310	•	- 02				ACIC CFWD
SERVICE AND PROPERTY OF THE PR	91.0	64.	9.				BCIC CPED
TRUNKS BEING BORNESSEN AND BORNESSEN AND BEING	4	e.	.05				ACID CPRD
th income applications of the contraction of the terms of the contraction of the contract	LHP	1.	8.				ACID CPND
The second property of the contract of the con	- I	. 29	8.				HCLE CPMD
77 1006 HCENT/11888 GLASS AS 70/10	LNP	5	8				MCID CPED

SECTION 13 -- PAINTS LACQUEES WARNISHES

APPLICATION		PAINT CORPOSITE	CCMD PAINT	CCBE FAINT	PATER	THIE		PA 161	PAINT	PAINT					PAINT COMPOSITE		PAINT COMPOSITE			78794			PAINT		CCED FAIST				PLINT			PAINT	PAINT						PAINT	PAINT	Paint	FAINT	PAINT		PAINT	PAINT	PAINT
ATHOS	AIB	AIR	11	116	-	AIA	A I P	112	1 L8	A IB	4 I I	# f	# T T	1 e	1 7	AIB	AIR	113	W 4	-	314		A I K	AIE	6. I T	414 414	7 7 8	11	# I	# # # -		AIR	AIB	- I	AIR	* e	: !	AIP	AIR	AIB	AIR		A IR	7 I F			AIR
CUPE	127	25	121	52,5	: X	×	99	52	£	\$2	% :	Q ;	ť k	Ç Y	3 :2	\$	125	% :	C X	Ç	99	6	52	£ :	•	£ %	3	260	6	330	232	32	52	9 ,	2 2	C 001	}	150	150	22	100		\$2	122			25
CURE	H06	= = = = = = = = = = = = = = = = = = = =	30	2 2		77	161	2	=	2	2		2 4		420	4 2 D	24 H	2	2 :	<u>.</u>	15.8	10	20 T	# C :	= ;		308	15.	E O	<u> </u>	.	1.50	2	23 H	9 9	20 H		=	79	210	16 H		10	38 ×			÷
RCVCH	5	6	6.	ð	- 02	5		8.	8.	70	6.	5	5 6	9	6	6	6	;	6.			3	2.	1	-0-	- 00	10		.05	0	ō	60	0.	ć	90.	à.	.0	8	8.	.03	. 02	00.	.03	00,	. 32	.03	.01
S IML	*	0.	. 86	.90	09-	.47		.92	6		.76	5.		7	00.1	3.	88.	;				•	.72	i	•	5	50	i	.67		6		=	;	.2.	.	. 39	=	.58	96-	.51	LL.	. 59	.	. 06	0	# #
AFF CODS	004	244	HCC	201	HCC	HCC		SC SC SC SC SC SC SC SC SC SC SC Sc Sc Sc Sc Sc Sc Sc Sc Sc Sc Sc Sc Sc	HCC	2	U () () ()	ָ בַּ	֝֝֝֝֝֝֝֝֝֝֝֝֝֝ ב ב	HO C	HCC HCC	ACC	į) E		•	9 <u>2</u> 0	į	EPO	7 10	SES		SAK	7	3 1	380	380	ç) (2)	9	888	380	380	# F L	3SC	၀၃၀	၉၃၄	385	TER	E t	<u>ل</u> ا
AATESTA		Chilibrity Cebi-big Brick Over Trilbrig 46 5-6-2 Grenzely	H322 ELACA CONTI	CHESCRATE 2004 ELACK CCED PAINT 300 FOLTOPETEARU	CRFMCLARE 2202 ECLTDERCHAME FORMERLY TS 1603-16			CHENGLAZE 2306 LUT MEA	2306 ICT MBA	E306 101		2306 1C1	FACT ADA	1900/1900 110:001110017/1010 14	2306/KAF1UK 4	2306/KAPTON H	2306/KAPTON N		CONTROL OF THE STATE OF THE STA	CAST IN THE SOURCE PRINCIPLE OF THE CONTINUE CON	DAFORT 4922 A/B AS 1/1 BU COMD STLVEF PARKT		Der Leafing alleibum		M-KOIR 1010 CONFICITAR ACHTEC PAINT	PISHEP NIECK CGASING 113/113-300/CAPROLAC/HPK/4-12	. 5		PLOOFCCLAC BELLE G79R237	C 3113 PIACE CERTING BALL CHEM ALRYD-STITCOME	4	GSPC 657-41 SILICONE HRITE PAINT	21 IH 9		THE WALL WITH A STATE OF THE CONTROL	STILL SECULIAR AND LA	LANTHATE ASHLAN G&O GRADU PFOXY/FIBERGLAS	YSA 1012 GREEN FAINT OF 650/CH9ONIC OXIDE	THE SO WHITE PAINT OF 650/FOTASSIUM TREATED ZNO	ME 560 WATER GASE LATER STO2 PAINT	OI 650 PESIM WHITE PAINT CSPC SHAI	OI 650 RESIM WHILE ALINT/280 65PC TRIOLO	PAINT	TE PATRI 150	E SILICCNE CH	BREE CTARGARD BELLT STELLORG CH	RTV 602 Jea-16 BHILL PATE SE FRICH 9

SECTION 13 -- PAINTS LACQUERS VARNISHES

1011	COMPOSITE
APPIICA TION	PAINT BASE PAINT BASE PAINT BASE PAINT PAINT PAINT PAINT PAINT PAINT PAINT PAINT PAINT PAINT PAINT PAINT PAINT PAINT PAINT PAINT
A T 80 S	NAME OF STREET O
TERP	23.23.23.23.23.23.23.23.23.23.23.23.23.2
TI NE	70 70 70 70 70 70 70 70 70 70 70 70 70 7
SCVCB	90000 100000000000000000000000000000000
STAL	24 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 -
T'E CODE	G G G G G G G G G G G G G G G G G G G
Sattanta	NTY 602/SEC 05 AS 0.254 CAT DEVOL LOT BR242 BATCH 5 RTY 602/SEC 05 AS 0.254 CAT DEVOL LOT BR252 BATCH 5 RTY 602/SEC 05 AS 0.254 CAT DEVOL LOT BR252 BATCH 7 RTY 602/SEC 05 AS 0.254 CAT DEVOL LOT CR256 BATCH 7 S-19-G-10 WHISE PAINT A/B AS 100/1 RH 4/70LORE S-19-G-10 WHISE PAINT BATCH 2/BATCH 7 S-19-G-10 WHISE PAINT BATCH 2/BATCH 7 S-19-G-10 WHISE PAINT/SS 4044 PRIMER BATCH 2-496 S-19-G-10 WHISE PAINT/SS 4044 PRIMER BATCH 2-496 S-19-G-10 WHISE PAINT/SS 4044 PRIMER BATCH 2-55 S-10-G-10 WHISE PAINT/SS 4044 PRIMER BATCH 2-55 S-10-G-10 WHISE PAINT/SS 4044 PRIMER BATCH 2-55 STCOM BATCH 7/89055 SILICONE STCOM BATCH 7/89055 SILICONE SPACE GAPE 4-B-33 OVER PAHOLPH PRIMER T54/F SPACE GAPE 4-B-33 OVER PAHOLPH PAHOLPH PAHOLPH T55/

SECTION 14 -- POTTING COMPOUNDS

APPLICATION	POTTING	POSTING	B0001 HG				PCT11 MG		COMP COAT-POT		CORP COAT-POT				Potting	PCTTIBG	POTTIBE	POTTING	PCTTING	BOPPT NG		BO4-11 BG			20000						5011180	POTTI SG	Potti MG	Po111 BG	PC111 WG	POTITUE	POTIT BG-MBCAP &	POTTI 9G-BBCAPS	POTIT MG-RUCAP S	PC111 KG-BHC AP 5	POTTING	FOT 1 1 MG	POTTING	POTTIEG			POT11 MG	0011100			21111	7 1 1 1 4		1 4 6		FCAR	Potti ng		
A THOS	AIA	A I I					11	414	7 11	HI T	116			4 7 8		T T	AIR	110							:					# T		AIR	T I	11	118	11	A I B	AIR	11	A 112				AIB	AIR	1	2		1	1 1 1					# T	•	# I B	4 I F	
TERP	3	25	7	::		2 ;	=	9	ĸ	2	9	17.6		2		2	55	9	ş	F	5	X	3 %	3 5	3 %	9 8		2 :	10 C	5	1	1	X	3	32	22	£	52	22	52				×	8	9	121		×	31	: :		2 5	2 5	2	i	71	1))	
CON TIME		74				Ç ;	=	3	Ę	161	161	=	:	;		161	241	24.	:	12	26.8	5					B 2		2 :	17		=	= ?	Ē	Ē	3	2	2	7	20				28	12#	2	2	5			= =		5	E 7	= = *	:	Į.	Ξ	
SCVCB.	.07	10	5	3	•	5	5				10	9	2	5	ē	5	- 02	.01	=	6	!	C		•	8	•	ŧ	5		,	5	8	8	6.	8.	. 05	. 02	00.	8	9	- 02	01	8	.0			00	5	9	•	8	9 6	•	8	5.6	00.	0		
STAL .	. 74	52	¥	:	•	7	. 27		. 28		. 26				?	=	. 63			1	•	2		. 35	2		ž	cr.		i	. 55	•	.50	. 38	9	9.	. 20	• 1	. 29	- 12	. 17	7.7	7				6	5				•		•		E 6	.27		
CODE	DAP	BAC		1	1		D T G		DIE		714			2) T	S	10 0	100		5			3 6	3			,	CPC	•		HYS	3,5	2 · 3	HT 5	HYS	HTS	220	သူ	DCG	UUG	J J	000	200	300	i !		450	 	2 2	·	>	2 5	,) (E) (E	EVC		
-tartebla:	ACTIVITIES 1100/SCLITCARE C-300/CBBE BIE AS 100/40/1.4	ATTRICT 1376 POTETRO COMO POR CONTINUE		ATBECOM CITY NOW NOW AT ELONE	ANALOTTE HI 750/HI 91/ALTERIA FLOOR AS 100/2//100 50	MATICAL MANAGEMENT OF TO TOUCH OF THE STATE	DACON IND IMPLEGRANT NO 2		DARRE POLYCHICALE SYSTOM 65		Barbb of February and and an			C-18F A/B AS 4/5 SN h/15 N4-5441 BLACK KPOJI	CF 3003 REDXE BE HUGHES COMMECTOR 130C320 NO1	1/1 15 3/1 B	RN-11 A/B	PH-11 A/B 14		24 6/4 6/4	10 /1/701 OF A/F OF AF SERVING	3 Ct/ COL 34 47 1 3-14	CONTRACTOR OF THE CALL OF THE TAX TO THE TRACTOR OF THE TAX TO THE	FE -1 1/001 C7 8/5 1-88		このはとはないます。 そのじゅうかい かんこう はいまた はいこう こうしょう しょうしょう しょうしょう しょうしょう しょうしょう しょうしょう しょうしょう しょうしゅう しょうしゅう しょうしゅう		CEEST 7340/7109/7120 EPOIT			C2-4259/3401	CS F700 EPOIT	C9-4183/82-3561/PC-1244 EPOXY	C9-4198/H2-3561 AS 100/15 BW MPOXT	C9-4215/82-3561 AS 20/3 BW BLACK EPONY	C9-5340/3426 AS 100/8.3 BU PPONT	DC 93-500 A/F AS 10/1 BW SILICOMS	DC 93-500 A/E AS 10/1 BW SILICORE	DC 91-500 1/8 15 10/1 84 STLTCONS	nc 41-500 ave as 10/1 BH SILICOUR LOT #2114-16	19 79	SE CAT CONTRA CONTRA CO		ANCIENT OF STREET			ALJOR FLORE	STATE OF THE CANADA PART OF THE POLICE OF THE PROPERTY OF THE	CONTROLLER DESIGNATION OF THE CONTROL OF THE CONTRO	COTILEROLI TERMS CLADS		. ′	MOLOSONS PER - LA FOLL PRINCE POR PORTO PORTO	٥	7 HP-71/Hd4	SH 41/10 FT P	ECCOSEAL 1207/C11 20 AS 100/1.5 BW BLACK EPOXY		

SECTION 14 -- POTFING CONPOSEDS

ABBITCA TION		PC11116	PCTTING		FOTTIEG		Poffie		CCHE FOTTING	POTITIO	PCTTING		POTITE	Poffing		POITING		PC11196		PC111 B6	POTTING		FCTTING	Potting	POTTIBE	FCTTIMG	POTTING	FCTING		Po111MG	PC111EG	PCTTING	POTITE								0044116		7	POTITUG	PCTIING	FOTTING	111 MG	PCT11 NG			PCTIING	POTILAG	FC111 NG	
		PCT	20		101		20		֖֖֖֖֖֓	5	Ž		0	5		ွ		5	2		5	2	ũ	0	ò	Ü	2	Š		2	2	2	2	2	2	2 :	2	2	2 :	-	9		:	Po	PC	10	2	2			ž	2	Ξ	
APROS		AIF	AIR	AIR	A I B	A I F	AIR	AIF	AIF	PIB	A I G	4 I B	T I	AIE	A I P	A I F	P I B	N I W	AIF	I IE	LIR	AIB	AIR	AIR	AIS	AIR	111	A I 9	A I E	AIA	A I B	A I P	# I I					# (Z :				7 7	AIA	AIR	AIR	AIA	A I K	A I B	9-3	AIB	A 18	7 7	í I
3417	4921	150	2	3	\$2	10	\$	2	52	75	90	130	: 2	00	70	00	2	52	2	52	52	5 2	ĸ	52	22	×	:2	£	126	Ş	\$2	.	121			į	Q S	9	= :	ָרָ ץ בּי	2 5	2 3	900	85	82	125	99	93	111	111	83	85	2	!
adio		28	7 E H	22	2	24 H	5	24 H	0	28	5 #	¥	# 8 #	Ξ	10 T	=	E 0	2	3	9	20	9	7.0	7.	7.0	10	2	=	90 H	16 H	3	308	±			•		7	# :	= ;	47.					•				241		_	20 H	
# UAU		10.	6)	9		. 02		.03	-02	5.		90.	8.		8.		5	8.	ē.	.9	<u>.</u>	5.	9.	00	0	0	.03		-02	-02	. 02	.03	00.	8	6.	5	;	8	5	Č		3	8.	8	.03	00	. 02			60.	٥.	.02	;
		. 60		1	٠, ٢٥		•		.	. 12	•		π.	.34		ē		٠٢.	¥.	.55	. 59	. 86	98.	[]	95	. 26		Į,	•	9#.	₹.	.97		. 12	5.	. 52	. 12			. 36	3		71.	. 59	7	16	. 75	6	1		.82	.92	47	•
	2600	216	1 6 6	:	SHE		SIIL		3.5	SIIL	11	:	ZHI	SHL		3#1		3 H.C	148	SHL	SH	SHL	SHI	SHI	- H		1 1	330	!	11.8	HYS	I co	<u>.</u>	12	151	- dr. 1	Ů		F I d	127		5 - 1	DYC	4 P.C	2) F	SAH	0.50) 1		P∃C	PRC	0	
	TO A MANAGE		•		120dc 3r 05/05 st out a/5rd moca	(TYOUR PR 56,35 SE UNI WASHE MADER		TO BE \$12 STEFFER 3 115 45 5/5/38 NE	825/" 140 ks 7/6.	97001 34 % 158, 358	/co. 54 7/11/5/675		77.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.7 7.		SPON 628/IIMCHILE 6/DRP 10 15 100/90/1 PH EPCIT/SLMD		RE 05/05 34	AZB/VEFSABIU 125 15	828/VTE SABID 125 A	APANTE SAKTE 125 AS	140 AS 50/50 30	PP 05/05 21 011 5 412 : 12/000	CE CHICY OF CHI STREET TAKEN OF	TO SET SY SE CHE CALL STATE SEC	TO CELLS OF UP OF THE TAXABLE OF TAXABLE O	מניטנ	TOTAL TOTAL THE STATE OF THE ST	Wen/ " E. Shr. 10 100/	22 CM A28.871.44 E 23 MOV69/15.5 DT	DE DES CITY EDUCATION	000 THE STATE OF THE PROPERTY		PLEOPINITED ACHIAIS		1	GERPPOXY 190/VEISARID 140 AS 3/2 BU ANBER EPOXT		HY-MAT JEJA BCLLED GIAPHITT/EPONT	HATPHIOLE SC-1-1-169-1 LIGHT GPAY FEOXY	•	HTSOI 0025 4/6 45 1/1 54	ICAM/ACT BAS A/6 AS 100/6 3W TPOYT INCAPSTLANT	ANDS BE 6/3 % TSS SSF George	ADDITION ON THE P. D. A. T. O. T.			STATE OF THE STATE	ZUU- 10 FOARED AIF 3		1524 A/B AS			ES 1538 A/8 AS 32/100 No PCITURE HAME

SECTION 14 -- POTTING COMPONEDS

ATHOS APPLICATION	AIR POTING		AIR POSTING			AIN PCTTING	AIR POTTING	0 = 1 = 0 = 0 = 1 = 1			AIR SCTING					-		AIF POTING			_	_	AIR POTTING	•					ALE POILISE		A TR DOLLING		AIR PCTIING		AIB	_				PIN PC111#G	_	-					_	A 199 A DORES JAME		A 16 FCTTI MG
CUBE	×	, c	3 2	82	93	92	2 2	, v	3,5	160	25	2	9	ÇX	5 %	: ×	2	: 2	100	150	£	Ş	\$	75	120	150	130	2	00.	2 6	2 5	3	22	65	121	65	Ç i	S :	20	s:	S.	S :	52	Ç;	s:	S :	\$	3 :	9 6	2
15	25		7 F	161	16.1	# C	# 52 20 20 20 20 20 20 20 20 20 20 20 20 20	, Y		30 M	# E	7	2	# * C		ģ	2	Ē	54	Mac	30 H	24.8	72H	# *	Z	E O	# :	107 107	128	# 7 Y	E 4		128	# 8	H	15#	2 ;	2	#9 ;	2	7	2 ;	2;	2 ;	62	# S #	2 :	= ;	2.2 H	æ 9
RCVCH	ş	8	3 5			\$	5	S		.03	5	;	8	3		6	. 02	8			5	- 02	50.	8	-05	6	80.	6.	. 02	5	2	•	8			3	2 9	80.	6	6	6	.03	8	6.	5.	6.	5	5	70.	8.
THE	.67	74				#E .	•	4			15.	ì	::	7.	:	02	91	9			.42	. 25	.71	.65	. 52	. 52	90.	2	. 35	•			. 32	1		9	. :	1.		69.	0.	. 72		7		. 66	. 37	= ;		er i
AFF. CODE	PEC) () ()			Pac	ا ا	000	3 7 1	C18	ALL	:	717	ب و د	ָ פּירָ	ָ ֖֖֖֖֓֞֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	380	HYS			K				F	¥ :				;			STR			100	בוננ	100	U U		100	201) (1))) }	100	1 00	ည်	100	D L L	100
TERSITE	or 15461 L/s as 40/100 Ha Follware TRICK BLOCK	1441				1570 A/R AS 1/4 Bh 20LY 13.18AME	1514 14 15 18/100		A/B A: 16/100	9-179 CVCICALIENATIC GPORY THTILLED	35 A-1318 A/E AS 100/65 9V PCITURETHANS		THE STATE OF THE PROPERTY OF THE STATE OF TH	1200 Per 120	THE COURT OF THE CAME CAME THE CAME CAME CAME CAME CAME CAME CAME CAM	BIT CHOOKED TO THE CALL OF THE	12VO1 17 150C	39-2039/82-340s AS 9/1 34 R2014			DIY CAST	221 A/B AS 5/9 DA	221 A/E .S 5/8 NG	250 A/B A5 1/1 BB		260 LFONY	281 1/8 15	281 4/8 45 2/3 98	281 A/B AS	Charte these on 676 or 811 cac	SEAL STOTE SEAL	1) 13 1 17 17 17 17 17 13 1 14 18 18 18 18 18 18 18 18 18 18 18 18 18	SMMP-ICH SIE 3007 2PCHT - G917			113, 300	113/300 45	SOLITHRANGE AS TOOL AS TOO BE POSMULL SEASTINGS	113/300 AS 107/150 NW PORMULA	113, 300 AS	113/300 AS 103/80 BU FORM'IA	113,300 FU	SOLITHARE 113, 30U/CABOSIL 455/EOSA4INF B/1-12	113/300/CABOS L 955/T-12	113/300/C	113/300/Drol	SOLTHNE 113, 300/T-12 AS 25/18.25/1 D30P EW	SOLITERED TO NOT THE PARTICULAR TO THE TABLE TABLE TO THE TABLE TA	SOLITHMEE 113/300/280 AS 23/14.6/1 64	SOLITHRAF 113/300/328 AS 130/44/6 BN FOFFULE 11

SCHOOL 14 -- POTTING COMPOUNDS

4428111.	BFR	1818	RCVCA	10 M		17808	APPLICATION
OF STREET STATES TO STATES	100	~	8	191	2	111	POTTI DG
,	100	.21	8	210	£	AIR	POTITING
78/8/6/1007/611	100	.53	8	16 H	51	117	POT11 NG
	ENC	. 58	. 10	# B B	65	AIR	Pot11 BG
				24 H	150	AIB	
STECAST 1090-51/24LF AS 100/23 BW BPOXT FOAM	280	7.	Ş	16 m	52	P I I	707E
				E	ę	717	
1090/11 45 100/12	38C	6	90.	2 8	<u>0</u>	=	
STECAST 1095/11 AS 100/12 BE EPORT FORM	BHC	. 38	5	# !	<u>د</u> ز	AIA	
		1	•	# ;	בי פילי	# T F	
STECAST 1095/9 AS 100/9 BE BIACK BPOXT PORM	OF S		6	= ;	Q :	# T Y	
	2	71.	5		2 2	1 1	
##C04 UR 11/00 St 1/1 0701 481/449	ARC	10	.05	9	9	=	POITIBE
	!	•		24 #	150	AIR	
STECAST 1467/CAT 9 AS 100/7 BW 1POXY	. THC	=	9.	# 9 E	×:	# :	PCTTIB
			•	= :		# T #	
STICEST 2057/CA1 9 AS 100/6 BW IPOXY	SAC.	.72	5	74 E	52	AIR	POTITIES
2651/CAT 11 EPOX	EHC	= :	8		;		FOILING
STICLST 2651/CLT 9 RPOIT	34 C	. 37	.03	=	52	N I I	9# I I FO
	SHC	.63	8	%	120	A I B	
2762/14 AS 25/2 BH	N. C.	.27	8	Ē	5	AIR	POTITOG
	ZHC	. 25	5				POILING
2850FT/11 AS 100/	BAC	04.	5	20H	2	AIE	POTITE
285011/11 AS 20/1	213		5.	7	9	A I D	Potti ka
				104	120	A I B	
				30	9	1 1	
				7	90	A I R	
2050F1/11/9 AS 100/	SHC	9	8.	7	3	N I W	POT1186
STYCAST 2850K1/24LV AS 25/1 BW BLUZ EPOXT	SAC	. 55	.02	7,	22	# I W	PC1116
				78	65	a i	
STACAST 2050K1/24LV AS 25/1 BM BLUE EPOXY	2HC	Ĩ.	ē.	3	65	A I B	POTTING
2862 L/B AS 1/1	2	. 32	5	16 H	120	BIB	POTITIE
	RAC	9	8	=	11	A I B	
3050/11/840A MIC	080	۲.	<u>.</u>	721	X	A 1.R	POTTI BG
				806 806	126	217	
T10CLST 111/901 AS 100/3.4 BW	M gi k	. 36	5.	24 H	\$2	A I B	POTTING
TPOCAST 111M/15ucure 901 EPOXT	PEH	9.	ē.	¥	99	T I B	POTTING
_	HVS	. 85	-02	Ŧ	25	AIR	FOTTIEG
				#9	2	AIA	
IR-5166 A/P AS 2/3 BW PLEXIPLE BLACK CPONY	FFE	.51	.07	24 H	2	AIB	Potting
TTT-0021/THD-0165 AS 1/1 BJ BLACK POLTOPITHAME	HYS	.87	.0	#9	22	A I B	POTITIES
		,	;	¥ ;	9 (
IUS-0050 A/B AS 100/36 34	H		5	7 T	2		F0111 F6

SECTION 15 -- BOBBBB BLASTONESS

CORR CURE ATMOS BEPLICATION TIME TRAF			277 791	1-7 171	24H 250 PIH DPSEND		24E 175 ATP PLASTCHES	400	174	22		35		TTV C7	25 AIR	24 H 25 AIR SEALANT	2	36	117 c7		177	48 177 BIR SILICCES	TAR AND		11H 7C7		SE11-61 SERF	1715	A 45.0 178 871.005.000		on 200 hit caskri	101186	321601					SH 255 AIR CCRR	200	8.5H 260 AIR		Elasterna and an analysis and	327504	26s 125 ave cent			177 C71			ELASTCHER		G2205712		4		0-5126	O-61MG	5#19-0	24110		0-114	0-F18G
RCVC					S.	ē.					. 69										•	7 70.		• •			8	8				ē.	8	8	3	9			5		€.	90	0					3	8.	2.	90.	50	3			ē.	٥.	. 02		5	00.	.02
MINL		:	:	-	6	. 28	10,	5	2	=	. 20	=	:	5	-21	. 62			5	-		٠٥.			;	7	=	15.	4	:	=	*	.53	8	=		2 :	. 12	Ξ.	•	. 95	- 22	. 29				? :	7.	.05	. 24	5	. 0.		7.	•	. 12	٦.	9		7	. 10	٤.
CODE	=======================================		0 1	200	101	108				2	DCG	2	2 6	2	0	2	200	2	ב ב	ر ک		010			•			8 90		2 : 2 :	20	E P.C	FPC	E06		9 0	9	220	220		910	Q TQ	4		, () (202	HOS	405	SOF	101	X O L		7 6 6	PSC	P3C	PSC	PSC	1 2 2	18:	PSC	PSC
N E	TOTAL PROPERTY OF THE PROPERTY	ng n 126 12 Sandang Pack Land Carle of the sandan sandan carle of the sandan carle of the sandan	TOTAL PROPERTY OF THE PROPERTY	MARROS GENERAL CORP. DES	BIE EDRAFE HEZZ-31	btw bosses 61222-22-2 is alosison sampsice	COAD SERES -		THE PROPERTY OF THE PROPERTY O	300	DC 6-1104 101 PE099313			-1104 B/12 4-1936 I	-1104 W/15 V-1936 I	DC 6-1104 h/10g V-1747 BLLCK FERRO DTE	-1104CV 104 SM11933	4 */ 0 * 4 * 4 *0 * 4	. :	1) SILICURE ELESION		SM 100 SILICCEE BURKER GE SE 565 BLSE			4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	SCCUSIL 4934/CA1 30 AS 10/0.01 BW FILLED SILICOME	ECE ONG PERFLUCECELASTORER	NCO 487-50 FILGRERIASTONES		10.00	PLOOFOSILICOBE GASKET MAITE THERE PART SYSTEM	FLOFAY PSOOD BLACK PLOOFOELASTCHEN TOBIEG	FIGURE F5005 VISOR A RED FORESC	PARC - MOTHER PROPERTY CHARGE MINISTER PROPERTY	STREET STREET STREET STREET STREET STREET	COMPLETE DONE LACK CONTROL AND AND COMPLETE	CONTINUE CON	es 50/Farci/Bubble Abditives bing commector insol	AS SO/THEOX/ECBEE ADDITIVES BLUE COMPECTOR INSUL		ATCEP 520-67-108-5 ACEVIC	RETURN 4055 POLYESTER/ANTI-OXIDAMI	TREATMEN FOREIT SALESTITION COLUMNIA	APPRICATION OF COLUMN AND AND AND AND AND AND AND AND AND AN	TOTAL STATE OF THE	TOTAL STATE OF THE		NOTIT'S 1028 SPCEG	ROSITES 1059 FILOBEL PLUGEOCERROR RIESTORSP	HOSTIFES ICASE PINOPER PINOPEGERS BIRSTCHER	HS-2010#	B - 3000		•	γ.		PARKER 0-FING S-383-70 RED SILICONS	0-11MG S-455-70		C-IPO-G SMTI-S	C-FIRG V-747-75	PAFKER O-TIMG 77-545 VITON A

SECTION 15 -- EUBBIES -- SI NOTICEES

OS AFFIICATION	SFAL	SEALANT						THE COLUMN TO SERVICE OF THE COLUMN TO SERVICE	O FING-GASKST	ZI AST CHER	HOLD			_		1410		ELASTCHEP			I SERI-GREET		TOTAL CASE						R SEALANT		O BING							OFIE	SEAL	SEAL	SEAL	TES	GECHRET	•	_,		
11105	55	7 1 1	•		L	1 4					AIR	AII	A IS	A		114	LIB		AIB	A 18	PSI		1 1 1	AIR	1 1 1	1 1	AIR	AIR	AIR	M			414	ATK	4 10	:									AIR		
CORE	177	22.5		•	232	2,0	1				238	204	238	5#3	220	100	249		125	5#3	910	200	2 5		1	250	5	2	52	17.7		;	Q ;	9	õ	:									204		
CORRE	58.	16 H	;	;	# 5 E	H 10	3				16 H	E	3	3	24 1	E = C	16 H		24 B	24 H	2.	# :	= ;	# F	8 4 7	2 2	5	2	92	22 A		į	H 67	7 # H		•									16 H		
*CVCB	-02	6	.03	5	.02		3	5	ē	. 0	.01	.07	. 02	. 02	.00	70.		. 10	9.	90.	5	;	8.8	5.8	3 2	3 6	ð	0	.03	8.	01.	.02	9				60	.02	.05	.03	10.	.03	8.	6	90.	.03	.09
ATRE	=	99.	. 50	9.	= ?					0.	9	. 22	. 17	e .	10	5		. 27	19	=	=		. 02	67.		-		36		.07	.93	60.	***	60				. 21	. 29	. 27	.35	25.	.89	98.	. 33	. 30	. 85
HTB CODE	53C	ינכ	d 6 C	Ci Ci) iii	9 10	0 10	י ני ני) () (0 TE	030	000	GIC	020	020	GEC		DCC	200	ပ္ပင္ပ	20	1	000	200		֓֞֜֜֝֜֜֝֜֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֡֓֓֓֓֓֡֓֓֡֓֓֡֓֡֓֡֓֡) (10	221	SFC	SIS	FI E	a.	£1 (8' (8' (7 6 6 0 6	n (7.0		dic	ОПР	Dub	d LO	I to	0.1P	65 22 11	DITP	anc
TATISTICS.	PAPRIR SIAL S 1868-50 GTTM SILICCAE	9º 1710 POLYEULFIDE SEALANT	PRP 1050-70 FLuchosilicons	11165 SILICCE	BP #23 SILICCME AUBBER	Right 136 Still CCBE	SILICULE	099/97		THE EAST OF THE STREET OF THE PARTY OF THE P	117 05-34	#56/TS-50 SILL	ICOME -	2 5211 0 1CE 228	2 556 SILICCHE	14		4-4711	MILESTA GIBLICONI	35	SILASTIC 675 SILICONE		SILLSTIC 69-210 LOT EU 103007	STIASTIC 75 SILICOME		SILITOCAR SUBERE BIL 22-8-100 CLASS / SEADE DO 1 GENT	NITITION CONTROL CETTON OF THE PART OF THE	SER / 1/1 A/R AN W/ BE NOW SELECTED ACCOUNTS AND SELECTED ACCOUNTS	COLTABRE 113/300/CABOST HS/CABBOLAC 1		DING STILLMAN ROBBER	=	7. BV	TOETHG-SITICCHE-EED GEADE 60 CL2 SPEC ZZE765		J/FEBZUIL	WALCOM O SING - ATV /5	STACK A DUTH MAKE ARBULAND	A C MARC MAS					_	, F	TON C ROSE	VIION INFPEGNATED LACRON DUFCHT BA-061

PION 15 -- EGBBERS REAGING

 =			
 SCUCH CIRZ CURE ATHOS APPLICATION		DOST SEAL	TASSES.
 A THOS			
	TERF		
C1 11.7	11 高		
 SCVCH		 9	-
 THI		 16	
THE S CAN	CODE	 115	3 6
		20-000 see 1 5 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Common add at the state of the

ASCAL 715 CHEORS METALIZED NULAN/ACEPTIC ADM/S APP 36
¥.
21.2
[3cc#8689]
E E
AC. MARK ON THE C. I.
-
E !
101) TERESHAN PILE (CRILIC/POIL SEMBERCE NAMED AND SAME STREET
E E
IN TAPE 61 TEPICS TER/THESHOSET SILICOME ADR/R
_
-
MINISTER AND ACCOUNTS AND
BCH
E E C &
NO8
BCM
7430 4.5 HIL LEAD PCIL/FUBBER ADM/F BCM
BCM
8/8
-
TERP-E-TAPE (-400 TEPLOM FED/SILIZONE ADB/S
THERPTHY THE TOTAL THE TOTAL THE TOTAL TOTAL TOTAL TOTAL THE TOTAL

SCTION 16 -- 1APES

ATERIAL APR STML SCYCH CORE CURE ATMOS AFFIICATION CODE TIME TRAF	thru thru 2 sided tark
CORP AN	
8#	
CORR	
SCVCH CORE CUST	500
7 TEL	÷;
APR CODE	222
MATERIAL	TEMP-E-IAPE NE-650 TEFION TRE/SILICONS ADM/R COR .19 .00 TAPE TEMP-E-IARE K-102 KAPTOM/ACRYLIC ADM/F COR .76 .01 TAPE TEMP-E-TAPE N-69 MILAR FILM/2 SIDE ACRYLIC ADM/F COR .63 .02 2 SIDED TAPE

SECTION 17 -- THERMAL GFEASTE

APPLICATION	COME GERASE TREEMAL CREASE TREEMAL GREASE TREEMAL GREASE TREEMAL GREASE
100 H	
C) FE	
SCVCB	010. 02. 01. 01.
# THE	25 25 25 25 25
M F II CODE	000000000000000000000000000000000000000
4171911 ACVCB COSE ATML SCVCB COSE ATMOS APPLICATION	CHCRESTCS 4220 SILVES FILLES STITCCMS GRASS CHOCKESTS 4220 SILVES FILLES STITCCMS GRASS CG-1102 SILCCML GALDAS JAN GRASS SHC . 54 . 05 THEFM GRASS SHC . 54 . 07 THEFM GRASS GRC . 16 . 07 THEFM GRASS GRC . 62 . 07 THEFMAL GRASS

S APPLICATION	BEFLECTOR	CCMD FILE	COATE PARIC	NAME OF THE PARTY	INSULATION	HOLLATON			CLACO STATE		CALCULATION OF THE CALCULATION O	TIRES OFFIC	FIBER OFFIC	SILICOME	DAMFEE PLOID							SILICER FLUID	SILICONE PLUID		SILICCUR PLUID	SISUCIONI	SIBUCIONAL		DIELECTEIC				MAG RCID DOWN	Inselation				SCID FELTES	COATING	CCATING	COATING	COATING	PC111 EG	POTITIES				SILICONE	FASTERS
ATHOS				AIA		T I	TI										-																	A I B	A I A										774			AIA	
CUNE				3		7 F	20										•	= :	2 :	:														260	330							. ;	Q ;	\$ 2	Ç	9 5	•	50	
CORP.				 7.		∌ ;	H \$7										į	= :		; =	:													F	3: ₹							;	2 ;	2 ;	2 5	2 4		Ĭ	
KCVCH	5.	5	.02	.03	6.	8:	÷	3.5	8	5	90	3	- 02	.02	-02	5	ć.	ş	9 6		ā	đ	.03	90.	.01	.02	-		3:	6.0	5	8	.07	60 -	Ş	3 2	9	80.	ō	-03	į	.0°	5 ;	70.	70.	5	5 6	.02	٠٥.
STAL	Ξ.	4.	87.	. 56	.21	.00	.22			. 26	3,4	.27	. 23	.04	.05	5					. 2.3	0.	.0	.07	=	. 68	\$.58	.0.	-	•			- 29	6		79	. 37	. 32	. 15	. 12	. 28	- :	-	2.5	, c	5.5	10	.0.
CODE	STC	222	9 50	7.7	NO.	103		ء د د			- d-C	5	O.O.	DCC	DCC	HOL	OF		. ה נים נים	SHI	27.5	226	2,0	200	2 ¢c	777	Tod	575	225		7.	222	Ē	EC				ISE	SSC	385	380	0.66	380	085	100	300		0 0	126
Thistite	STORISTICS NATUR 100842	ALDRIANTER AKLAI / DACTOR D'IFORT RUN BÉGEO	AMBRION 59-101 PLUOLUCA: BON COATAE PELTANIES	APPRICAT A-31 4/B AS 6/4 Pt 1207T	F-C40 CHECKLE R BISER		のに関するので、「「「「「「「「」」」「「「」」「「「」」「「「」」「「」」「」」「」」「」「」	CONTRACT CO SAFELL WATER FLOCIOL	CROWCE TOWN CONTRACTOR	COCCE T TELLON CODE DECREE DATE		4 CChE/JACKET	CACACA S CCHS/TOWNS/CKS/S COM S ROADED	DC 2104 SILICCAL BESIN	THEFT ROPONTY LOT TO	DARK-HAND BERNING TOOMS THE TOTAL TO	-	SCONDED FOR LIVING THE AND AT 1550 AND 420 PM.	としていること よる こくてきにもまして コルンコー リッカン・コンド・コンティン・コンド・コンド・コンド・コンド・コンド・コンド・コンド・コンド・コンド・コン	TO THE PROPERTY OF THE PROPERT	POSTATE OF CALCAD CONTRACTOR DATE OF THE PROPERTY OF THE PROPE	,	PA-1101 CCK16CILED VCLATILITY PIVID	P6-1105 CCM16CLIED VOLNCILLTY FIGID	PA-1107 CONTECLIAD VOLATILITY PLUID		STRAS/SCITTED TO STREET TO			かいとは「一つののないない」というできます。 アンドンはこう アンドンはい はっちょうしん しゅうしん しょうしん しょうしん しゅうしゅうしん しゅうしゅう しゅうしゅう しゅうしゅう しゅうしゅう かんしゅう しゅうしゅう しゅうしゅうしゅう しゅうしゅうしゅう しゅうしゅう しゅう	10000000000000000000000000000000000000	TARREST STATE OF THE STATE OF T	TRANST PREMIELE STRIP NOO-1016	MICHOLITY PAIN AA O.66/30 PT M/SILICONS BIND-CEMTOR	医心脏心脏 医乙酰甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基	ACTUAL TO THE STATE OF THE STAT	NAM TAPP ALL N. MELABALTHANCETLE ADRAG (Y-9760)	MS 224 MHS ACLD AFLEASS ON POTL	BLPCK/ELECTFOL	MICKEL LAIL GIALD ALGUMA	BICKIE E CLOSSY PLATED LIPHIEDS		SOUTH OF AS U. 234 CAT SEVOL BATCH	STATE SEVOL HATCH	27 101 101 101 101 101 101 101 101 101 10	しょう ロングイン・プロ・ロン・ラウ フェース・ファイン アン・ファイン・ファイン・ファイン・ファイン・ファイン・ファイン・ファイン・ファイ	PASTEMEN MOOK/MAP		S102 D10-10 Fas. auth GRAY ANODISS

SECTION 18 -- HISCRILANDOUS

AATEBIAL	APR CODE	8 1 H L	#CAC#	11 22	CGBE	ATROS	APPLICATION
		-	8				
TRUNKALL 49-64410 GEFALLSD SIMI STALESS	9 1	•	3		:	,	
THECKNIT BY-114571 SITTEONE SPONGE W/SCRUBE		. 12	- 02		וצו	K-1	
FREERIT 82-128531/72-00002/82-124571 COMPOSITE	TEC	Š	ē.	E 0 7	121	S.	
	THE	.08	00.				INSULATOR
WEICHO BI-GAED BOOKS STAININGS STREET	124	. 02	5				Pastruck
TRICKO MILTER FASTRERS MOBEL/POLITRIDE	VEL	. 52	8				
VELCEO MIDIEMP FASTAME MOMBI/POLITHIDE/BITRACTED	TEA	. 55	કુ				
WEICHO 100 POLYESTER HOOK AND LOOP	124	. 54	.02				
FRICEO 100-005-012-019918/100-101-012-019918 H6L	ART	. 70	.02				PAST EURB
	9 5 6	60	. 02				TUBLEC

.

APPENDIX CODE LIST OF MANUFACTURERS

~ . . . • • •

CODE LIST OF MANUFACTURERS

AAC Ablestick Adhesive Company
Abletech Division
Gardena, California

AAI Anchor Alloys, Incorporated Brooklyn, New York

AAP Advanced Absorber Products
Amesbury, Massachusetts

AAT ARNO Adhesive Tapes Incorporated Michigan City, Indiana

ABC Andrew Brown Company

Los Angeles, California

ABR Amphenol Corporation

Bunker Ramo Division

Scarborough, Ontario, Canada

ACA American Chain and Cable Company
Waterbury, Connecticut

ACC American Cyanamid Company
Bloomingdale Department
Havre de Grace, Maryland

Formica Corporation Cincinnati, Ohio

Plastics and Resin Division Wallingford, Connecticut

ACD Allied Chemical and Dye Company
Celatex Division
Edgewater, New Jersey

ACH
Acheson Colloids
Division of Acheson Industries, Incorporated
Port Huron, Michigan

ACL Armstrong Cork Company Lancaster, Pennsylvania

ACM Allied Chemical Corporation

Mesa Products

Lea Appelea California

Los Angeles, California

ACP ACPO Incorporated Florham Park, New Jersey

ACR Acme Resin Corporation Forest Park, Illinois

ACT Acton Research Company
Acton, Massachusetts

ADC Applied Design Company, Incorporated Tanawanda, New York

ADF American Durafilm Company, Incorporated Newton Lower Falls, Massachusetts

ADL Arthur D. Little, Incorporated Cambridge, Massachusetts

AEC Adhesive Engineering Company San Carlos, California

AEW Alpha Wire Corporation Linden, New Jersey

AGI Rubber Company
Bridgeport, Connecticut

ALL Allaco Products, Incorporated Westbury, New York

ALR Allied Resin Corporation
East Weymouth, Massachusetts

AMA American Aerosols Incorporated Holland, Michigan

AMC Amicon Corporation
Lexington, Massachusetts

American Hoechst **AMH** Delaware City, Delaware American Microwave Industries AMI Waltham, Massachusetts AMP, Incorporated **AMP** Harrisburg, Pennsylvania American Metaseal Company **AMS** Carlstadt, New Jersey Arthur Ansley Manufacturing Company ANS Perkasie, Pennsylvania Amoco Chemicals Corporation **AOC** Chicago, Illinois American Optical Company **AOP** Southbridge, Massachusetts Armstrong Products Company, Incorporated **APC** Warsaw, Indiana **Avery Products Company APF** Fasson Division Painesville, Ohio Aremco Products Incorporated API Ossining, New York APP Applied Plastics Company El Segundo, California **APS** Advanced Process Supply Company Chicago, Illinois Apex Mills, Incorporated APX Lynbrook, New York Alloys and Research Company ARC Cleveland, Ohio John L. Armitage and Company **ARM**

Newark, New Jersey

ARP American Reinforced Plastics Company

Los Angeles, California

ART Artus Corporation

Englewood, New Jersey

AST Astro Chemical Company, Incorporated

Schenectady, New York

ATC American Thread Company

New York, New York

ATL Atlantic Laminates

Franklin, New Hampshire

ATP Atlas Plastics

Buffalo, New York

AUC Angelica Uniform Company

St. Louis, Missouri

AUI Automation Industries, Incorporated

Danbury, Connecticut

AWC Alpha Wire Company

Elizabeth, New Jersey

BAC Bacon Industries, Incorporated

Watertown, Massachusetts

BAI Barry Isolator Company

Watertown, Massachusetts

BAK Baker Castor Oil Company

Bayonne, New Jersey

BAL Ball Chemical Company

Glenshaw, Pennsylvania

BAR Barry Wright

Barry Division

Watertown, Massachusetts

BAX Baxender Chemicals

Europe

Bay Associates BAY Palo Alto, California BASF Colors and Chemicals, Incorporated **BCC** New York, New York **B & C Insulation Products BCI** Iselin, New Jersey Berser Chemicals, Ltd. **BCL** Newcastle, England The Borden Company **BCM** New York, New York The Borden Chemical Company Philadelphia, Pennsylvania Mystik Tape Northfield, Illinois **BDC Brod-Dugan Company** St. Louis, Missouri Bee Chemical Company BEE Lansing, Illinois Berkshire Hathaway, Incorporated **BEH** New Bedford, Massachusetts Balsa Ecuador Lumber Corporation BEL New York, New York The Bendix Corporation **BEN** Teterboro, New Jersey The Bergquist Company **BER** Minneapolis, Minnesota B. F. Goodrich Chemical Company **BFG** Cleveland, Ohio The Biggs Company BGG .

Santa Monica, California

BHM Bently-Harris Manufacturing Company

Conshohochen, Pennsylvania

BIC British Insulated Callender's Cables, Ltd.

Liverpool, England

BID James G. Biddle Company

Plymouth Meeting, Pennsylvania

BIS Bishop Electric

Cedar Grove, New Jersey

BIW Boston Insulated Wire and Cable Company

Dorchester, Massachusetts

BLA H. L. Blachford, Incorporated

Troy, Michigan

BLD Belden Manufacturing Company

Chicago, Illinois

BLH Electronics Incorporated

Baldwin-Lima-Hamilton Waltham, Massachusetts

BOA Boeing Aerospace Company

Seattle, Washington

BOC Bray Oil Company, Incorporated

Los Angeles, California

BPS Bronze and Plastics Specialties

Baltimore, Maryland

BRN Bicron Corporation

Newburry, Ohio

BRX Brand-Rex Company

Willimantic, Connecticut

BWC Borg-Warner Chemicals

Parkersburg, West Virginia

CAC Carroll Products, Incorporated

Farmingdale, Long Island, New York

Cali-Foam **CAF** Santa Ana, California Calabra Plastics -CAL Upper Darby, Pennsylvania Carmac Company **CAM** Shawnee, Kansas CAN ITT Cannon Electric Los Angeles, California **CAR** Carter's Ink Company Cambridge, Massachusetts **CAS** Castall Incorporated East Weymouth, Massachusetts CAU L. D. Caulk Company Milford, Delaware CCC Chemical Division, Chrysler Corporation Trenton, Michigan CCD Colgate Chemical Company East Brunswick, New Jersey Chemical Coatings and Engineering Company CCE Media, Pennsylvania **CEL** Cellasto, Incorporated (Address Unknown) **CFC** Crawford Fitting Company Cleveland, Ohio **CFP** Clark Foam Products Corporation Chicago, Illinois CHE Chemplast Incorporated Wayne, New Jersey Chomerics, Incorporated **CHO** Arlington, Massachusetts

CHR Connecticut Hard Rubber Company

New Haven, Connecticut

CIBA Corporation

Summit, New Jersey

CIC Cicoil Corporation

Chatsworth, California

CLI Caig Labs, Incorporated

Westbury, New York

CLY Clayburn Laboratories, Incorporated

Santa Ana, California

CMC Circuit Materials Company

Princeton, New Jersey

CMS Coast Manufacturing and Supply Company

Livermore, California

CMT Cambridge Thermionic Corporation

Cambridge, Massachusetts

CNS Celanese Corporation

New York, New York

COM Compac Corporation

Newark, New Jersey

CON Conap, Incorporated

Allegany, New York

COX Cox and Company, Incorporated

New York, New York

CPC Crest Products Company

Santa Ana, California

CPI Chart-Pak, Incorporated

Leeds, Massachusetts

CPT Coast Pro-Seal

Compton, California

Carborundum Company **CRB** Plastics & Adhesives Department Atlanta, Georgia California Reinforced Plastics **CRP** (Address Unknown) **Cryton Optics CRY** Roslyn, New York Columbia Technical Corporation CTC Humiseal Division Woodside, New York Carlisle Corporation CID Tensolite Insulated Wire Company, Incorporated Carlisle, Pennsylvania Chemical Technology Laboratories CTL Los Angeles, California Custom Materials, Incorporated **CUM** Chelmsford, Massachusetts Consolidated Vacuum Corporation **CVC** Rochester, New York Chase-Walton Rubber Company **CWR** Hudson, Massachusetts Daburn Electronics and Calbe Corporation DAD Bronx, New York Dayton Chemical Company DAY Dayton, Ohio **DB Products DBP** Pasadena, California **Dow Corning Corporation** DCC Midland, Michigan Danvers Chemical Industries, Incorporated DCI

Danvers, Massachusetts

DEC Dow-Elco Company

Montibello, California

DEF Deft Chemical Coatings

Torrance, California

DEL Delron Fasteners

Santa Ana, California

DES Desoto Incorporated

Des Plains, Illinois

DEU Deutch Company

Los Angeles, California

DEV Chemical Development Corporation

(Devcon Corporation)
Danvers, Massachusetts

DEX Dexter Corporation

Midland Division Hayward, California

DIL Dilectrix Corporation

Farmingdale, Long Island, New York

DIN Dodge Industries

Hoosick Falls, New York

DIS Dielectric Sciences

Woburn, Massachusetts

DIV Diversified Marine Industries

Norwalk, Connecticut

DIX Dixon Corporation

Bristol, Rhode Island

DNN Dennison Manufacturing Company

Framingham, Massachusetts

DNS Dennis Chemical Company

St. Louis, Missouri

DOW Dow Chemical Company

Midland, Michigan

Davol Incorporated DRC Providence, Rhode Island Drilube Company DRI Glendale, California D. Strauss Company, Incorporated **DSC** New York, New York Dowty Seals, Limited DSL Ashchurch, Tellkesbury, England **Devon Tape Corporation** DTC Carlstadt, New Jersey **Dunmore Corporation** DUN Newtown, Pennsylvania E. I. du Pont de Nemours and Company, Incorporated DUP Wilmington, Delaware Elastomer Chemicals Department Fabrics and Finishes Department Film Department Plastics Department Eastman Chemical Products Company **EAC** Kingsport, Tennessee Eastman Kodak Company **EAS** Rochester, New York Electronized Chemicals Corporation **ECC** Burlington, Massachusetts Eldre Components Incorporated **ECI** Rochester, New York Eclipse-Pioneer Division **ECP** Teterboro, New Jersey Electro-Development Corporation **EDC** (Address Unknown) Eddington Thread Manufacturing **EDD** Eddington, Pennsylvania

EFH Electro-Flex Heat, Incorporated

Bloomfield, Connecticut

EFI Electrofilm, Incorporated

North Hollywood, California

EHC Englehard Minerals and Chemicals Corporation

Newark, New Jersey

Englehard Industries Division

Newark, New Jersey

Minerals and Chemicals Division

Edison, New Jersey

ELB Elliot Brothers

(Address Unknown)

ELI Electroply, Incorporated

El Segundo, California

ELM Elmhurst Rubber Company

Elmhurst, New York

ELP Elco-Pacific Company

El Segundo, California

ELR Electrical Refractories

East Palestine, Ohio

ELS Electro-Science Laboratories, Incorporated

Pennsauken, New Jersey

EMC Emerson and Cuming, Incorporated

Canton, Massachusetts

EML Electro Mechanisms, Ltd.

England

ENJ Enjay Chemical Company

New York, New York

EON Eon Corporation

Los Angeles, California

Epoxylite Corporation EPC South El Monte, California Epoxy Technology, Incorporated **EPK** Watertown, Massachusetts **Epoxy Products Company EPO** Irvington, New Jersey Eppley Laboratories, Incorporated **EPP** Newport, Rhode Island **EPX Epoxy Pack Company** Los Angeles, California **Expanded Rubber and Plastics ERP** Gardena, California **Essex Chemical Corporation ESX** Clifton, New Jersey Elco Webster Corporation **EWC** Watertown, Massachusetts Exxon Chemical Company, USA EXX Houston, Texas Fenner America Limited **FAL** Middletown, Connecticut Farbenfabriken Bayer Agency **FAR** Germany Fiber-Resin Corporation **FBC** Burbank, California Dart Industries **FBR** Fiberfil Division Evansville, Indiana Fluorocarbon Company **FCC** Sunnyvale, California

Fenwal Industries
Ashland, Massachusetts

FEN

FER Ferro Corporation Cleveland, Ohio

FHB H. B. Fuller Company St. Paul, Minnesota

FIB Fiberite Corporation Winona, Minnesota

FIC Fiber Manufacturing Company Newton, North Carolina

FIR Franklin Institute Research Laboratories
Philadelphia, Pennsylvania

FIS Fisk Brothers
Newark, New Jersey

FLA Fortin Laminating Corporation San Fernando, California

FLC Fortin Plastics, Incorporated Valencia, California

FLI Flintkote Company Stamford, Connecticut

FLO Floquil Products, Incorporated Cobleskill, New York

FLX Flexaust Company
Division of Callahan Mining Corporation
Amesbury, Massachusetts

FMC FMC Corporation Industry, California

FOF Foam Fab Company
Franklin, Massachusetts

FPC Bostik-Finch, Incorporated
(Subsidiary of USM Corporation)
Torrance, California

FPI Furane Plastics, Incorporated Los Angeles, California

Fargo Rubber Corporation **FRC** (Address Unknown) Freeman Chemicals FRE Port Washington, Wisconsin **FRL** Fabric Research Labs Denton, Massachusetts Fuller Company FUL (Address Unknown) Goodyear Aerospace Corporation **GAC** Akron, Ohio Gudebrod Brothers Silk Company, Incorporated **GBE Electronics Division** New York, New York **GCC** General Cement Rockford, Illinois G. C. Electronics Company **GCE** Rockford, Illinois **GDC** General Dynamics Convair Division San Diego, California **GEC** General Electric Company Plastics Department Pittsfield, Massachusetts Silicone Products Department Waterford, New York Wire and Cable Department Bridgeport, Connecticut General Electronics Incorporated **GEN** Newark, New Jersey General Electric Company **GEV** Reentry and Environment Systems

Valley Forge, Pennsylvania

GHI Grayhill, Incorporated La Grange, Illinois **GHT** G & H Technology Incorporated Santa Monica, California **GLI** Garlock, Incorporated Palmyra, New York **GMB** M. Grumbacher, Incorporated New York, New York **GMC** General Mills Chemical Division Kankakee, Illinois GOL **Goldenwest Products** Cedar Ridge, California **GOR** Gore Company Newark, Delaware **GPM** General Plastics Manufacturing Company Tacoma, Washington **GRC** Goshen Rubber Company Goshen, Indiana GRE Greene Rubber Company Cambridge, Massachusetts GRO **Grow Chemical Corporation** Cleveland, Ohio GRU Grumann Aerospace Corporation Bethpage, Long Island, New York

GSC Goddard Space Flight Center Greenbelt, Maryland

GTR General Tire and Rubber Company
Akron, Ohio

GTS Sheldahl, Advanced Products Division Northfield, Minnesota

Hughes Aircraft Company **HAC**

Culver City, California

Handschy Chemical Company HAN

Chicago, Illinois

Harshaw Chemical Company HAR

Salon, Ohio

Haveg Industries HAV

Winooski, Vermont

Hughson Chemical Company HCC

Erie, Pennsylvania

Hygienic Dental Manufacturing Company **HDM**

Akron, Ohio

Hettinger, Baldwin and Messtechnik HEM

Netherlands

Hercules, Incorporated **HER**

Wilmington, Delaware

Hexcel Products, Incorporated **HEX**

Berkeley, California

Hardman Incorporated HIC

Belleville, New Jersey

Hoffmann-La Roche, Incorporated HLR

Nutley, New Jersey

Hemmingway and Bartlett Manufacturing Company **HMB**

New York, New York

Henkel and Cie **HNC**

Federal Republic of Germany

Howe and Bainbridge, Incorporated **HOB**

Boston, Massachusetts

Hastings Plastics Company **HPC**

Santa Monica, California

Hawker and Siddeley Dynamics, Ltd.

London, England

HSP High Strength Plastics Corporation

· Chicago, Illinois

HTC Health-Tecna Corporation

Kent, Washington

HTR Hi-Temp Resins Incorporated

Stamford, Connecticut

HTW Hi-Temp Wires Company

Westbury, Long Island, New York

HUE Hughes Associates

Excelsior, Minnesota

HUL Hulz A. G.

Germany

HWC Hope Webbing Company, Incorporated

Providence, Rhode Island

HYD Hydron Laboratories

(Address Unknown)

HYS The Dexter Corporation

Hysol Division Olean, New York

IBM Corporation

Armonk, New York

ICA Imperial Chemical

Ayrshire, Great Britain

ICI United States, Incorporated

Wilmington, Delaware

ICO Icore Wire and Cable

Santa Barbara, California

IDE Ideas, Incorporated

Beltsville, Maryland

IER International Electronic Research Corporation
Burbank, California

IMP Imperial Eastman
Chicago, Illinois

IND Independent Ink, Incorporated
Gardena, California

Inks and Specialties

INK Inks and Specialties Irving, Texas

INR Industrial Electronic Rubber Company
Twinsburg, Ohio

INS Insta-Foam Products
Addison, Illinois

INT International Harvester Chicago, Illinois

INX Insi-X Company
Brooklyn, New York

IPI Impact Plastics, Incorporated Gastonia, North Carolina

IRC Isochem Resins Company Lincoln, Rhode Island

IST Insultab Incorporated Woburn, Massachusetts

ITR IIT Research Institute Chicago, Illinois

ITT Industrial Products Division San Fernando, California

JAC Jaco Manufacturing Company Berea, Ohio

JAS Jasper Rubber Company Jasper, Indiana JCD John C. Dolph Company

Monmouth Junction, New Jersey

JMC Jordon Marsh Company

· Boston, Massachusetts

JMM Johnson Massey Metals, Ltd.

London, England

JOM Johns-Manville

New York, New York

JSC Johnson Space Center

Houston, Texas

KAM Kamatics Corporation

Bloomfield, Connecticut

KAS Kasen Industries

Newark, New Jersey

KCC Kimberly-Clark Corporation

Neenah, Wisconsin

KCO Kenics Corporation

Danvers, Massachusetts

KCW Keane Corporation

Wheeler Lighting Division Wilmington, Massachusetts

KEN Kendall Company

Wellesley Hills, Massachusetts

KMC Kingsley Machine Company

Hollywood, California

KOK Kokusai Chemicals

Japan

KOL Kollmorgen Corporation

Multiwire Division

Northampton, Massachusetts

KOP Koppers Company

Irving, Texas

Kirkhill Rubber Company KRC Brea, California Leffingwell Chemical Company LCC Brea, California LCR Leach Corporation Relay Division Los Angeles, California LDD Labarge **Dorflex Division** Santa Ana, California LDV LDV Electroscience Syracuse, New York The Leal Company LEC Camden, New Jersey Lem Products LEM Mount Vernon, New York Lundy Electronics and Systems, Incorporated LES Glen Head, New York L. Frank Markel and Sons LFM Norristown, Pennsylvania Lesonal Werke-Lechler and Sons LLS Stuttgardt, Germany Liquid Nitrogen Processing Corporation LNP Malvern, Pennsylvania Lockheed Missile and Space Company LOC Palo Alto, California Lord Manufacturing Company LOR Erie, Pennsylvania Loctite Corporation LTC Newington, Connecticut

Magic American Chemical Corporation

Cleveland, Ohio

MAG

MAQ L. Frank Markel and Sons Incorporated

Norristown, Pennsylvania

MAR Markel Rubber Products

Branx, New York

MAS Mar Glass.

Sherbourne, England

MBI Master Bond, Incorporated

Teaneck, New Jersey

MCA The Mica Corporation

Culver. City, California

MCC Micro-Circuits Company

New Buffalo, Michigan

MEI Micro Electronics, Incorporated

(Address Unknown)

MEL Melrose Nameplate

Oakland, California

MEP Metachem Resins Corporation

Mereco Products

Cranston, Rhode Island

MER Meridian Laboratory, Incorporated

Middletown, Wisconsin

MET Metex Corporation

Edison, New Jersey

MIC Microtech, Incorporated

Folcroft, Pennsylvania

MID Midland Industrial Finishes Company

Waukegan, Illinois

MIF Pitney Bowes Incorporated

Microwell Division
Stamford, Connecticut

MIN Markem Corporation

Keene, New Hampshire

MIR Microdot, Incorporated

Pasadena, California

MMM 3M Company

St. Paul, Minnesota

Adhesives, Coatings, and Sealers Division

Electro-Products Division Industrial Tape Division Magnetic Products Division

MMS Mica and Micanite Supplies, Ltd.

Barnsbury Sq., London, England

MNC Morton-Norwich Chemical Company, Incorporated

Chicago, Illinois

MNR Minnesota Rubber

Minneapolis, Minnesota

MOB Mobay Chemical Company

Pittsburgh, Pennsylvania

MOL Stevens Molded Products Division

Easthampton, Massachusetts

MON Monsanto Company

St. Louis, Missouri

MOR Morgan Adhesive Company

Stow, Ohio

MOS Mosites Rubber Company

Fort Worth, Texas

MOT Motorola Incorporated

Franklin Park, Illinois

MOX Moxness Products, Incorporated

Racine, Wisconsin

MPD MPD Technology Corporation

Ergenics Division
Waldwick, New Jersey

MRC The Marblette Corporation

Long Island City, New York

MSF Marshall Space Flight Center

Huntsville, Alabama

MSH Micro Switch

Division of Honeywell Freeport, Illinois

MSI Miller-Stephenson Chemical Company, Incorporated

Danbury, Connecticut

MSL Midland Silicones Ltd.

England

MSY Moore Systems

Sunnyvale, California

MTC Mark-Tex Corporation

Englewood, New Jersey

MUH Mullard House

London, England

MWS Magnet Wire, Incorporated

New York, New York

MYC Mycalex Corporation

Division of Spaulding Fibre Company, Incorporated

Clifton, New Jersey

NBC National Beryllia Corporation

Haskell, New Jersey

NCI NCI, Incorporated

West Palm Beach, Florida

NCO New England Laminates Company

Frazer, Pennsylvania

NDC Naval Air Development Center

Warminster, Pennsylvania

NEL Nuclear Enterprises, Ltd.

Winnipeg, Canada and San Carlos, California

NEO Neosid Limited

England

NEW M. M. Newman Corporation

Marblehead, Massachusetts

NLC National Lead Company

New York, New York

NMC Stanford Packaging Corporation

National Metallizing Division

Cranbury, New Jersey

NOC Norton Company

Worchester, Massachusetts

NOI NOPI Incorporated

Hackensack, New Jersey

NOP Nopco Chemical Company

Newark, New Jersey

NPC Norton Plastics

Akron, Ohio

NRL . Naval Research Laboratory

Washington, D.C.

NSC National Starch and Chemical Company

New York, New York

NSE National Semiconductors Corporation

Santa Clara, California

NTI NT Industries

Englewood Cliffs, New Jersey

NVF NVF Company

Yorklyn, Delaware

NYE William F. Nye, Incorporated

New Bedford, Massachusetts

NYL Nylok-Detroit Corporation

Troy, Michigan

OAK The Oakland Corporation

Troy, Michigan

Orchard Company OCC (Address Unknown) OII Owens Illinois, Incorporated Toledo, Ohio Olin Mathieson Chemical Corporation OLI New York, New York **OPC** Organic Products Company Irving, Texas **ORC** Orcon Corporation Union City, California **ORT** Ortec Incorporated Oak Ridge, Tennessee Pacific Resins and Chemicals, Incorporated **PAC** Seattle, Washington **PAL** Palflex Products Corporation Putnam, Connecticut Panduit Corporation PAN Tinley Park, Illinois Parsons of California **PAR** Stockton, California Pennsalt Chemicals Corporation **PCC** New York, New York Peterson Chemical Company **PCE** Sheboygan, Wisconsin **PCR** Polychrome Film Corporation Yonkers, New York Phelps Dodge Copper Products Corporation **PDC** New York, New York

PEL Pelmor Laboratories, Incorporated Newtown, Pennsylvania

PEP Port Erie Plastics, Incorporated

Harborrcreek, Pennsylvania

PER Permacel ·

New Brunswick, New Jersey

PFC PENNtube Plastics Company

Clifton Heights, Pennsylvania

PFI Perma Foam, Incorporated

Irvington, New Jersey

PFP Precision Fiberglass Products

San Pedro, California

PHG Philips Geldrop

Netherlands

PHI Poly-Hi, Incorporated

Fort Wayne, Indiana

PHP Phillips 66 Petroleum Company

Bartlesville, Oklahoma

PIE · Pierson Industries

Palmer, Massachusetts

PKA Park Avenue

(Address Unknown)

PLA Precision Laboratories

Cincinnati, Ohio

PLI Permali Incorporated

Mt. Pleasant, Pennsylvania

PLK Plasti-Kote Division

Medina, Ohio

PLL Poly-Lok Fasteners Corporation

Cincinnati, Ohio

PLM Palmer Products

New York, New York

Polaroid Corporation **POC** Cambridge, Massachusetts Polygon Company POL Walkerton, Indiana Potomac Rubber Company **POT** Washington, D.C. Polypenco, Incorporated **PPC** Reading, Pennsylvania PPG Industries Adhesive Products **PPG** Bloomfield, New Jersey Purolator Products, Incorporated PPH Hadbar Division Alhambra, California Products Research and Chemical Corporation **PRC** Burbank, California Physics Research and Development, Incorporated **PRD** Boulder, Connecticut Proctor & Gamble Company PRG

PRG Proctor & Gamble Company
Cincinnati, Ohio

PRP Plastics and Rubber Products Company
Ontario, California

PSC Parker Seal Company Culver City, California

PTI Products Techniques, Incorporated Los Angeles, California

PUT Putnam Mills Corporation New York, New York

QUA Quantam Incorporated Wallington, Connecticut

QUE Q-Max Corporation Marlboro, New Jersey

RAD Radiation, Incorporated

Melbourne, Florida

RAM Ram Chemicals

Gardena, California

RAN Randolph Products Company

Carlstadt, New Jersey

RAY Rayclad Tubes, Incorporated

Menlo Park, California

RCA Radio Corporation of America

Harrison, New Jersey

RCC Raychem Corporation

Menlo Park, California

RCI Richmond Corporation

Redlands, California

REA Magnet Wire Company

Fort Wayne, Indiana

RED R. E. Darling Company, Incorporated

Gaithersburg, Maryland

REE Reeves Brothers, Incorporated

Vulvan Coated Fabrics Division

Rutherfurdton, North Carolina

REF Resin Formulating Company

Culver City, California

REI Reichold Chemicals, Incorporated

Detroit, Michigan

REM Rembrandt

(Address Unknown)

RES Resdel Corporation

Rio Grande, New Jersey

RFC Rogers Foam Company

Baltimore, Maryland

RIC Richardson Company

Melrose Park, Illinois

RLC Royal Lubricants Company

East Hanover, New Jersey

RMC Reliable Manufacturing Company

Fountain Valley, California

RMI Raybestos-Manhattan Incorporated

Passaic, New Jersey

ROG Rogers Corporation

Rogers, Connecticut

ROH Rohm and Haas Company

Philadelphia, Pennsylvania

RPC Riegel Paper Corporation

New York, New York

RRC Ronther Reiss Corporation

Little Falls, New Jersey

RTC Remtek Corporation

Sunnyvale, California

RVM Risdon Vacuum Metallizing Company

Van Nuys, California

SAG Schering A. G. Berghamen

Westfalen, Federal Republic of Germany

SAN Sanford Ink Company

Bellwood, Illinois

SAS Sanders Associates

Manchester, New Hampshire

SBI Solar Basic Industries

Littleton, Massachusetts

SCE Scientific Enterprises

Bloomfield, Colorado

SCG	Scott Graphics, Incorporated Holyoke, Massachusetts
SCH	Schenectady Chemicals, Incorporated Schenectady, New York
SCI	Structural Composites Industries Azusa, California
SCT	Scott Paper Industrial Foam Chester, Pennsylvania
SEL	Space Environmental Laboratories, Incorporated Boulder, Colorado
SHA	W. S. Shambau Company Newbury Park, California
SHL	Shell Chemical Company New York, New York
SHW	Sherwin-Williams Company Cleveland, Ohio
SIE	Siemens Corporation Iselin, New Jersey
SIG	Signetics Corporation Sunnyvale, California
SIO .	Siegrist Orel Europe
SIS	Sargent Industries Stillman Rubber Division Culver City, California
SLK	Sci Enterprises Huntsville, Alabama
SNZ	Sandoz Chemical Company Hanover, New Jersey
SOM	Smooth-On Manufacturing Company Gillette, New York

SPA Dalco Industries (formerly Shurlok)

Hawthorne, California

SPC Specialty Coatings

(Address Unknown)

SPI Stevens Products, Incorporated

Stevens Tubing Corporation Division

East Orange, New Jersey

SPK Spencer Kellog Division

Buffalo, New York

SPL Spraylat Corporation

New York, New York

SPR Specialty Products Company

Jersey City, New Jersey

SPT Stone Industrial Corporation

Washington, D.C.

SPX Sperex Corporation

Gardena, California

SRC Stockwell Rubber Company

Philadelphia, Pennsylvania

SRP Schultz Rubber Products

(Address Unknown)

SRW Nortronics Chemicals Company

Costa Mesa, California

SSC Spectra-Strip Corporation

Garden Grove, California

SST Stern and Stern Textiles, Incorporated

New York, New York

STA Stanley Chemical

East Berlin, Connecticut

STC Super Temp Wire Division

Winooski, Vermont

J. P. Stevens and Company, Incorporated STE New York, New York Sargent Industries STI Stillman Rubber Division Culver City, California Stranco Products, Incorporated STR Chicago, Illinois Sierracin/Thermal Systems STS Los Angeles, California Sterling Varnish STV Sewickley, Pennsylvania Summers Laboratories, Incorporated SUM Fort Washington, Pennsylvania Sequoia Wire Company **SWC** Redwood City, California Sylvania Electric Products, Incorporated SYL New York, New York Electronic Systems Division Buffalo, New York Chemical and Metallurgical Division Towanda, Pennsylvania Semiconductor Division Woburn, Massachusetts Synthane Taylor, Incorporated SYN Valley Forge, Pennsylvania TA Manufacturing Corporation **TAM** Glendale, California Taylor Corporation TAY Valley Forge, Pennsylvania The Thomas and Betts Company, Incorporated **TBT** Elizabeth, New Jersey

TCC Thiokol Chemical Corporation

Trenton, New Jersey

TCI Trans/Circuits, Incorporated

Falls Church, Virginia

TEC Technit

Cranford, New Jersey

TEE Teledyne Electro Mechanisms

Nashua, New Hampshire

TEL Thermo Electric Company

Saddle Brook, New Jersey

TEM Tempil Corporation

New York, New York

TEN Tenneco Chemicals

Foam Division

Paramus, New Jersey

TEX Texwipe Company

Hillsdale, New Jersey

TFE Technical Fluorocarbons Engineering, Incorporated

Warwick, Rhode Island

TFF T & F Fluorocarbon Company

Rolling Meadows, Illinois

THE Thermalloy Company

Dallas, Texas

THI Thermatics, Incorporated

Elm City, North Carolina

THL United Merchants and Manufacturers, Incorporated

Uniglass Industries Division Los Angeles, California

TII Texas Instruments Incorporated

Dallas, Texas

TIW Times Wire and Cable Company

Subsidiary Insilco

Wallingford, Connecticut

TMC TRAK Microwave Corporation

Tampa, Florida

TME TME Corporation

Salem, New Hampshire

TMP Temp Plate Corporation

Santa Monica, California

TNC Transene Company

Danvers, Massachusetts

TPI Thermoset Plastics Incorporated

Indianapolis, Indiana

TRA Tra-Con, Incorporated

Medford, Massachusetts

TRI Tridox Products

Philadelphia, Pennsylvania

TRO Troy Mills Incorporated

Troy, New Hampshire

TRW TRW, Incorporated

(Thompson-Ramo-Woolrich) Redondo Beach, California

TSI Thermal Systems Incorporated

Los Angeles, California

TTP Telatemp

Fullerton, California

TUF Tufnol, Limited

England

TWC Thermax Wire Corporation

New York, New York

TWP Technical Wire Products Company, Inc.

Cranford, New Jersey

TYC Tycodure Limited

London, England

UCC Union Carbide Corporation

New York, New York

UIC Union Ink Company

Ridgefield, New Jersey

UJC Upjohn Company

Kalamazoo, Michigan

UNC Uniroyal, Incorporated

New York, New York

UNI Uniglass Industries

Los Angeles, California

UOP Universal Oil Products

Norplex Division LaCrosse, Wisconsin

USE Litton Industries

Useco Division

Van Nuys, California

USP U.S. Polymeric, Incorporated

Los Angeles, California

VAC Vought Aeronautics Company

Division of LTV Corporation

Dallas, Texas

VAL Nikon Valca

Japan

VAR Varian Associates

Vacuum Products Division

Palo Alto, California

VEL Velcro Corporation

New York, New York

VFX Varflex Corporation

Rome, New York

VIG Vigor Company (Distributors)

New York, New York

VVP Vita-Var Company

New Brunswick, New Jersey

WAC Wacker

Munich, Germany

WAI Wilco Associates Incorporated

Gardena, California

WAK Wakefield Engineering, Incorporated

Wakefield, Massachusetts

WCN Whittaker Corporation

Narmco Materials Division Costa Mesa, California

WEC Westinghouse Electric Corporation

Micarta Division

Hampton, South Carolina

WEI Westinghouse Electric Corporation

Industrial Plastics Division West Mifflin, Pennsylvania

WEK Weckesser Company

Chicago, Illinois

WFC Western Filament Corporation

Glendale, California

WHB W. H. Brady Company

Milwaukee, Wisconsin

WIL Wilshire Foam Products, Incorporated

Torrance, California

WIN Winchester Electric Company

Oakville, Connecticut

WJR W. J. Rusco Company

Akron, Ohio

WLG W. L. Gore and Associates, Incorporated

Newark, Delaware

WMI Woolsey Marine Industries

New York, New York

WOP Woodmont Products

Huntington Valley, Pennsylvania

WPC Westlake Plastics Company

Lenni, Pennsylvania

WPP Wornow Process Paint Company

Los Angeles, California

WRG W. R. Grace and Company

Columbia, Maryland

WSL Western States Lacquer Corporation

Los Angeles, California

WTB William T. Bean Company

Detroit, Michigan

YAR Yarsley Limited

United Kingdom

YLI Youngblood Company

Milbury, Massachusetts

ZZZ Manufacturer Unknown